

MORAY WIND ENERGY LANDSCAPE SENSITIVITY STUDY

Final Report

Carol Anderson Landscape Associates

February 2023

CONTENTS

1	INTRODUCTION.....	1
1.1	POLICY CONTEXT	1
1.2	THE ROLE OF LANDSCAPE SENSITIVITY STUDIES	1
1.3	THE 2012 AND 2017 MORAY WIND ENERGY LANDSCAPE CAPACITY STUDIES.....	1
1.4	BACKGROUND TO THE UPDATED 2022 LANDSCAPE SENSITIVITY STUDY.....	1
1.5	STUDY OBJECTIVES.....	2
1.6	STRUCTURE OF THE REPORT.....	2
1.7	HOW TO USE THE STUDY.....	3
2	STUDY METHODOLOGY	4
2.1	INTRODUCTION.....	4
2.2	GUIDANCE ON LANDSCAPE SENSITIVITY ASSESSMENT	4
2.3	DEFINITION OF TERMS.....	4
2.4	GENERAL APPROACH TO THE STUDY	5
2.5	OPERATIONAL AND CONSENTED WIND FARMS AND TURBINES.....	5
2.6	BASELINE LANDSCAPE CHARACTER	6
2.7	WIND TURBINE TYPES	7
2.8	THE SENSITIVITY ASSESSMENT	8
2.9	JUDGEMENTS ON OVERALL SENSITIVITY.....	10
2.10	CUMULATIVE EFFECTS WITH EXISTING WIND ENERGY DEVELOPMENT.....	11
3	INTRODUCTION TO THE SENSITIVITY ASSESSMENT	13
4	COASTAL MARGIN (1).....	14
5	COASTAL FARMLAND (2)	18
6	ROLLING COASTAL FARMLAND (3).....	22
7	ROLLING FARMLAND AND FORESTS (4).....	26
8	NARROW WOODED VALLEYS (5).....	31
9	BROAD FARMED VALLEY (6)	35
10	NARROW FARMED VALLEYS (7).....	39
11	UPLAND FARMLAND (8).....	43
12	LOW FORESTED HILLS (9)	46
13	UPLAND MOORLAND AND FORESTRY (10)	50
14	OPEN ROLLING UPLANDS (11)	55
15	ROLLING FORESTED HILLS (12)	59
16	OPEN UPLANDS WITH STEEP SLOPES (13).....	63
17	OPEN UPLANDS WITH SETTLED GLENS (14)	67
18	SUMMARY OF FINDINGS AND RECOMMENDATIONS.....	71
18.1	INTRODUCTION.....	71

18.2	KEY FINDINGS OF THE SENSITIVITY ASSESSMENT	71
18.3	STRATEGIC LANDSCAPE ISSUES	71
18.4	THE EXISTING PATTERN OF WIND FARM DEVELOPMENT IN MORAY	73
18.5	CURRENT TRENDS AND ISSUES RELATED TO WIND FARM DEVELOPMENT.....	74
18.6	SENSITIVITY TO LARGER TURBINES OVER 100M HIGH.....	74
18.7	SENSITIVITY TO SMALLER TURBINES BELOW 100M HIGH.....	75
18.8	OPPORTUNITIES FOR REPOWERING OF OPERATIONAL WIND FARMS	75
18.9	A RECOMMENDED LANDSCAPE STRATEGY.....	75

APPENDIX A: REFERENCES

APPENDIX B: SCOPING EXERCISE

APPENDIX C: DETAILED SENSITIVITY TABLES

APPENDIX D: SITING AND DESIGN GUIDANCE FOR SMALLER TURBINES

APPENDIX E: LANDMARK HILLS

1 INTRODUCTION

1.1 Policy context

The Scottish Government is committed to increasing the amount of electricity generated from renewable sources. Wind farms, including repowering, expanding and extending the life of existing wind farms, will be supported.

National Planning Framework 4 (NPF4) requires Local Development Plans to seek to realise their area's full potential for electricity and heat from renewable, low carbon and zero emissions sources by identifying a range of opportunities for energy development. NPF4 recognises the importance of design and mitigation of renewable energy proposals in minimising significant landscape and visual effects whilst accepting that such effects are to be expected from some forms of renewable energy generation.

1.2 The role of Landscape Sensitivity Studies

Landscape sensitivity studies are intended to inform strategic planning for wind energy and to provide information that can assist in the evaluation of specific development proposals. They are a tool to help guide development to the best locations. The findings of landscape sensitivity assessment are strategic and indicative and are not a substitute for detailed Landscape and Visual Impact Assessment (LVIA) undertaken for site and project specific development proposals.

1.3 The 2012 and 2017 Moray Wind Energy Landscape Capacity Studies

Moray Council commissioned a landscape capacity study for wind energy development in 2012. This study comprised an assessment of landscape and visual sensitivity of Landscape Character Types (LCTs) to different sizes of wind turbine. The 2012 Moray Wind Energy Landscape Capacity Study was replaced by an updated and revised assessment in 2017. This principally took account of the changing cumulative context, as more wind farm developments were constructed and consented in Moray and the surrounding area and considered sensitivity to larger wind turbines due to the changes in technology that had occurred since 2012. The 2017 study informed a review of the Council's Onshore Wind Energy Policy Guidance, providing supporting information to the spatial framework set out in the current Local Development Plan.

1.4 Background to the updated 2023 landscape sensitivity study

NatureScot have recently issued new guidance on landscape sensitivity assessment. This guidance advocates changing the term 'landscape capacity study' to 'landscape sensitivity study' and provides updated and detailed guidance on undertaking landscape sensitivity assessment.

This 2023 Moray Wind Energy Landscape Sensitivity Assessment Study has been commissioned to revise and update the 2017 capacity study. It follows the methodology set out in the 2022 NatureScot Landscape Sensitivity Assessment Guidance and additionally updates the cumulative baseline with regard to recent consents for wind farm developments in Moray and within the surrounding area. One of the principal differences between the 2017 Landscape Capacity Study and this updated study is the consideration of the value associated with landscapes when making judgements on sensitivity which is a requirement of the new guidance. Changes made to the landscape

character classification by NatureScot in 2019 have also been taken into account in this updated study.

Once adopted, this Landscape Sensitivity Study will inform detailed consideration of wind energy development in the same way as the Landscape Capacity Study referenced in Policy DP9 within the Moray Local Development Plan 2020.

1.5 Study Objectives

The objectives of the study are to assess the sensitivity of landscapes within Moray to different scales of wind turbine development. The study also considers potential cumulative and cross-boundary landscape and visual effects (considering neighbouring local authorities) and identifies broad constraints and opportunities for new wind energy developments, including extensions to, and repowering of, operational wind farms. The sensitivity assessment principally focusses on commercial scales of wind turbines but also considers sensitivity to smaller wind turbines in detail in more settled lowland landscapes. Some general guidance is given on the siting of smaller wind turbines in sparsely settled upland areas where demand for this type of development is likely to be low.

The study has additionally provided feedback on the methodology outlined in draft versions of the recently published NatureScot Landscape Sensitivity Assessment Guidance in tandem with a Pilot Landscape Sensitivity Study undertaken for the Dava Moor, Nairn and Monadhliath study area in Highland Council area.

1.6 Structure of the report

Section two of the report, which follows this introduction, describes the methodology adopted for the assessment, the Assessment Units which form the basis of the study and the types of wind turbine which have been assessed. Operational and consented wind farm and turbine developments which form the baseline for the study are also identified.

Landscape and visual sensitivity assessments have been produced for 14 Assessment Units within Moray and these are set out in subsequent sections of the report. These assessments consider the susceptibility of each of the Assessment Units to different sizes of wind turbine, together with the landscape value associated with the Assessment Unit, in making judgements on landscape sensitivity. Guidance is provided on cumulative issues, opportunities and constraints for development and on the general siting of development within each Assessment Unit. A summary of the findings and a proposed landscape strategy for accommodating additional wind energy development in Moray is set out in Section 18 of the report.

1.7 How to use the study

The study aims to support strategic spatial planning for wind energy development. It considers broad landscape and visual sensitivities only and a range of other factors also need to be considered in determining the acceptability of specific developments. The assessment identifies constraints and opportunities at a strategic scale and Landscape and Visual Impact Assessment (LVIA) will provide more detailed assessment of specific wind energy developments.

The sensitivity assessments have been undertaken on the basis of Assessment Units which are closely allied to Landscape Character Types. These often have 'fluid' boundaries with a gradual transition occurring with similar adjacent Assessment Units. Wind turbines are also tall structures likely to have an influence on adjoining landscapes. It is therefore recommended that when considering individual proposals, both the Assessment Unit that the development lies in, and immediately adjoining Assessment Units, are reviewed as wider sensitivities may apply. This should include consideration of cross-boundary landscape and visual issues with where relevant.

The study considers the sensitivity of Assessment Units to a limited number of pre-determined turbine types, principally based on height. Individual applications need to be considered on a case-by-case basis with some flexibility on turbine heights being applied within close range of the upper height threshold used in the sensitivity assessment. Where turbines are slightly above the height threshold or proposed within more sensitive landscapes, they should be subject to careful and thorough consideration with the developer being requested to demonstrate how they have dealt with potential effects on the constraints identified in the sensitivity assessment at a more detailed level.

2 STUDY METHODOLOGY

2.1 Introduction

The study considers the sensitivity of different landscapes within Moray to changes that would be brought about by additional wind turbine development as well as repowering of operational wind turbines. Although the focus is on landscapes within Moray, landscape and visual sensitivities and potential cumulative issues associated with adjoining authorities are also considered. Moray and adjoining authorities are shown in Figure 1.

2.2 Guidance on landscape sensitivity assessment

This study is based on the guidance contained in NatureScot's 2022 *Landscape Sensitivity Assessment Guidance*. The guidance defines landscape sensitivity assessments as strategic appraisals of the relative sensitivity of landscapes to development or land use changes. Landscape sensitivity is described as being '*a measure of the ability of a landscape to accommodate change arising from specified development types or land management scenarios without undue negative effects on the landscape and visual baseline and their value*'.

Landscape sensitivity assessment is undertaken on the basis of Assessment Units which are based on the Landscape Character Types identified in the NatureScot 2019 online national classification. The susceptibility of key landscape and visual criteria and the value associated with the landscape are considered in making judgements on sensitivity. Landscape sensitivity assessment considers the principle of a particular type of change rather than a specific development in a defined location.

2.3 Definition of terms

The following definitions of terms apply to this study:

Landscape character assessment is the starting point for landscape sensitivity work. It identifies and explains the combination of elements and features that make landscapes distinct from one another by mapping and describing Landscape Character Types (LCT) that are generic and Landscape Character Areas that are place specific. The description of their distinctive characteristics often includes how the landscape is perceived and experienced by people. Landscape Character Assessment analyses in detail the three main physical landscape components of landform, land cover and settlement and how they combine to form the landscapes we see and experience. The LCTs defined in the national coverage of Landscape Character Assessment form the basis for the Assessment Units used in the landscape sensitivity assessment. While the Assessment Units are similar to the LCTs, there are more detailed sub-divisions and different names are also used in some instances as indicated in Table 2.

Landscape susceptibility, within the context of sensitivity studies, can be defined as '*the degree to which a defined landscape and its associated visual qualities and attributes might respond to the specific development type/development scenario or other change without undue negative effects on landscape character and the visual*

'resource' ¹. In this study, change relates to wind energy development and any findings on landscape sensitivity are restricted to this. Landscapes may have different susceptibilities to other forms of change or development.

Landscape value

This is a measure of the relative value attached to different landscapes by society. It includes nationally and locally important designated landscapes and other formally recognised landscape interests as well as other aspects of the landscape which may be valued by a variety of stakeholders for a range of reasons such as recreation, tourism or cultural interest.

Landscape sensitivity is a measure of the ability of a landscape to accommodate change arising from specified development types or land management. It combines judgements of the susceptibility of the landscape to change and the values attached to the landscape. Sensitivity assessments or studies provide an indication of this in a manner which is robust, repeatable and capable of standing up to scrutiny.

2.4 General approach to the study

The approach to the study has been informed by guidance on the potential impacts and landscape sensitivities associated with wind energy development and on the practical application of methodologies used in recent landscape sensitivity studies we have undertaken. The study has involved the following key tasks:

- Identification of operational and consented wind farm and turbine developments in Moray and within adjoining authorities to inform the baseline for this study.
- Identification of the different wind turbine development types to be assessed in the study in collaboration with the Steering Group which comprised representatives of The Moray Council and NatureScot.
- Definition of the landscape and visual susceptibility criteria to be used in the assessment and the scope of aspects to consider in determining the value associated with the landscape.
- Field work to define appropriate Assessment Units which will form the basis of the study and to assess their sensitivity to the agreed development types and considering cumulative effects with operational and consented wind energy developments.
- An overview of landscape and visual sensitivity across the study area and recommendations on strategic landscape and visual considerations for wind energy developments within and close to Moray.

2.5 Operational and consented wind farms and turbines

The operational and consented wind farm developments lying in Moray and close to its boundaries set out in Table 1 below form the baseline for the sensitivity assessment. These developments are shown in Figure 2. Proposed wind farm developments are not considered in the sensitivity assessment.

¹ Landscape Institute and Institute of Environmental Management and Assessment (2013) *Guidelines for Landscape and Visual Impact Assessment 3rd Edition*.

Table 1: Operational and consented wind farms considered in the study

Windfarm	Turbines	Height to blade tip	Assessment Units
<i>Operational wind farms and turbines > 50m high</i>			
Rothes	28	100m	<i>Upland Moorland and Forestry</i>
Paul's Hill	28	100m	<i>Open Rolling Uplands</i>
Hill of Towie	21	100m	<i>Rolling Forested Hills</i>
Berry Burn	29	104m	<i>Open Rolling Uplands</i>
Rothes II	18	125m	<i>Upland Moorland and Forestry</i>
Myreton, Keith	3	80/89m	<i>Upland Farmland</i>
Balnamoon, Keith	1	70m	<i>Upland Farmland</i>
Netherton of Windyhills	2	92m	<i>Upland Farmland</i>
Clashindarroch	18	110m	<i>(Aberdeenshire)</i>
Kildrummy	8	93m	<i>(Aberdeenshire)</i>
Hill of Glaschyle	12	99.5m	<i>Upland Moorland and Forestry</i>
Dorenell	59	126m	<i>Open Uplands with Settled Glens</i>
Edintore	6	125m	<i>Upland Farmland</i>
Cluny Farm, Forres	1	61m	<i>Rolling Farmland and Forests</i>
Ardoch Farm, Mulben	1	67m	<i>Broad Farmed Valley</i>
Bognie Farm	1	61m	<i>Rolling Farmland and Forests</i>
<i>Consented wind farms and turbines >50m high</i>			
Hunthill, Rothes	3	67m	<i>Upland Moorland and Forestry</i>
Aultmore	13	110/100m	<i>Low Forested Hills</i>
Kellas	4	100m	<i>Upland Moorland and Forestry</i>
Meikle Hill	6	125m	<i>Upland Moorland and Forestry</i>
Cairn Duhie	20	110m	<i>Open Rolling Upland (Highland)</i>
Hill of Towie II	16	125m	<i>Rolling Forested Hills</i>
Lurg Hill	5	130m	<i>Low Forested Hills</i>
Paul's Hill II	6	134/149m	<i>Open Rolling Upland</i>
Berry Burn II	9	149.9m	<i>Open Rolling Upland</i>
Garbet	7	190m	<i>Open Uplands with Settled Glens</i>
Clash Gour	48	130/180m	<i>Open Rolling Upland</i>
Rothes III	28	149.9/225m	<i>Upland Moorland and Forestry</i>

Smaller wind turbine developments

There are a number of operational single and small groups of turbines below 50m high in Moray. These are largely located within the *Upland Farmland*, *Broad Farmed Valley* and *Coastal Farmland* Assessment Units.

2.6 Baseline landscape character

The Assessment Units considered in the sensitivity assessment are shown in Figure 3. Table 2 shows the correlation between the NatureScot national landscape character classification and the Assessment Units considered in the study.

Table 2: Correlation with NatureScot 2019 landscape character classification

NatureScot Landscape Character Types	Assessment Units considered in this study
Beaches, Dunes and Links (281)	Coastal Margin (1)
Cliffs and Rocky Coast (282)	
Coastal Forest (283)	
Coastal Farmland (284)	Coastal Farmland (2)
	Rolling Coastal Farmland (3)
Rolling Farmland and Forest (285)	Rolling Farmland and Forest (4)
Narrow Wooded Valley (286)	Narrow Wooded Valley (5)
Broad Farmed Valley (287)	Broad Farmed Valley (6)
Farmed and Wooded River Valleys (32)	Narrow Farmed Valley (7)
Upland Valley (294)	
Upland Farmland (288)	Upland Farmland (8)
Upland Farmed Valleys (289)	
Low Forested Hills (293)	Low Forested Hills (9)
Upland Moorland and Forestry (290)	Upland Moorland and Forestry (10)
Open Rolling Upland (291)	Open Rolling Upland (11)
Open Uplands (292)	Rolling Forested Hills (12)
	Open Uplands with Steep Slopes (13)
	Open Uplands with Settled Glens (14)

2.7 Wind turbine types

2.7.1 *Smaller types*

The focus of this study is on new ‘commercial’ wind farm developments and extensions to operational wind farms rather than smaller turbines <100m high which are no longer considered economic by the renewables industry. Smaller turbines <100m are principally considered in more settled lowland areas as these are the areas where there has been interest in single and small groups of turbines of this size in the past. Whilst manufacture of turbines <100m may have slowed, older, smaller turbines within operational wind farms may be available for re-use in the future.

2.7.2 *Larger types*

The majority of operational wind turbines in Moray are between 100-126m high to blade tip. Recent consents include turbines of 130m and 149m high. The trend is for turbines to increase in size with recent applications comprising turbines up to 225m high. We have considered two sizes within the larger turbine category, 100-150m high and >150m high (to a possible upper height of 250m). The 150m height threshold has been principally determined because of the requirement for visible aviation lighting on turbines 150m and over and the potential landscape and visual effects of this.

We have not specifically considered pre-determined numbers of turbines within the typologies assessed as this would make the sensitivity assessment complex and difficult to follow. Some broad indication is given, however, of the likely extent of

development that may be accommodated within the guidance set out for each Assessment Unit.

2.7.3 *Development types considered in the study*

The study considers the following turbine types:

- Small turbines 35-50m
- Medium turbines 50-100m
- Large turbines 100-150m
- Very Large turbines >150m (up to around 250m)

The 'Small' turbine type considers turbines between 35m and 50m high. Turbines <35m high generally have fewer landscape and visual effects and these are therefore not considered in the detailed sensitivity tables in Appendix C. Some general guidance on accommodating this size of turbine in more settled lowland landscapes is however provided in the summary assessment.

Not all turbine types are considered in all Assessment Units. A broad scoping exercise was undertaken to focus on the key Assessment Units where there is/or may be interest in commercial scale developments because of sparse settlement and the generally more extensive scale of the landscape. This exercise principally considers the key susceptibility criteria of landform, landcover and scale and is included in Appendix B.

2.7.4 *Aviation lighting*

All onshore wind turbines 150m high and over to blade tip require visible red aviation warning lighting under Civil Aviation Authority (CAA) rules. These generally comprise 2000 candela lights fixed to the top of the nacelle which can be dimmed to 200 candela in clear visibility. Shielding of the light can help reduce the intensity of lighting experienced in closer lower-level views. Further mitigation of lighting is currently being considered for many wind farms in the planning system. This includes measures to reduce the number of turbines within a wind farm proposal which need to be lit. Aircraft Detection Lighting Systems where the lights are only activated when an aircraft approaches, are also currently being considered by developers with the CAA. These systems may significantly reduce the duration of lighting.

2.8 **The sensitivity assessment**

The study considers the susceptibility of key landscape and visual characteristics (named assessment criteria) of different Assessment Units within the study area to the turbine types outlined above. The value associated with the Assessment Unit is also considered with susceptibility and value being combined to arrive at a sensitivity rating for each of the turbine types considered in the assessment. Table 3 below sets out the landscape and visual sensitivity criteria considered in the sensitivity assessment.

Table 3: Landscape susceptibility and value assessment criteria

Assessment criteria	Factors considered in the assessment
Scale	Consideration of the scale of the landscape based on the degree of topographical relief, openness and enclosure and the presence of smaller scale features. In general, larger scale landscapes are likely to be less susceptible to larger wind turbines.
Landform	Consideration of the degree of complexity of landform including identification of any distinct topographical features. Assessment of how development, including ancillary works such as access tracks and energy storage infrastructure, could impact on or relate to landform. Simpler and more gently graded landform would generally be less susceptible while more complex, steeper and distinctive landform would be more susceptible.
Land cover	Consideration of the degree of complexity and diversity of land cover including field enclosure pattern, woodlands, water courses and lochs but also distinctive landcover features. More diverse and intricate landcover pattern would be more susceptible to development in general with broader, simpler landcover pattern being less susceptible. Effects include loss of the feature and diminishment of the integrity if removed to accommodate turbines or a detractive effect if turbine were located nearby.
Built environment	Consideration of the pattern, density and character of settlement and other built features, including prominent cultural heritage features, their relationship to topography or other natural features and their setting. Assessment of how development might impinge on these features and where there may be scope to attain some visual separation to minimise effects. Where larger scale buildings and built structures such as pylons, masts and operational and consented wind farms are present, the relationship of additional turbine development to these is assessed.
Landscape context	The role of adjacent Assessment Units in contributing to the character of the Assessment Unit which is the subject of the assessment and vice versa. The degree of inter-visibility and effects on key characteristics are assessed. Smaller Assessment Units that are more closely juxtaposed and contrast strongly with surrounding landscapes are likely to be of increased susceptibility while Assessment Units which are large in extent, or which have a similarly large scale and simple landcover pattern to neighbouring landscapes, may be less susceptible.
Visual aspects	The extent of relative visibility of the landscape (including considerations of whether it is well-settled and easily accessible) and key views to and from the landscape. The degree of openness or enclosure which influences visibility, including the amount of screening created by topography and woodland. The type of views, including elevated, extensive views which are sustained or more intermittent views where woodland or landform provides some screening. Appraisal of the significance of skylines and key vistas including the presence of landmark features. More densely settled and open landscapes would generally be of increased susceptibility although the presence of key visitor

	attractions and routes (including areas popular for recreation) can increase susceptibility in more sparsely settled landscapes. Susceptibility is also generally reduced if landform and woodland have the potential to provide screening. Prominent skylines and views to landmark natural or built features are of increased susceptibility.
Landscape Values	Presence of designated landscapes, which in the study area comprise Special Landscape Areas (SLAs), Conservation Areas and Inventory listed Gardens and Designed Landscapes (GDL). The presence of indicators of related interests such as promoted viewpoints and recreational/tourist routes will also be considered. Designations or values that reinforce landscape features, for example Sites of Special Scientific Interest (SSSI) for landform or landcover features are also taken into account. Judgements are made on the contribution to landscape value taking into account the nature, importance, extent and number of designations and recognised interests. Valued landscapes which abut the study area, including SLAs in Moray and Highland and the Cairngorms National Park, are additionally considered. Where citations exist for designated and other formally valued landscapes, the effect of development on identified key characteristics and qualities of these areas is appraised

2.9 Judgements on overall sensitivity

The overall sensitivity level is judged by considering the combined weight of evidence on landscape and visual susceptibility and value rather than using a numerical scoring system. The score attributed to landscape value comprises one of the eight landscape and visual sensitivity criteria (an eighth of the score) when judging overall sensitivity rather than contributing half of the score. A five-point scale has been used in the assessment of each susceptibility criterion and with regard to the value associated with the Assessment Unit. This is also adopted in the overall sensitivity ratings accorded to each Assessment Unit as interpreted in Table 4 below.

The overall sensitivity rating does not represent a median score across all criteria but rather considers the degree of susceptibility of each criterion to a development type and the nature of likely effects on valued landscapes. In general, an Assessment Unit which has been judged in the assessment to have a high susceptibility across three or more criteria would be considered to have a high overall sensitivity rating. A similar approach has been adopted for high-medium susceptibility across three or more criteria.

Table 4: Explanation of overall sensitivity ratings

Overall Sensitivity rating	Definition
High	Key assessment criteria, such as scale, landform and visual aspects, are highly vulnerable to change from the development type. Development would conflict with several or most of the assessment criteria with

	widespread and severe adverse impacts likely to arise.
High-medium	Assessment criteria are vulnerable to change from the development type. Development would conflict with some of the assessment criteria but may be able to be accommodated in very small parts of some Assessment Units.
Medium	Assessment criteria are generally less vulnerable to change from the development type. There is some ability to accommodate development in some situations without widespread or severe changes to the landscape; the development turbine type relates to key aspects of landscape character.
Medium-low	Fewer of the assessment criteria are vulnerable to change from the development type. There are opportunities to accommodate the development turbine type in most locations without widespread or severe effects on the assessment criteria; the development turbine type relates to many aspects of landscape character.
Low	Assessment criteria are generally not vulnerable to change. The development turbine type relates well to the assessment criteria and change may be accommodated without widespread significant adverse impacts on the landscape.

2.10 Cumulative effects with existing wind energy development

There are two outputs from the assessments in relation to cumulative landscape and visual assessment.

2.10.1 *Cumulative effects*

We have firstly considered cumulative effects with other large infrastructure, including operational and consented wind farms, in the sensitivity assessments under the assessment criterion of ‘built environment’.

2.10.2 *Potential cumulative issues*

We have also identified potential cumulative landscape and visual issues in the summary text. These are more speculative potential impacts and reflect what might happen depending on the number and type of developments which could be introduced into the Assessment Unit which is the subject of the assessment. Potential landscape and visual cumulative impacts considered include:

- Change in landscape character – i.e. where an addition to existing and consented wind farms and turbines is likely to result in wind turbines becoming a recognisable and consistent characteristic associated with a specific Assessment Unit, rather than a one off feature;
- Significant alteration to a defining characteristic of that landscape character – i.e. a characteristic which is recognised as contributing to the distinctive identity

of the character of an area is likely to be lost or significantly diminished by the addition of one or more wind farms or multiple wind turbines to multiple existing and consented wind farms or turbines;

- Loss of recognisable development pattern – i.e where wind farms or turbines are introduced into a landscape where existing wind farms or turbines already create a recognisable pattern of development which relates strongly to particular landscape characteristics but additional development diminishes the integrity and robustness of the pattern leading to fragmentation of landscape character
- Visual dominance – i.e where wind farms or turbines become a visually dominant feature because of their combined presence as multiple or merged developments affecting a skyline as viewed from a significant viewpoint, or encountered sequentially as a series of focal points from a road or stretch of coast which is a definable journey
- Visual clutter – where different types of turbines, including different heights and styles of design, come together to create a muddled visual distraction from the landscape or key features.





Figure 1: Study Area

Legend

- LCA Moray Study Area
- 'Moray Council Administrative Area'
- Cairngorms National Park






Figure 3: Assessment Units

3

INTRODUCTION TO THE SENSITIVITY ASSESSMENT

The following sections of the report contain a summary of the sensitivity assessment undertaken for each Assessment Unit considered in the study. An introduction describes the location of the Assessment Unit and outlines operational and consented wind energy developments located in the Assessment Unit and surrounding area (and clearly visible from the Assessment Unit being assessed). Constraints and opportunities for wind energy development are listed and guidance is given on general siting and design. Detailed sensitivity assessment tables for each Assessment Unit are included in Appendix C to this report.

Table 5 indicates the turbine types considered in each of the Assessment Units in the detailed sensitivity assessment (see also the exercise undertaken to determine the scope of the detailed sensitivity assessment in Appendix B).

Table 5: Turbine types considered in the detailed sensitivity assessment

Assessment Unit	Turbines 35-50m	Turbines 50-100m	Turbines 100-150m	Turbines 150-250m
Coastal Margin	✓	✓	x	x
Coastal Farmland	✓	✓	✓	x
Rolling Coastal Farmland	✓	✓	✓	x
Rolling Farmland and Forest	✓	✓	✓	x
Narrow Wooded Valley	✓	✓	x	x
Broad Farmed Valley	✓	✓	✓	x
Narrow Farmed Valleys	✓	✓	x	x
Upland Farmland	✓	✓	✓	x
Low Forested Hills	x	x	✓	✓
Rolling Forested Hills	x	x	✓	✓
Upland Moorland and Forestry	x	x	✓	✓
Open Rolling Uplands	x	x	✓	✓
Open Upland with Steep Slopes	x	x	✓	✓
Open Upland with Settled Glens	x	x	✓	✓

The study has focussed on assessing the relationship between the size of the turbine and the landscape and visual sensitivity criteria. In undertaking this analysis, single turbines and groups of turbines have been considered and the assessment also considers scope for multiple developments. The availability of less constrained land, considering the extent of area already occupied by operational and consented wind farms and the potential effects on key landscape and visual constraints, has informed the judgments made on sensitivity.

Although not considered in detail in the sensitivity assessment, some general guidance is given on siting of turbines <100m high in sparsely settled upland areas. Guidance is also provided on siting turbines <35m in more settled Assessment Units.

4 COASTAL MARGIN (1)

4.1 Introduction

The *Coastal Margin* Assessment Unit combines the *Beaches, Dunes and Links*, the *Cliffs and Rocky Coast* and *Coastal Forest* LCTs defined in the 2019 NatureScot landscape character classification.

4.1.1 Operational/consented wind farms

Three operational wind turbines <50m are located at the transition of this Assessment Unit with the *Coastal Farmland* and are visible from parts of the beach at Findhorn. Views to operational wind farms located within the uplands of Moray are limited from many parts of the *Coastal Margin* due to the screening provided by landform and forest. More open, but distant, views are possible to the operational Rothes I and II, the Berry Burn and Hill of Glaschyle wind farms from Findhorn Bay and intermittently from the Lossiemouth area. The consented Clash Gour wind farm is also likely to be visible from these parts of the Assessment Unit. The operational Hill of Towie wind farm is visible from the Spey Bay area and the consented Aultmore wind farm will be visible from the eastern part of this Assessment Unit. The majority of operational and consented wind farms are sited at least 15km from the coast which limits their landscape and visual influence.

4.2 Summary description and assessment

This landscape generally comprises a narrow coastal band, widening to the west where it includes Findhorn Bay and the coastal forests of Culbin and Lossie. The coast has a natural, complex and dynamic character in the west with sand bars, curving shingle spits, extensive dune systems, basins and marshy estuaries. A small scale rocky coastal edge of coves and promontories is interspersed east of Burghead with longer even stretches of sandy beach while to the east a narrow, raised beach is strongly contained by low sandstone cliffs. Extensive forests back the coast in places and although these largely comprise managed pine, a mosaic of glades, underlying dunes and older plantings support a richly diverse ecology particularly evident within Culbin - Forest. This coast features a distinctive pattern of small, historically rich settlements including Findhorn, Cullen, Findochty, Burghead, Kingston and Lossiemouth. There are few buildings between settlements and an absence of roads along much of the coast.

Views are expansive across the Moray Firth and focus on the distant Sutherland hills while views inland are often restricted by dunes and raised beach landforms and forest. The coast is open and exposed and a sense of isolation can be experienced away from settlements and roads.

This coastal landscape is largely covered by a series of adjoining SLA designations. The value associated with the coast (reflected in the SLA designation) also rests on widespread nature conservation designations, cultural heritage interests and the importance of the coast for recreation and tourism.

4.2.1 Potential cumulative issues

Operational wind farm developments sited within the uplands of Moray do not have a significant effect on character or on views from the *Coastal Margin*. Consented wind farm developments are also likely to be sited sufficiently far away to limit intrusion. The three operational wind turbines at Findhorn have a localised effect on coastal character and views. Key cumulative issues that may arise within the *Coastal Margin* are likely to include:

- Multiple wind turbines sited within both the *Coastal Margin* and the *Coastal Farmland* Assessment Units which would be inter-visible where the landscape is more open and could form dominant features particularly if concentrated in close proximity to each other.
- Variations in the type and size of single and small groups of small turbines proposed within the *Coastal Margin* and also cumulative effects with masts and other tall structures sited close to the coast which could adversely affect the sense of naturalness and seclusion associated with much of this landscape.
- Sequential visual impacts experienced when travelling on coast roads or on coastal paths.

4.2.2 Constraints

- The narrowness of the open coastal edge which limits scope for multiple and large turbines to be physically accommodated.
- The small scale of more complex indented rocky coastline and narrow raised beaches contained by low cliffs which would be dominated even by smaller wind turbines.
- The rich diversity of natural coastal features including raised beaches, rocky coves and promontories, extensive dune systems, sand bars and spits, basins and estuaries.
- The relatively unmodified coastal edge, which although well-used for recreation, has a strong sense of naturalness and can seem secluded away from settlement, especially when backed by the coastal forests.
- Distinctive historic settlements sited along the coast and their immediate coastal setting.
- The attraction of the coast for recreation and tourism increasing sensitivity to wind turbines which would be seen from beaches, vantage viewpoints within forests, roads and settlements.
- Views from the open hinterland of the *Coastal Farmland* but also from the more distant north-facing settled hill slopes of the *Rolling Farmland and Forest* and the *Coastal Farmland with Rolling Hills* AUs where larger wind turbines would be particularly prominent and could intrude on views to the Moray Firth.
- The landmark hill of the Bin of Cullen and the policies of Cullen House in the east of Moray where wind turbines could detract on the setting of these features.
- The SLA designation which covers much of this Assessment Unit and which increases the value of this coastal landscape.

4.2.3 Opportunities

- Broader areas of farmland with a simple landform and land cover pattern at the transition with the *Coastal Farmland* in the western parts of this Assessment Unit where smaller turbines could be set sufficiently well back from the more sensitive beaches and dunes and could benefit from screening by the coastal woodlands.

4.3 Sensitivity and guidance

This coastal landscape is of **high** sensitivity to turbines >50m high. This is principally because of its rich scenic diversity, the setting it provides to distinctive historic coastal settlements, its popularity for recreation and tourism and the sense of naturalness and seclusion that can be experienced along less settled sections of the coast. These qualities are recognised in the SLA designation which covers much of this Assessment Unit.

Landscape sensitivity to turbines 35-50m would be **High-medium** as even these smaller turbines would be likely to detract from the diverse character of the coast, impact on views and diminish the sense of naturalness and seclusion that can be experienced.

4.3.1 Opportunities for smaller turbines <35m high

Areas set well back from the coastal edge on the inland fringes of the coastal forests, where some screening could be provided in views from the coast, would be less sensitive to smaller turbines and particularly turbines <25m high. Turbines should not be located in more isolated and unmodified coastal areas with strongly perceived qualities of wildness and should be sited away from more complex small scale or diverse coastal features. Ridge tops, promontories, dunes and cliff edges above raised beach platforms should be avoided and care should be taken to avoid intrusion on the coastal setting of historic settlements.

Detailed siting and design should accord with the guidance set out for smaller wind turbines in Appendix D.



Dramatic rocky headlands, coves and cliffs between Burghead and Lossiemouth.



The focus the coast provides for recreation increases sensitivity




The setting to the many historic settlements located along the coast would be sensitive to intrusion by wind turbines.



A strong sense of naturalness and seclusion can be experienced on the coast away from settlement and especially when backed by the coastal forests

Coastal Margin



5 COASTAL FARMLAND (2)

5.1 Introduction

The *Coastal Farmland* Assessment Unit forms a low-lying plain extending in a broad band east/west across Moray and backing the *Coastal Margin* which lies to the north.

5.1.1 Operational/consented wind farms

Three operational wind turbines <50m high are located in this Assessment Unit close to the boundary with the *Coastal Margin* Assessment Unit at Findhorn. These turbines are widely visible across the very open western part of the *Coastal Farmland*.

Operational wind farms located in the uplands of Moray are more widely visible from the eastern part of the *Coastal Farmland* between Elgin and Fochabers and from areas closer to the coast in the east which do not benefit from the screening provided by the wooded ridges of the *Rolling Farmland with Forests*. The distance of operational and consented wind farms in views from this Assessment Unit, and their association with a relatively simple upland plateaux, reduces influence on character and views.

5.2 Summary description and assessment

This landscape forms an extensive low-lying plain which is gently undulating to flat but also features pockets of more rolling landform and occasional small, but prominent, ridges and hills. This fertile plain is intensively farmed with large fields of arable crops and some pasture interspersed with small conifer blocks. It is a well-settled landscape which accommodates a number of large settlements and major roads. Views are often extensive and tend to focus on the uplands of Moray to the south; views to the sea from lower-lying areas are often screened by forest or landform.

Small parts of this landscape are covered by SLA designations and there are also some important cultural heritage features, including Inventory listed GDLs and designated wetlands which increase value in parts of this Assessment Unit. Recreational use tends to focus on the landscape around the many towns and villages although Duffus and Spynie Castles are popular tourist destinations.

5.2.1 Potential cumulative issues

The three operational wind turbines at Findhorn within the *Coastal Farmland* have a localised effect on coastal character and views. Operational wind farms located within the uplands of Moray are visible from parts of this Assessment Unit and are generally seen at distances of >10km and do not have a strong influence on character and views. The consented Aultmore wind farm will lie closer to the eastern part of this Assessment Unit but will be partially screened by landform reducing effects.

Key cumulative issues that may arise within the *Coastal Farmland* are likely to include:

- An absence of rationale which could occur between operational and consented wind farms clearly associated with simple and more expansive upland areas and any potential large wind turbines sited within this more settled landscape.

- Multiple wind turbines (and particularly turbines >50m) which would be inter-visible across more open areas and could be seen from the A96 and other roads and from the edges of settlements and small hills and ridges, forming dominant features if repeated across the Assessment Unit.
- Variations in the type and size of single and small groups of small turbines and also cumulative effects with masts and other tall structures.
- Sequential cumulative visual impacts experienced when travelling through this landscape on the A96 and A98 including potential effects associated with wind farms within neighbouring Aberdeenshire.

5.2.2 Constraints

- Pockets of more rolling landform and woodlands which create a complex and smaller scale landscape in the Lhanbryde/Urquhart and Spynie areas and small knolly hills against the Lossie north-east of Elgin.
- The prominent small hills and ridges which rise abruptly from the low-lying coastal plain including Binn Hill and Tappoch close to the coast and Cluny Hill close to Forres.
- The extensive wooded policies and designed landscapes of Innes House, Brodie Castle, Gordonstoun and Gordon Castle and the more diverse environs of the lower Spey and proximity to the coast.
- The well-settled character of this landscape where wind turbines could dominate the scale of buildings.
- Areas with a more fragmented character influenced by disparate and often highly visible buildings and infrastructure and where wind turbines could exacerbate clutter.
- The setting of settlements and prominent cultural heritage features, for example, Old Duffus Castle and Spynie Palace and the SLAs covering the Lower Spey and Gordon Castle Policies and Spynie which increase value in parts of this landscape.
- The narrow extent of this landscape east of the Spey where larger turbines would be likely to impact on the more sensitive *Coastal Margin* and the smaller scale *Coastal Farmland with Rolling Hills*. The landmark hill of the Bin of Cullen would also be sensitive to larger turbines sited nearby.
- The openness of this landscape and its well-settled character which increases visual sensitivity.

5.2.3 Opportunities

- The simple landform and landcover found in parts of this landscape.
- The broad extent of much of this Assessment Unit which offers opportunities for development to be sited away from adjacent more sensitive landscapes such as the *Coastal Margin*.

5.3 Sensitivity and guidance

While the broad scale of the landscape and its predominantly simple landform and land cover pattern reduce sensitivity, the larger typologies (turbines >50m high) would dominate both the scale of farms and residential buildings which are evenly dispersed

across this landscape but also the larger industrial buildings which are occasional features. They could also exacerbate the fragmented and cluttered nature of infrastructure present in some areas, for example close to Kinloss and Lossiemouth. The more prominent hills and ridges would also be sensitive to large turbines sited on them or close-by. Pockets of more diverse landform and woodland and the setting of cultural heritage features and the SLAs additionally increases sensitivity in some areas. There would be a **High** sensitivity to turbines >100m, a **High-Medium** sensitivity to turbines 50-100m high and a **Medium** sensitivity to turbines 35-50m high.

Turbines <50m would be less likely to overwhelm the scale and setting of individual buildings and settlements and would be less prominent in the generally open views possible in this low-lying landscape particularly in relation to multiple developments.

Turbines should be sited to be visually associated with larger farm and industrial buildings or within less densely settled areas, set below ridge lines which could reduce prominence. Turbines should not be sited on, or nearby, the landmark hills of Tappoch and Binn Hill in this landscape and the Bin of Cullen and Quarry Wood in adjacent Assessment Units. Areas of more complex landform, woodlands, wetlands and the setting of settlements and cultural heritage features, including designed landscapes, should also be avoided. Some of these areas are designated SLAs and turbines should be sited to avoid significant effects on their character and special qualities.

5.3.1 *Sensitivity to smaller turbines <35m high*

The openness of this landscape would allow inter-visibility of multiple turbines and would increase potential for cumulative effects to arise. Multiple smaller turbines <35m would, if well-sited, be more likely to form incidental rather than dominant features if repeated across this landscape. The use of wind turbines of different sizes and designs in close proximity should be avoided as this can lead to a discordant appearance, particularly in areas where tall built infrastructure already create a cluttered appearance.

Detailed guidance on the siting of smaller turbines is set out in Appendix D.



Low hills and ridges stand out in this low-lying coastal plain



Landcover is more diverse in the Spynie area where wetlands, water bodies and woodlands are present.




Castles, mansion houses and associated wooded policies form occasional features in this landscape and would be highly sensitive to intrusion by wind turbines



Broad and expansive areas of more open farmland allow long views

Coastal Farmland



6 ROLLING COASTAL FARMLAND (3)

6.1 Introduction

This landscape forms smaller scale rolling hill fringes and valleys backing the generally lower-lying and more gently undulating *Coastal Farmland*. This landscape rises to the south where it abuts the *Low Forested Hills* Assessment Unit.

6.1.1 Operational/consented wind farms

There are no operational wind farms or wind turbines located in this landscape. Operational wind farms located in other Assessment Units are not readily visible. The consented Aultmore and Lurg Hill wind farms located in the adjacent *Low Forested Hills* will be visible in relatively close proximity from roads and settlement in parts of this Assessment Unit.

6.2 Summary description and assessment

This landscape comprises rolling hill slopes and the valley of the Deskford Burn which fringes the higher and more simply patterned *Low Forested Hills* Assessment Unit. It has a varied landform with often interlocking steeper slopes and narrow incised valleys interspersed with occasional flatter areas and broader, more gently graded, slopes. Long belts of broadleaved trees and mixed woodlands characterise the policies of Cairnfield, Cullen and Letterfourie Houses, filling narrow valleys and enriching this landscape. The rolling landform, woodlands and pattern of medium-sized arable fields and pasture and regularly spaced houses, farms and settlements give a small-medium scale landscape. The *Low Forested Hills* form low skyline ridges immediately containing this landscape.

A SLA designation covers the lower Deskford valley (broadly according with the wooded policies of Cullen House and the lower slopes of the Bin of Cullen). Cullen House policies are an Inventory listed Garden and Designed Landscape which contributes to the value of this landscape.

6.2.1 Potential cumulative issues

The consented Aultmore and Lurg Hill wind farms, located in the adjacent *Low Forested Hills* Assessment Unit will be seen in close proximity principally from the Deskford valley. Key cumulative issues that may arise within this landscape are:

- An absence of rationale which could occur between wind farms clearly associated with the adjacent *Low Forested Hills* and any similarly large wind turbines sited within this smaller scale and more diverse and settled landscape.
- Cumulative effects from the B9018 where any larger wind turbines sited in this landscape could be seen in close succession and together with the consented Aultmore and Lurg Hill wind farms.
- Variations in the type and size of any single or small group of turbines proposed within this Assessment Unit.

- Multiple turbines sited within this Assessment Unit which could impact on views from the Bin of Cullen and from the *Coastal Farmland* with larger turbines likely to quickly form dominant features.

6.2.2 Constraints

- The small-medium scale of these rolling hill fringes and valleys which is reinforced by the presence of woodlands and a regular pattern of dispersed settlement.
- The complex landform of small interlocking hills, narrow valleys and undulating hill slopes which occurs in parts of this landscape.
- The rich pattern of policy landscape features including belts of fine broadleaved trees and parkland but also the more diverse naturalistic birch dominated woodlands within narrow valleys.
- The foreground this landscape provides to views to the landmark hill of Bin of Cullen from the A98.
- The proximity of this landscape to the parts of the *Low Forested Hills* where the consented Aultmore and Lurg Hill wind farms are located.
- The SLA which covers part of the Deskford valley and which principally relates to the Cullen House wooded policies and the Bin of Cullen.

6.2.3 Opportunities

- Upper hill slopes which are generally gentler and more open and where the landcover pattern is less pronounced and settlement sparser in some areas.
- Occasional larger agricultural buildings where the small turbine type could relate to their scale if sited nearby.

6.3 Sensitivity and guidance

The small to medium scale of these settled rolling hill fringes and valleys, the presence of diverse wooded policies together with the addition of consented wind farm development located on the adjacent *Low Forested Hills* increases sensitivity to larger turbines in this landscape. Sensitivity is **High** to turbines >50m and **High-medium** sensitivity to turbines 35-50m high. The more expansive and less well-settled gently graded upper slopes at the transition with the *Low Forested Hills* would be less sensitive to turbines <50m high. Potential cumulative effects with consented wind farms located in the *Low Forested Hills* are, however, likely to be a key constraint to accommodating turbines of this size.

6.3.1 Sensitivity to smaller turbines <35m high

Smaller turbines <35m high could also be located on more gently graded hill slopes but should be set well back from more diverse policy plantings and the narrow densely wooded valleys which are a distinctive feature of this landscape. This size of turbine could be sited on lower slopes where it would have less of a dominant effect on settled areas while potentially minimising cumulative effects with consented wind farms in adjoining upland landscapes. Turbines should not be sited on the top of prominent small hill tops with lower slopes providing greater scope to limit visual intrusion. Intrusion on

key views to the Bin of Cullen from the Deskford Valley and from the adjacent *Coastal Farmland* should also be avoided.


Detailed guidance on the siting of smaller turbines is set out in Appendix D.



The landscape becomes more open and has a broader scale on upper hill slopes.



Long belts of broadleaved trees separate gently rolling fields.




The 'Low Forested Hills' forms a low and simple backdrop to this Assessment Unit.



Mixed woodlands, some of these forming the policies to mansion houses, occupy the narrow valleys on lower hill slopes

Rolling Coastal farmland



7 ROLLING FARMLAND AND FORESTS (4)

7.1 Introduction

The *Rolling Farmland and Forests* extends in an east/west band across Moray, forming a gradual transition between the flatter and more open coastal plain and the uplands. Differences in character occur within this Assessment Unit although the unifying feature is the small to medium scale of this landscape and the extensive forest which covers much of the area. The transition with the *Upland Moorland and Forestry* to the south is often wide and indefinite, reflecting the gradual rise in elevation and presence of more semi-improved pasture.

7.1.1 Operational/consented wind farms

There are no wind farms located in this Assessment Unit although two single operational turbines >50m are present. The operational wind farms of Rothes I and II are located in the adjacent *Upland Moorland and Forestry* and are visible in relatively close proximity from more open eastern parts of this landscape and from the upper Lossie valley. The operational Hill of Glaschyle and Berry Burn wind farms are also located in the *Upland Moorland and Forestry* and *Open Rolling Uplands* Assessment Units but are rarely visible from roads and settlement in this landscape. The consented Kellas and Meikle Hill wind farms and the consented Clash Gour and Berry Burn II wind farms located in the *Upland Moorland and Forestry* and *Open Rolling Uplands* Assessment Units will increase visibility from the upper Lossie valley and particularly from the B9010, in the vicinity of Dallas and from open ridges and summits within the forested ridges.

7.2 Summary description and assessment

This landscape has a complex and often contrasting rolling landform. The eastern part of this Assessment Unit forms gently rolling hill slopes fringing the higher *Upland Moorland and Forestry*. The deeply incised valleys of the upper Lossie and Pluscarden, contained by pronounced steep-sided wooded ridges, occur in the middle part of this landscape while the western area features more complex hummocky landform with low hills, becoming more subdued west of the Findhorn. A separate smaller wooded ridge at Quarrel wood also extends to the north-east, curving around the edge of Elgin. Romach Hill, located in the western part of this landscape, is seen widely from the coastal plain (the *Coastal Farmland* and *Coastal Margins* Assessment Units) of Moray.

The mosaic of farmland and often well-managed diverse estate-influenced forest is a key characteristic and this, together with the rolling landform, results in a small to medium scale. Fields on upper valley sides and slopes are commonly enclosed by stone walls and gorse hedges with remnant trees. Narrow winding roads respond to the rolling landform or are aligned through the major valleys. There is a strong sense of enclosure in this landscape due to the rolling landform and the extensive forest. Many historic buildings, including distilleries, estate and farm buildings, are present in pockets of farmland set within forest and also associated with the broad floodplain farmland within the upper Lossie and Pluscarden valleys. Extensive wooded policies and parkland are associated with the Altyre estate and Darnaway Castle.

SLAs cover the western parts of this Assessment Unit either side of the Findhorn valley, Quarrel wood near Elgin, the Pluscarden valley and the Spey Valley to the east. Inventory listed GDLs and other designed landscapes, and built cultural heritage features, contribute to the value of these SLAs. Recreational use is focussed on the Findhorn valley and this valley and Pluscarden Abbey are important tourist destinations.

7.2.1 Potential cumulative issues

The operational Rothes I and II wind farm development is located in the adjacent *Upland Moorland and Forestry* and is seen in relatively close proximity from the south-eastern part of this Assessment Unit. The consented Kellas, Meikle Hill, Clash Gour and Berry Burn II wind farms will be principally seen from the upper Lossie valley in the central part of this Assessment Unit. Key cumulative issues that may arise are likely to include:

- The close inter-visibility between additional turbines located in the eastern part of this Assessment Unit and the operational Rothes I and II wind farm – even small turbines sited in the *Rolling Farmland and Forest* would appear large from close-by roads and settlement and could increase the visual clutter of turbines and transmission lines which are prominent in views.
- An absence of rationale which could occur between operational and consented wind farms clearly associated with simple and more expansive upland areas and any potential similarly large wind turbines sited within this smaller scale landscape.
- Inter-visibility between any wind turbines located on visually prominent hill tops or upper slopes where they would break the skyline seen together with operational and consented wind farms located in the *Upland Moorland and Forestry* and *Open Rolling Uplands* in longer views from settlement and roads in the open coastal plain of Moray.
- Variations in the type and size of any single or small group of turbines proposed within this landscape.
- Sequential visual impacts experienced when travelling through this landscape on the B9010, especially if all consented wind farms located in the nearby *Upland Moorland and Forestry* and *Open Rolling Uplands* are constructed.

7.2.2 Constraints

- The small to medium scale of this landscape which is influenced by the rolling landform, extensive woodland and settlement, and which increases susceptibility to larger turbines.
- More complex knolly landform, steep scarp slopes, the tops of well-defined low hills, prominent ridges and hills which would be susceptible to turbine development sited on or nearby these features.
- The integrity of well-managed and diverse woodlands which are particularly prevalent in the western part of this Assessment Unit.
- The open farmed floodplain which contrasts with the densely wooded ridges and enhances the scenic diversity of this landscape

- The setting of cultural heritage features including castles, estate houses and Pluscarden Abbey as well as the designed landscapes which often surround these historic built features.
- The settled nature of the valleys within the Assessment Unit and the recreational use of woodlands which increases visual susceptibility.
- Potential cumulative effects with operational and consented wind farm development seen in close proximity to the upper Lossie valley.
- The small scale of fields and clearings within extensive forest cover which reinforce a sense of intimacy experienced when travelling on narrow roads through this landscape – turbines are more likely to be visually prominent and become the focus of views within these rare open spaces.
- The widespread visibility and prominence of Romach Hill and its important role in providing screening of operational wind farms located within the adjacent *Upland Moorland and Forestry Assessment*.
- The setting provided by the rolling wooded hills in the western part of this landscape to the intimately scaled and highly scenic Findhorn valley.
- The SLAs which apply to the Pluscarden valley, Quarrel wood, the Spey Valley and the wooded estates lying close to the Findhorn valley.

7.2.3 Opportunities

- Broader and more even hill slopes on the fringes of the *Upland Moorland and Forestry* (where operational and consented wind farms are/will not be already prominent) and the long gently graded dip slopes of ridges where rising ground could form a backdrop reducing the prominence of smaller turbines.
- Occasional larger agricultural and distillery buildings where smaller turbines could relate to their scale and form a cluster of built development if sited nearby.
- The edges of larger areas of farmland within the extensive forest cover, next to farm buildings where smaller turbines could be sited to create ‘clusters’ of development.

7.3 Sensitivity and guidance

The small to medium scale of this landscape, the presence of more pronounced landform features and diverse woodland, potential cumulative effects with operational and consented wind farms in the east and the setting this landscape provides to historic buildings, designed landscapes and the Findhorn valley increases susceptibility. The value associated with parts of this Assessment Unit, and which are recognised by SLA designations and GDLs, additionally contribute to the higher sensitivity of this landscape. There would be a ***High*** sensitivity to turbines >50m high. Sensitivity would be ***High-medium*** for turbines <50m.

More expansive gently graded upper slopes at the transition with the *Upland Moorland and Forestry*, where landcover is simpler and settlement sparser, offer potential opportunities for turbines <50m high. Turbines should be sited to avoid intrusion on prominent skylines and should not detract from the landmark hills of Brown Muir, Romach Hill and Mill Buie. Significant cumulative effects with operational and consented wind farms should also be avoided by careful siting.

7.3.1 *Sensitivity to smaller turbines <35m high*

Smaller turbines <35m high could be more easily accommodated than turbines over this height on the edges of more extensive pastures on upper valley sides which are often bordered by forest. They could also be sited so associated with larger farm and distillery buildings at the transition with the *Coastal Farmland*. Turbines should be set back from the broad open valley floors where they would be visually prominent in long views from roads and settlement and should be sited well away from the dramatic steep scarp slopes of ridges. Turbines of this size sited in the western part of this landscape should not be sited within the centre of smaller open spaces within woodland.

All turbines should be sited to avoid significant intrusion on the setting of settlements, cultural heritage features and the Findhorn valley and also on the key qualities of the SLAs which cover parts of this Assessment Unit. Detailed guidance on the siting of smaller turbines is set out in Appendix D.



Parkland and mixed woodlands provide the setting to historic buildings within the estates lying in the west of this LCT.



Broad, gently rolling fields on lower hill slopes are interspersed with bands of woodland in the eastern part of this AU.



Upper slopes have a simpler landcover pattern and more extensive scale



Ridges containing the Lossie and Pluscarden valleys have steep wooded scarp slopes and gently graded dip slopes.




Well-managed woodlands are a key characteristic of this landscape



Pockets of farmland appear carved out of the extensive forest in the western part of this AU

Rolling Farmland and Forests



8 NARROW WOODED VALLEYS (5)

8.1 Introduction

The *Narrow Wooded Valley* Assessment Unit covers the incised and densely wooded valleys of the River Findhorn and its significant tributary, the Divie Burn. A gradual transition occurs with the adjacent *Rolling Farmland and Forest* due to the extensive woodland cover common to both these landscapes.

8.1.1 Operational/consented wind farms

A small single turbine is located close to Logie in this landscape. The operational Hill of Glaschyle wind farm, located in the adjacent *Upland Moorland and Forestry*, is visible from some areas of open farmland on the shoulders of the valley and from some sections of footpath within the deeply incised Findhorn valley. The consented Cairn Duhie wind farm located within the *Open Rolling Upland* in Highland Council area may be visible from more open higher farmland in the southern part of this Assessment Unit. The consented Clash Gour wind farm will also be visible from a short section of the A940 and, more extensively, from the Dava Way recreational route.

8.2 Summary description and assessment

The Rivers Findhorn and Divie occupy narrow, incised and dramatically rocky gorges with steep, undulating slopes which are densely wooded with a diverse mix of Scots pine, beech, oak and occasional exotic tree species. Occasional pockets of pasture on more gently sloping higher valley sides appear carved out of the forest and are commonly fringed with birch. The sequence of small irregularly shaped open spaces within extensive woodland is a key characteristic of this landscape. This area is managed by several estates and this strongly influences the character of built features. Several large houses are set within woodland overlooking dramatic bends in the rivers. Otherwise, the area is sparsely settled with farms and cottages largely associated with clearings. There are relatively few roads although the A940, which forms a key approach into Moray, is aligned on the western side of this Assessment Unit. Well-used footpaths are aligned through woodland perched high above the River Findhorn. Views are generally restricted by dense woodland although rare pockets of farmland often provide long views over the valleys and to the skyline of adjacent uplands.

This Assessment Unit is wholly covered by a SLA designation in recognition of its scenic and richly diverse landform and woodlands. Walks within the Findhorn valley are popular and promoted to visitors.

8.2.1 Potential cumulative issues

There is potential for cumulative landscape and visual effects to arise with operational and consented wind farms located in the *Upland Moorland and Forestry* and within the *Open Rolling Upland* Assessment Units. Key cumulative issues that may arise are likely to include:

- An absence of rationale which could occur between operational and consented wind farms clearly associated with simple and more expansive upland areas and any potential similarly large wind turbines sited within this smaller scale landscape.
- Inter-visibility between any wind turbines located on open farmland and upper slopes of this landscape and operational and consented wind farms sited within the *Upland Moorland and Forestry* and *Open Rolling Uplands* in longer views from settlement and minor roads in open areas of farmland and from the A940, an important scenic route into Moray
- Variations in the type and size of any single or small group of turbines proposed within this landscape.
- Sequential visual impacts experienced when travelling through this landscape.

8.2.2 Constraints

- The low relief, small landforms and steep-sided gorges which characterise much of this landscape.
- The open spaces, particularly the smaller spaces surrounded by trees where the enclosure reinforces a sense of intimacy and discovery when travelling from space to space.
- The small scale of areas of farmland within extensive forest cover which reinforce a sense of intimacy experienced when travelling on narrow roads through this landscape – turbines are more likely to be visually prominent and become the focus of views within these rare open spaces, particularly if they are larger sized turbines and/or sited in the centre of open spaces.
- The setting of historic buildings and their ornamental wooded policies which contribute to the character of these valleys.
- Views from the A940 and the scenic ‘gateway’ it forms to Moray on arrival from the south over Dava Moor.
- Cumulative effects with operational and consented wind farm developments sited in the adjacent *Upland Moorland and Forestry* and the part of the *Open Rolling Uplands* which lies in Highland Council area.
- The SLA which covers this Assessment Unit and which recognises the scenic qualities of the landform, woodlands and the recreational value of this landscape.

8.2.3 Opportunities

- Gently graded slopes set away from the more complex landforms and the setting of the dramatic gorges.
- The edges of clearings next to farm buildings where smaller turbines could be sited to create ‘clusters’ of development thus minimising clutter and cumulative effects.
- Larger areas of open fields, especially when backdropped by higher land or forestry.

8.3 Sensitivity and guidance

The dramatic gorges and their setting, the intimate scale and the integrity of historic built features increase susceptibility to larger wind turbines. Although views within this landscape are limited, rare open spaces and the A940, which provides a scenic ‘gateway’ into Moray from Dava Moor, are also susceptible to intrusion from larger wind turbines. The SLA and other values associated with this landscape contribute to the finding of **High** sensitivity to turbines >35m high.

8.3.1 Sensitivity to smaller turbines <35m high

Smaller turbines below 25m high would have a better relationship to the gently graded upper valley sides where larger areas of farmland are present where they would have a less dominant effect on the scale of this landscape and may additionally benefit from screening by woodland in longer views. Turbines sited in these areas should avoid intruding into the centre of small open spaces set within woodland, on the setting of historic houses and their designed landscapes and also on the setting of the river gorges and more complex landform. They should be sited to minimise cumulative effects on views from the A940. Turbines could be sited so visually associated with buildings to reflect the scattered settlement pattern.

Detailed guidance on the siting of smaller turbines is set out in Appendix D.

8.3.2 Wind farms located in adjacent upland areas

This landscape is sensitive to wind farm development sited on the outer edges of adjoining *Upland Moorland and Forestry* and the *Open Rolling Uplands* where it may form a prominent feature in views from valley footpaths, from rare open areas of farmland and seen sequentially from the A940, an important approach to Moray. It will be important to avoid a dominant effect in terms of the size of turbines, their proximity to key views and the extent of development seen on containing skylines.



Small walled pastures on the more gently sloping open shoulders of the valley.



Rare valley floor pastures contained by policy woodlands - the skyline above these intimately scaled spaces would be susceptible to intrusion by wind turbines




The narrow, wooded gorges are a key characteristic, attracting historic development, such as estate houses and fine bridges



Diverse woodland covers much of this Assessment Unit and limits long distance views.

Narrow Wooded Valleys



9 BROAD FARMED VALLEY (6)

9.1 Introduction

The *Broad Farmed Valley* Assessment Unit covers the more enclosed valley of the Spey in Moray. This valley landscape merges gradually with the adjacent uplands of the *Upland Moorland and Forestry*, *Open Rolling Uplands* and *Open Rolling Uplands with Steep-Sided Slopes* and continues south-westwards into Highland area.

9.1.1 Operational/consented wind farms

Some operational small single turbines are located within this landscape. A number of operational wind farms are seen on the uplands surrounding the Spey valley. These include the Hill of Towie, Rothes I and II and Paul's Hill wind farms. The consented Paul's Hill II, Clash Gour and Rothes III wind farms, which all comprise significantly larger turbines than those within these operational wind farms, will be seen in much closer proximity to this Assessment Unit. The consented Berry Burn II wind farm will also comprise larger turbines but will be likely to have less of an intrusive effect on the Spey Valley than other consented wind farms due to its more central location within the upland core.

9.2 Description and assessment findings

The Spey forms a broad sinuous central river aligned through a narrow, incised channel in the south-west but opening out north of Craigellachie to wind across a wider floodplain set between steep-sided and densely forested hills. The course of the Spey is traced by diverse mixed woodlands of birch and pine with policy woodlands associated with a number of estates also located on lower valley sides. Numerous tributary rivers and burns run through narrower valleys to the Spey. Broader undulating valley sides with more gently sloping terraces accommodate mixed farmland and small woodlands. Larger arable fields tend to occur on lower valley sides with smaller pastures and coniferous plantations on upper slopes. The Spey valley is well-settled and features distinctive planned settlements, castles and distillery buildings. The hills of Ben Rinnies, Roy's Hill and Ben Aigan form prominent landmark features seen from the Spey Valley.

This Assessment Unit is largely designated as a SLA in recognition of the scenic quality of the Spey valley and the focus it provides for recreation. The association of this part of the Spey valley with the production of whisky attracts tourism and contributes to the value associated with this landscape. The Speyside Way long distance footpath is aligned through much of this Assessment Unit.

9.2.1 Potential cumulative issues

There is potential for cumulative effects to arise with operational wind farms located in the *Upland Moorland and Forestry*, *Open Rolling Upland* and *Rolling Forested Hills*. The Rothes I and II wind farm is barely visible from this Assessment Unit being generally set back into the core of the *Upland Moorland and Forestry* and partially screened by the hill of Carn na Caillie. The operational Hill of Towie and Paul's Hill wind farms are more visible although the partial screening provided by Roy's Hill to the Paul's Hill wind farm, the relatively limited extent of both these developments and their location on lower

sections of skyline minimise landscape and visual effects on the Spey valley. The consented Paul's Hill II, Clash Gour and Rothes III wind farms will be prominent, particularly seen in combination from the Upper Knockando area and widely in views across the southern sides of the Spey valley.

Key cumulative issues that may arise are likely to include:

- Further wind farm development sited closer to the outer edges of the uplands likely to result in a dominant effect on the scale and character of the Spey valley and on views from roads, recreational routes and settlement, given the extent and intrusion of consented wind farms located in adjacent uplands.
- An absence of rationale which could occur between operational and consented wind farms clearly associated with adjacent simple and more expansive upland areas and any potential similarly large wind turbines sited within this smaller scale and more settled landscape.
- Variations in the type and size of any single or small group of turbines proposed within this landscape.

The consented wind farms of Paul's Hill II and Rothes III wind farms will diminish the screening properties and character of the landmark hills of Roy's Hill and Carn na Cailliche due to their close proximity to these hills. It is important that any further wind farm development avoids exacerbation of adverse effects on these hills and on the landmark hills of Ben Aigan and Ben Rinnes due to their prominence in views across the Spey valley.

9.2.2 *Constraints*

- The scenic juxtaposition of the settled pastoral Spey Valley with the dramatically steep-sided and rugged Ben Rinnes and Roy's Hill and views to these and other landmark hills.
- More complex landform features including incised sections of valley, rolling lower hill slopes, small areas of floodplain and occasional rocky scarps which contribute to the diversity of this landscape.
- The consistent presence of small-scale features such as farms and houses, enclosed fields, field trees and woodlands which provide ready scale references.
- The setting of historic houses and castles and their designed landscapes, settlements and traditional distilleries.
- The popularity of the Spey valley for tourism and the distinct sense of place associated with whisky production.
- Potential cumulative effects with operational and consented wind farms in adjacent upland areas.
- The SLA which covers much of this landscape and recognises the scenic, recreational and tourism value associated with the Spey valley.

9.2.3 Opportunities

- Broader, upper valley sides with a simple and more gently undulating landform lying at the transition with the less dramatic upland areas which would be less sensitive to smaller turbines.

9.3 Sensitivity and guidance

While the *Broad Farmed Valley* of the Spey increases in scale on the broad and more open upper shoulders of the valley, the regular pattern of farms and other buildings, enclosed fields and smaller woodlands generally reduces scale and increases susceptibility to larger wind turbines. Cumulative effects with wind farm development in adjoining upland landscapes additionally increases susceptibility and sensitivity is increased because of the value attached to this landscape. There would be a **High** sensitivity to turbines >50m high. Sensitivity would be **High-medium** for turbines 35-50m high.

More gently undulating valley sides and the broader terraces that sit above the more enclosed, incised and intimately scaled river valley provide opportunities for turbines <50m high. Care should be taken to avoid impacting on the more dramatic steep-sided hills, such as Ben Rinnes, Roy's Hill and Ben Aigan, and key views to them. Turbines of this size should be sited within less densely settled areas with a simpler landcover pattern at the transition with the adjacent uplands although potential cumulative effects with operational wind farms would need to be carefully considered.

9.3.1 Sensitivity to smaller turbines <35m high

There are greater opportunities to site multiple turbines <35m high in this landscape particularly as these would have a better scale relationship to larger buildings and would concentrate built development if located nearby. The more contained narrow and incised glens and the open floodplain of the Spey would, however, be sensitive even to these smaller turbines.

Detailed guidance on the siting of smaller turbines is set out in Appendix D.

9.3.2 Wind farms located in adjacent upland areas

This landscape is highly sensitive to wind farm development sited on the outer edges of adjoining upland areas where it would be likely to form a dominant feature in views from settlement and important tourist routes such as the A95 and could have cumulative effects with other operational and consented wind farms.



The valley is farmed and well-settled with a regular pattern of small farms, planned settlements and distilleries.



The Spey Valley is broader in its upper reaches within Moray with more expansive gently undulating hill slopes merging with the Upland Moorland and Forestry (10).




The 'landmark' hill of Ben Aigan seen across the farmland of the Spey Valley.



The Spey is often deeply incised with steep wooded slopes although areas of flat floodplain also occur particularly in its lower reaches around Rothes.

Broad Farmed Valley



Broad Farmed Valley (6)

- Selected Assessment Unit
 - Assessment Unit Boundary
 - Moray Council Boundary
 - Special Landscape Area
- Windfarm Planning Status**
- Consented (Green)
 - Operational (Red)

10 NARROW FARMED VALLEYS (7)

10.1 Introduction

The *Narrow Farmed Valleys* cover the valleys of the upper Isla, the lower Fiddich, Glen Rinnes, Glenlivet and the upper Deveron.

10.1.1 Operational/consented wind farms

There are no operational or consented wind farms or turbines located in this Assessment Unit. The operational wind farm of Hill of Towie, and its consented extension, are located in the *Rolling Forested Hills* and are visible in close proximity from the upper Isla valley. The operational Dorenell wind farm is located in the *Open Uplands with Settled Glens* and is visible from the south-east facing slopes of Glen Rinnes and from parts of the upper Deveron and the Fiddich.

10.2 Summary description and assessment

These valleys are narrow and have a small to medium scale which is reinforced by their well-settled character. The valleys are strongly contained by steep farmed and wooded slopes with adjacent uplands forming immediate skyline ridges. More rolling landform occurs at the junction between Glen Rinnes and Glen Fiddich south-east of Dufftown. The Deveron and upper Isla valleys have a particularly diverse land cover with mixed policy woodlands and avenue trees contributing to the richness of well-managed farmland. Coniferous shelterbelts and small native woodlands form a distinct pattern across the undulating pastures of Glen Rinnes and Glenlivet. Although these valleys are not readily visible from adjacent landscapes due to their visual containment, they are well-settled with a regular pattern of farms and occasional distillery buildings. They also contain main roads and are seen from elevated recreational routes in nearby hills, including from Ben Rinnes.

Some of these valleys are designated as SLAs, principally in recognition of their scenic qualities. The association of Glens Rinnes and Fiddich with whisky production additionally increases their value in terms of tourism. The Cairngorms National Park borders this Assessment Unit with part of Glenlivet lying in the designated area.

10.2.1 Potential cumulative issues

The operational Hill of Towie and Dorenell wind farms lie in close proximity to some of these valleys. The operational Clashindarroch wind farm is visible from part of the upper Deveron valley. Key cumulative landscape and visual issues include:

- An absence of rationale that would occur between large turbines sited in the less settled, simpler and more expansive adjacent upland landscapes and also within these more settled smaller scale valleys which could lead to visual clutter and erode perceived differences in landscape character.
- Multiple turbines sited within these valleys which could be seen sequentially from roads.
- Variations in the size and style of smaller wind turbines that may be located in this landscape.

10.2.2 Constraints

- The presence of small-scale features such as farms and houses, enclosed fields and woodland which provide ready scale references.
- Incised and narrow valley floors and the often more complex rolling landform of side slopes and more pronounced small hills.
- The rich diversity of land cover which includes policy woodland, a strong pattern of shelterbelts, field and avenue trees, small enclosed fields and occasional pockets of wetland and native woodlands.
- Cumulative effects with larger turbines which are in the main clearly associated with more expansively scaled adjacent upland areas.
- The setting of the planned village of Dufftown and other settlements and historic buildings, including Auchindoun Castle which is prominently sited high above the River Fiddich.
- Views from the public roads which are aligned through these valleys, many of which are well-used by tourists, and from settlement and hill paths.
- The SLAs which cover Glen Fiddich, Glenlivet and part of the Deveron valley.

10.2.3 Opportunities

- Broader, more gently sloping upper valley sides and more extensive undulating terraces, usually at the transition with adjacent upland landscapes, where smaller turbines could be sited and would have greater potential to minimise cumulative effects with wind farms sited in adjacent upland areas.

10.3 Sensitivity and guidance

The small to medium scale of these narrow, strongly contained and settled valleys, the potential for cumulative effects to occur with wind farms located in adjacent upland landscapes and the value associated with much of this Assessment Unit increases sensitivity. Sensitivity would be **High** to turbines >50m and **High-medium** to turbines <50m.

Upper slopes and terraces within broader valleys could accommodate turbines <50m high although care would be needed to minimise cumulative effects with operational and consented wind farms in adjacent upland areas. All turbines should be sited to avoid more complex landform features and areas with a more pronounced pattern of trees and policy woodlands. They should avoid being sited on upper slopes close to operational and consented wind farms prominent on immediate containing skylines above these valleys and should also minimise visual confusion with the intrusive Dorenell wind farm to Blackhillock sub-station 132kV overhead transmission line in the area between Glen Fiddich and Glen Rinnies.

10.3.1 Sensitivity to smaller turbines <35m high

Turbines under 25m high would have a better relationship to the scale of the narrower valleys and would have greater potential to reduce cumulative effects with operational/consented wind farms located in adjacent upland areas. Detailed guidance on siting smaller turbines is contained in Appendix D.

10.3.2 *Wind farms located in adjoining upland areas*


These valleys are sensitive to large turbines located in adjacent upland areas which would be prominent on the skyline of containing hills. The horizontal extent of wind turbine development, the size of turbines and their proximity to these valleys and their effect on more prominent sections of skyline will be important factors to consider when appraising specific developments.



More open farmland occurs within narrow valley floors and on lower hill slopes. Mixed woodlands pattern valley sides and policy plantings are also present in the upper Isla and Deveron.



Low, rounded and interlocking hills contain these river valleys – settlement often extends high on upper slopes. These small-scale valleys are sensitive to large wind turbines sited on prominent containing ridges.




Undulating pastures within Glen Rinnes backed on its eastern edge by the rugged scarp of the 'Open Uplands with Steep Slopes'.



Occasional larger distillery buildings are a feature in some of these valleys

Narrow Farmed Valleys



11 UPLAND FARMLAND (8)

11.1 Introduction

The *Upland Farmland* comprises extensive gently undulating farmland centred on the shallow valleys of the Isla and its tributaries.

11.1.1 Operational/consented wind farms

Single and small groups of wind turbines (70-92m) are located near Grange Crossroads and on the south-west facing slopes of Lurg Hill. The operational Hill of Towie wind farm, located in the adjacent *Rolling Forested Hills* is clearly visible from this Assessment Unit. The operational Edintore wind farm and the consented Aultmore and Lurg Hill wind farms located in the *Low Forested Hills* lie close to the *Upland Farmland*.

11.2 Summary description and assessment

The *Upland Farmland* Assessment Unit encompasses the broad shallow valleys largely lying to the north of the River Isla. This landscape has a simple land cover of open farmland with large fields of pasture predominantly enclosed by post and wire fences. There is an even distribution of farms across this extensive area, accessed by a network of minor roads. This landscape is edged by the *Low Forested Hills* which often form a low dark backdrop to more settled and open farmland. The Bin of Cullen, Meikle Balloch and Knock hill form distinctive ‘landmark’ features prominent in views from this landscape. The planned settlement of Keith is located in this landscape. This Assessment Unit is highly visible from the A95 and railway and from the prominent hills which lie in adjacent Assessment Units and which form a focus for recreation.

The Deveron valley and Portgordon to Cullen Coast SLAs cover small parts of this landscape. Parts of this landscape are attractive to tourists visiting distilleries in the Keith area.

11.2.1 Potential cumulative issues

Operational wind turbines sited on Lurg Hill and close to Grange Crossroads are widely visible across much of this landscape. Operational and consented wind farms at Edintore, Hill of Towie, Aultmore and Lurg Hill increase visibility of wind farm development in close proximity to this Assessment Unit. Key cumulative landscape and visual issues include:

- Multiple single turbines associated with the majority of land holdings across this well-settled landscape would result in significant visual clutter and confusion.
- Large turbines visible on every hilltop/forested plateau within the adjacent *Low Forested Hills* would be likely to have a dominant and overwhelming effect on this landscape.
- Potential sequential cumulative visual effects on views from the A95 and A96 through Moray and into Aberdeenshire where a number of operational wind farms and small groups of tall turbines are sited (the screening provided by ridges and hills on the Aberdeenshire/Moray border limits inter-visibility).
- An absence of rationale which could occur between consented wind farms clearly associated with the simpler, more expansive *Low Forested Hills* and the same

- size of turbines sited in this Assessment Unit – this occurs already in the Grange Crossroads area.
- Variations in the type and size of single or groups of turbines proposed within this landscape.

11.2.2 Constraints

- The presence of small features such as farms and houses and enclosed fields and woodlands which provided ready scale references.
- Cumulative effects with larger turbines in the adjacent *Low Forested Hills* and exacerbating the existing clutter of wind turbines sited near Grange Crossroads and Lurg Hill and transmission line and sub-station infrastructure around Keith.
- The openness of this landscape which allows extensive views.
- Views of the distinctive landmark hills in this and adjoining landscapes which include the Bin of Cullen, Meikle Balloch and Knock Hill.
- The SLAs and also skylines seen from the Deveron and Deskford valleys which lie within these designated areas.

11.2.3 Opportunities

- The simple, gently undulating landform and medium scale of this landscape.

11.3 Sensitivity and guidance

While the openness, generally gently undulating landform and simple landcover of this landscape increases its scale, the presence of an even dispersal of small farms and houses would be dominated by larger wind turbines. The potential for cumulative effects to occur with large turbines sited both in this landscape and in adjoining upland landscapes additionally increases sensitivity. There would be a **High** sensitivity to turbines >100m, a **High-medium** sensitivity to turbines 50-100m high and a **Medium** sensitivity to turbines <50m.

Turbines should not be sited on or nearby the landmark hills located in this and adjacent Assessment Units. Cumulative effects with operational and consented wind farms and single/small groups of turbines located in this landscape and within the adjacent *Low Forested Hills* are likely to restrict opportunities for turbines 35-50m high.

11.3.1 Sensitivity to smaller turbines <35m high

The use of smaller turbines <35m could minimise cumulative effects as they could be less prominent if carefully sited and could concentrate built development if visually associated with farm buildings and thus avoid exacerbating the cluttered appearance of parts of this landscape.

Detailed guidance on the siting of smaller turbines is set out in Appendix D.



Although landform is broad and gently rolling, the presence of a regular pattern of farms, small woodlands and other settlement reduces the scale of the landscape.



Existing tall single and small groups of wind turbines form prominent features within the northern parts of this landscape.




Knock Hill forms a landmark in views from both this landscape and from neighbouring Aberdeenshire.



Smaller wind turbines are generally associated with farms

Upland Farmland



12 LOW FORESTED HILLS (9)

12.1 Introduction

This Assessment Unit comprises the predominantly forested broad upland plateaux and low hills which lie within and on the edges of the *Upland Farmland*. The assessment considers the sensitivity of turbines >100m high in detail in this upland landscape, providing summary guidance only for smaller turbines.

12.1.1 Operational/consented wind farms

The operational Edintore and the consented Aultmore and Lurg Hill wind farms are located in this Assessment Unit. Some areas of this landscape lie close to a number of operational large single turbines sited in the adjacent *Upland Farmland* in the vicinity of Lurg Hill and Grange Crossroads. The operational Hill of Towie wind farm and its consented extension, located in the adjacent *Rolling Forested Hills* is also visible from the more open parts of this Assessment Unit.

12.2 Summary description and assessment

This landscape comprises the predominantly forested broader hills and upland plateaux which contain the lower lying settled bowl of the *Upland Farmland* which encompass the Isla Valley and its northern tributaries. Although the majority of these upland areas have a simple landform of gentle slopes, broad indistinct summits and rounded ridges, the more defined conical 'landmark' hills of Bin of Cullen and Meikle Balloch also occur. This landscape is sparsely settled with settlement confined to small farms on lower hill slopes. The lower areas of upland plateaux are densely forested and are not settled. The western forested plateaux form a backdrop to Fochabers, the Gordon Castle designed landscape and the Spey valley while the Bin of Cullen is an important feature in views from the coast.

The Portgordon to Cullen Coast SLA extends inland to cover the Bin of Cullen and north-western parts of this Assessment Unit lies in the Spey Valley SLA. The landmark hills of Bin of Cullen and Meikle Balloch are valued for recreation.

12.2.1 Potential cumulative issues

The operational Edintore and the consented Aultmore and Lurg Hill wind farms are located in this Assessment Unit. The operational single and small groups of turbines are located in the adjacent *Upland Farmland* and the operational Hill of Towie wind farm, and its consented extension, also lies relatively close within the *Rolling Forested Hills*. Key cumulative landscape and visual issues include:

- Wind farm developments located on the majority of the lower, less pronounced upland plateaux and ridges within this landscape impacting on views from the adjacent *Upland Farmland*, potentially creating a dominant 'encircling' effect.
- Close inter-visibility of operational turbines sited in the adjacent *Upland Farmland* with larger turbines/wind farm developments located in nearby parts of the *Low Forested Hills* which could exacerbate the overly cluttered appearance of different turbine developments in views from the B9018 and from settlement in the Grange Crossroads area.

- Potential sequential cumulative visual effects on views from major roads including the A96 and the A95 through Moray and into Aberdeenshire where a number of operational wind farms and small groups of tall turbines are sited (the screening provided by ridges and hills on the Aberdeenshire/Moray border limits inter-visibility).
- Cumulative effects from popular walking routes and hill tops including from the Bin of Cullen, Meikle Balloch and Knock Hill where multiple wind farms and large turbines sited in both Moray and Aberdeenshire could be seen in close proximity.

12.2.2 Constraints

- The landmark hills of Bin of Cullen and Meikle Balloch – turbines sited on or close to these hills would detract from their form and the focus they provide in long views across eastern Moray. The SLA covering the Bin of Cullen recognises the scenic and recreational value of this distinctive hill.
- The relatively limited extent of the low hills and ridges which increases the potential for landscape and visual effects on adjacent smaller scale and well-settled landscapes such as the *Rolling Coastal Farmland*, the *Narrow Farmed Valleys*, the *Broad Farmed Valley* and the *Upland Farmland Assessment Units*.
- The western parts of this Assessment Unit which are important in providing a backdrop to Fochabers, the Spey valley and Gordon Castle designed landscape. The western hills of the Wood of Ordiequish are covered by the Spey Valley SLA.

12.2.3 Opportunities

- The simple, gently undulating landform, often uniform land cover, very sparse settlement and medium to large scale of the lower, less distinctive plateau-like hills of this landscape.

12.3 Sensitivity and guidance

There are variations in sensitivity across this Assessment Unit with the landmark hills of Bin of Cullen and Meikle Balloch being highly sensitive to wind turbine development while the lower forested plateaux, and especially those areas which do not provide the backdrop to the Spey valley, Fochabers and Gordon Castle GDL, being less sensitive. There would be a **High** sensitivity to turbines >150m and a **High-medium** sensitivity to turbines 100-150m high.

The limited extent of the less pronounced forested upland plateaux increases potential for significant landscape and visual effects to occur on adjacent settled and smaller scale landscapes. Cumulative effects with operational and consented wind turbines in this landscape and the adjacent *Upland Farmland* additionally increases sensitivity to larger turbines. Turbines <130m high would be likely to minimise effects on adjacent settled landscapes and cumulative effects with consented wind farms located in this Assessment Unit.

All turbines should be set well back into the interior of the more extensive areas of lower upland plateaux which would allow for adequate separation to occur thus minimising

intrusion on more settled and sensitive areas. Gentle undulations in landform could provide a degree of containment and reduce the perceived scale of large turbines. Turbines would need to be carefully sited to avoid cumulative effects with consented wind farms/turbines sited in this landscape and the adjoining *Upland Farmland*. Turbines should not be sited on or close-by the landmark hills of Bin of Cullen and Meikle Balloch. They should also be sited to avoid significant intrusion on the designed landscape of Gordon Castle, on the Spey Valley SLA and on the setting of Fochabers.

12.3.1 *Smaller turbines <100m high*

Smaller turbines are most likely to be associated with farmland lying at the transition with the *Upland Farmland*. Smaller turbines would be likely to have less of an effect on character and views within the more settled *Upland Farmland* although care should be taken to minimise cumulative effects with consented larger turbines located in parts of the *Low Forested Hills*. Smaller turbines should also be sited to avoid intrusion on key views of the landmark hills of Bin of Cullen and Meikle Balloch as even smaller turbines sited nearby could detract from their form and prominence.



Operational wind turbines within the adjacent 'Upland Farmland' increases potential for significant cumulative effects to arise with wind farm development in the 'Low Forested Hills'



This upland landscape forms generally low and even forested skylines to adjacent more settled landscapes, such as the 'Coastal Farmland with Rolling Hills'




Occasional 'landmark' hills occur within this landscape and include the Bin of Cullen



Whiteash Hill Wood provides an immediate backdrop to Gordon Castle designed landscape, Fochabers and the Spey Valley SLA.

Low Forested Hills



13 UPLAND MOORLAND AND FORESTRY (10)

13.1 Introduction

The *Upland Moorland and Forestry* Assessment Unit occurs in a single area within Moray. This landscape merges gradually with the *Open Rolling Uplands* to the south-west which forms higher and generally more well-defined hills than the more subtly undulating plateau of the *Upland Moorland and Forestry*. The assessment considers the sensitivity of this landscape to larger turbines >100m high in detail, providing summary guidance only for smaller typologies <100m.

13.1.1 Operational/consented wind farms

This landscape accommodates the operational Rothes I and II and Hill of Glaschyle wind farms and the consented Meikle Hill, Kellas, Clash Gour and Rothes III wind farms. The operational Berry Burn and Paul's Hill wind farms, and the consented Paul's Hill II and Berry Burn II extensions, are located to the south within the adjacent *Open Rolling Uplands*.

13.2 Summary description and assessment

The *Upland Moorland and Forestry* comprises a gently undulating plateau-like landform with smooth even slopes although some more defined and higher hills are present on the outer edges of this Assessment Unit. This landscape is predominantly large scale, sparsely settled and covered with a simple pattern of coniferous forestry and moorland although some smaller scale farmed and settled areas are present on the outer fringes of this landscape in the upper Lossie valley and Upper Knockando areas. Visibility of the interior of these uplands is restricted from surrounding roads and settlement but the outer edges of parts of this landscape are prominent from the coastal plain of Moray and from the Spey valley. While the skyline of this upland area is generally even, the distinctive hills of Mill Buie and Brown Muir Hill form landmark features in views from the north. Carn na Cailliche and Hunt Hill on the southern edge of these uplands abutting the Spey valley are less well-defined but important in the containment they provide to the extensive operational wind farm development sited within the lower-lying upland core in the eastern part of this Assessment Unit.

A small part of the Spey Valley SLA extends into the southern part of this landscape in the Upper Knockando area. The *Findhorn Valley and Wooded Estates* SLA also covers a small part of this landscape in the west. The majority of this Assessment Unit is not covered by landscape designations or other formally recognised landscape interests although the Dava Way, a long-distance recreational route, is partially aligned through this landscape.

13.2.1 Potential cumulative issues

A large number of operational and consented wind farms already strongly influence character and views in this landscape.

Key cumulative landscape and visual issues include:

- Potential sequential and simultaneous views of multiple wind farm developments visible on the long, low skylines of this landscape seen in views from the *Coastal Farmland* and the *Rolling Farmland and Forest* to the north.
- Potential effects on views from the A95 and from settlement within the *Broad Farmed Valley* (the Spey valley) where the Paul's Hill I and Hill of Towie wind farms are already visible and where the consented Paul's Hill II, Clash Gour, and particularly, the consented Rothes III wind farms will significantly increase intrusion from parts of this route. Any additional wind turbine development on the prominent south-eastern edge of these uplands which abuts the Spey valley would be likely to significantly exacerbate cumulative impacts and could result in an overwhelming effect on its character and views.
- Sequential and simultaneous views from the A940 which provides a scenic approach to Moray over Dava Moor. The operational Hill of Glaschyle wind farm is visible from rare open spaces within the more wooded section of this route near the Findhorn valley. The consented Cairn Duhie wind farm, which lies close to the Moray boundary in Highland Council area, will be more widely and prominently visible as it is located on the edge of the open Dava and Lochindorb Moors. Additional development, and particularly wind farms comprising larger turbines, sited on the small, wooded hills which lie on the western part of this landscape could result in significant cumulative effects on this route and also on the Findhorn valley.
- Increases in the extent and prominence of wind farm development seen on skylines above the upper Lossie Valley in the Kellas to Dallas area. Operational and consented wind farms will create a near continuous band of development seen in close proximity on the skyline from this settled valley. Further large wind turbines sited closer to the valley, introducing new visibility of turbines to the west of Dallas and/or filling gaps between operational and consented wind farms would significantly exacerbate effects on character and views.

13.2.2 Constraints

- The extensive operational and consented wind farms already located in this Assessment Unit which severely limits opportunities for further development to be located whilst minimising effects on adjacent more sensitive landscapes and on views.
- The hills and ridges on the outer edges of this upland landscape which form the backdrop to more settled and smaller scale farmed areas lying on the fringes of this Assessment Unit including the diverse upper Lossie valley to the south-west of Dallas and the Upper Knockando area.
- The hills and ridges on the outer edges of this landscape which form the backdrop to the smaller scale and sensitive Findhorn and Divie valleys, Glen Rothes and the Lossie valley between Kellas and Dallas.
- Views from the A940 which provides a scenic approach to Moray over Dava Moor (see also the potential cumulative effects listed above).
- The well-defined steep-sided hill of Brown Muir which forms a landmark feature seen widely across the *Coastal Farmland* to the north.

- The landmark hill of Mill Buie west of Dallas which is important in screening the consented Clash Gour (and other more distant operational wind farms) in views from settlement and roads.
- The hill of Carn na Caillche, which although not as well-defined or prominent as Brown Muir or Mill Buie, plays an important role in containing wind farm development sited in the core of the *Upland Moorland and Forestry* in views from the Spey valley. While this containment will be breached to some degree by the consented Rothes III wind farm, further development sited on or nearby this hill would significantly increase visual intrusion.
- Views from the minor road between Dallas and Knockando, a scenic route popular with leisure drivers and cyclists. Operational wind farms are already visible from this route and the consented developments of Meikle Hill, Clash Gour, Paul's Hill II and Rothes III will comprise substantially larger and closer turbines. Further development located in the remaining open ground closer to this route would exacerbate the sense of dominance likely to be experienced.
- The need to minimise effects of wind farm development seen on immediate and sensitive skylines above the *Broad Farmed Valley*. The well-settled nature of the Spey valley and its popularity with tourists, due in part to its associations with whisky production, increases visual sensitivity.

13.2.3 Opportunities

- The simple landform and large scale of the interior plateau areas and the sparsely settled nature of much of this landscape which reduces susceptibility.
- The combination of hilly landform and dense forest which would be likely to limit visibility of turbines located in the western part of this landscape from roads and settlement in the adjacent *Rolling Farmland and Forest*.

13.3 Sensitivity and guidance

While the predominantly large scale and simple landcover of this Assessment Unit reduces susceptibility to larger wind turbines this upland plateau is not extensive and thus lies relatively close to smaller scale and more settled valleys. Importantly, the extent of operational and consented wind farms already located in these uplands severely limits opportunities to site further wind energy development while minimising landscape and visual effect on adjacent more sensitive landscapes. The outer edges of these uplands adjoining more settled landscapes, and especially the landmark hills of Mill Buie, Carn na Caillche, Hunt Hill and Brown Muir, are particularly sensitive in this respect.

There would be a **High** sensitivity to turbines >150m and a **High-medium** sensitivity to turbines <150m.

Turbines should be set well back into the interior of these uplands, avoiding significant intrusion on the ridges and hills which form prominent skylines to the adjacent smaller scale settled *Rolling Farmland and Forest*, *Narrow Wooded Valleys* and the *Broad Farmed Valley*. Turbines should not be sited on, or close-by, the landmark hills of Mill Buie, Carn na Caillche, Hunt Hill and Brown Muir. Cumulative effects on views from the minor road between Dallas and Knockando should be minimised by siting turbines away

from the diverse moorland and regenerating native woodland which provides an attractive feature particularly seen to the west of this route. Significant cumulative effects on the Dava Way and on the A95 and the B9102 should also be avoided.

13.3.1 *Repowering of operational wind farms*

There may be opportunities to minimise effects on surrounding more sensitive landscape and visual receptors by repowering well-sited operational wind farms located in the less sensitive interior of these uplands.

13.3.2 *Smaller turbines*

There is unlikely to be a significant demand for smaller typologies (turbines <100m high) within this Assessment Unit. Some limited opportunities exist for smaller turbines <50m to be sited on lower hill slopes at the transition with the *Broad Farmed Valley* and the *Rolling Farmland and Forest* where they should be set well away from operational wind farms and visually associated with more settled and farmed hill fringes. There are greater opportunities to site turbines <35m high in these areas due to their better scale relationship to adjacent settled areas and to minimise cumulative effects with larger turbines within operational wind farms.



The 'landmark' hill of Carn na Caillie is important in visually containing the Rothes wind farm development in views from the Spey Valley- the consented Rothes III wind farm will breach this containment in some views



Forestry and heather moorland on lower slopes either side of the minor road between Knockando and Dallas




The Rothes I and II wind farm is seen in close proximity to the Lossie Valley near Dallas and occupies a generally low, even section of skyline between more pronounced hills.



The 'landmark' hill of Brown Muir forms a prominent feature seen extensively across the settled 'Coastal Farmland' of Moray.

Upland Moorland and Forestry



14 OPEN ROLLING UPLANDS (11)

14.1 Introduction

The *Open Rolling Uplands* Assessment Unit occurs in a single area within Moray. It extends into neighbouring Highland to the west covering an extensive swathe of low-lying basins and hills. This landscape merges gradually with the subtly undulating plateau of the *Upland Moorland and Forestry* to the north and north-east, forming higher and generally more well-defined hills. This assessment considers the sensitivity of the upland landscape of the *Open Rolling Uplands* (11) within Moray to larger turbines >100m high in detail, providing summary guidance only for turbines below this height.

14.1.1 Operational/consented wind farms

The operational Berry Burn and Paul's Hill wind farms are located within this Assessment Unit. The consented Paul's Hill II, Berry Burn II and part of the Clash Gour wind farms also lies in this landscape. The operational Rothes I and II and Hill of Glaschyle wind farms are located within the adjacent *Upland Moorland and Forestry*. The consented Meikle Hill, Kellas and Rothes III wind farms are sited close to the Rothes I and II wind farm in the *Upland Moorland and Forestry*.

14.2 Summary description and assessment

The *Open Rolling Uplands* form an upland plateau of rounded hills, some of these are particularly well-defined such as the Knock of Braemoray and Roy's Hill, and the broad low-lying basin of Moidach More. Smaller, more complex knolly hills and lochans occur to the north and north-east of Carn Kitty. This landscape has a simple land cover of grass and heather moorland with semi-improved pastures on lower hill slopes and areas of moss within low-lying basins. It is sparsely settled with small farms associated with the shallow valleys of the River Divie and Dorback Burn on northern and western fringes. Areas of diverse regenerating native woodlands and heather are a feature of these valleys. The operational wind farms of Paul's Hill and Berry Burn are sited within this landscape. Although this is a very sparsely settled area with only limited views possible into the interior uplands and basins from roads and settlement in the surrounding area, the landmark hills on the fringes of these uplands form key foci in views from surrounding settlement and roads.

This Assessment Unit is not covered by any landscape designations or other formally recognised landscape interests within Moray although the wetland of Moidach More is important for nature conservation and the Dava Way, a long-distance recreational route, is partially aligned through this landscape. The Drynachan, Lochindorb and Dava Moors SLA in Highland covers much of the *Open Rolling Uplands* which extend to the south and south-west of Moray.

14.2.1 Potential cumulative issues

Extensive operational and consented wind farm development is located in this Assessment Unit and has/will have a significant influence on landscape character and views. Key cumulative landscape and visual issues include:

- Potential effects on views from the A95 and from settlement within the *Broad Farmed Valley* (the Spey valley) where the Paul's Hill I and Hill of Towie wind farms are already visible. The consented Paul's Hill II, Clash Gour and Rothes III wind farms will significantly increase intrusion from parts of this route and any additional development in this landscape could contribute to cumulative impacts particularly if sited closer to the south-eastern edge of the *Open Rolling Uplands* and/or if featuring large turbines.
- Large wind turbines sited closer to the Dava Way exacerbating the sequential cumulative effects of operational and consented wind farms.
- Sequential and simultaneous views from the A940 which provides a scenic approach to Moray over Dava Moor and from the popular Lochindorb area in Highland. Operational and consented wind farms located in Moray are already visible and further development sited in the western part of this Assessment Unit could result in significant cumulative effects.

14.2.2 Constraints

- The extensive operational and consented wind farms already located in this Assessment Unit which severely limits opportunities for further development to be located whilst minimising effects on adjacent more sensitive landscapes and on views.
- The more defined steep-sided hills of Knock of Braemoray and Carn Biorach which both form prominent landmarks seen widely across Lochindorb and Dava Moors and from the A940 which forms a key scenic approach to Moray – these hills are also important in providing some screening of the operational Berry Burn wind farm and the consented Clash Gour wind farm in views from the west.
- Roy's Hill, which forms a landmark feature seen from the Spey valley on the southern edge of this Assessment Unit and which also provides some visual containment of the operational Paul's Hill wind farm and nearby consented wind farms.
- The smaller scale valleys of the River Divie and the Dorback Burn which feature farmland, settlement and diverse native woodlands and which are highly visible from the A939/A940.
- Cumulative effects on views from the Dava Way recreational route between Grantown and Forres and from the Speyside Way and on views from the A940 when approaching Moray.
- The wider landscape setting and character of Lochindorb and also views from the B9007 which comprises a scenic route over remote moorland. Both these features lie in the *Drynachan, Lochindorb and Dava Moors* SLA which covers the area to the south and south-west of this Assessment Unit in Highland.
- Views from the minor road between Dallas and Upper Knockando, a hill pass popular with motorists and cyclists, where additional wind energy development sited closer to this road could create an overwhelming effect.
- The well-settled nature of the adjacent Spey valley, its popularity with tourists and the SLA designation which applies to this landscape.

14.2.3 Opportunities

- The simple landform and large scale of the interior plateau areas which benefit from some screening by higher hills on the periphery of this Assessment Unit.

14.3 Sensitivity and guidance

While the predominantly large scale and simple landcover of this landscape reduces susceptibility to larger wind turbines, this upland plateau lies close to the smaller scale and more settled valley of the Spey and to sensitive landscapes in Highland.

Operational and consented wind farms are/will be a key characteristic of much of this landscape. The less sensitive interior parts of this landscape are largely occupied by these wind farms and opportunities for additional development would be more likely to be confined to more peripheral areas resulting in a greater degree of intrusion on adjacent more sensitive landscapes.

This landscape has a **High** sensitivity to turbines >150m and a **High-medium** sensitivity to turbines 100-150m.

Turbines should be set well back into the core of upland areas, avoiding being sited on or nearby the landmark hills of Knock of Braemoray, Carn Biorach and Roy's Hill. Very small extensions to existing wind farms are most likely to minimise effects on surrounding more sensitive landscapes and on views. Significant exacerbation of already significant cumulative effects on receptors using the Dava Way and the minor Kockando to Dallas road should be avoided by siting turbines well back from these routes and/or selecting fewer and smaller turbines..

14.3.1 Repowering of operational wind farms

Repowering of operational wind farms located within the interior of these uplands (and therefore more distant from key views from roads and settlement) is likely to provide most scope for accommodating larger turbines whilst minimising landscape and visual effects.

14.3.2 Smaller turbines

Demand for turbines <100m high may be focussed on the Divie and Dorback valleys. Turbines >50m high would appear large if located in these valleys and cumulative effects could occur with larger turbines within operational and consented wind farms. Turbines <35m would be more likely to minimise landscape and visual effects.



The landform is more complex in the north-east where small knolls, deeply incised valleys and lochans are present.



The operational Paul's Hill wind farm is partially contained by Roy's Hill in views from the Spey Valley.



These uplands are open in comparison with the more forested 'Upland Moorland and Forestry' seen in the backdrop



A low-lying boggy moor forms the watershed of the River Divie and is surrounded by gently undulating upland ridges




Bright green improved pastures stand out amidst moorland and bog vegetation within the Divie and Dorback Burn valleys.



The Knock of Braemoray forms a focus in views from the A940 and also screens views of wind farm development

Open Rolling Uplands



15 ROLLING FORESTED HILLS (12)

15.1 Introduction

The *Rolling Forested Hills* Assessment Unit comprises three areas of rolling hills lying to the east of the Spey valley additionally bounded by the incised glens of the Isla and Rinnes. The detailed assessment considers sensitivity to larger turbines >100m high providing summary guidance only for smaller turbines.

15.1.1 Operational/consented wind farms

The operational Hill of Towie wind farm and its consented extension is located in this landscape. A number of smaller single turbines are located on the north-west facing hill slopes of the upland area centred on the Hill of Towie summit (339m). A group of three small turbines are also located in the Mulben area.

15.2 Summary description and assessment

This landscape comprises often prominent, steep-sided rounded hills cut by long, well-defined valleys. Ben Aigan is the most distinctive of these hills with its conical quartzite summit protruding above forested slopes. These hills are broadly patterned with coniferous forestry and grass and heather moorland. Upper hill slopes at the transition with the *Narrow Farmed Valleys* feature small coniferous woodlands and shelterbelts and more strongly enclosed pastures. In places, forestry extends down onto lower slopes to entirely fill narrow valleys. Small farms are located high on the upper slopes of these hills, often located next to small tributary valleys and accessed by narrow roads. The western parts of these hills provide the backdrop to the Spey valley.

SLA designated areas cover much of the western parts of this landscape including Ben Aigan and the hills which form part of the Spey valley. The area to the west of Dufftown and Glen Rinnes also lies in the Ben Rinnes SLA. The SLA designations recognise the scenic qualities and recreational value of these areas.

15.2.1 Potential cumulative issues

The operational Hill of Towie wind farm lies in the northern area of this Assessment Unit. Smaller operational wind turbines located on north-west facing hill slopes below the Hill of Towie wind farm, the operational Edintore wind farm and small groups of smaller turbines in the Mulben area in the *Low Forested Hills* and *Upland Farmland* also increase potential for cumulative impacts to arise.

Key cumulative landscape and visual issues include:

- Close inter-visibility of operational single small turbines and wind farms sited in this landscape and the adjacent *Upland Farmland* and *Low Forested Hills* where additional wind energy development could exacerbate visual clutter and domination of turbines in views from the A95, B9014, B9103 and from settlement.
- Cumulative effects on views from popular walking routes and hill tops including from Ben Rinnes, Little Conval and Ben Aigan.
- Extensions to operational wind farms and new developments which could dominate immediate skylines above the *Narrow Farmed Valleys* (e.g. the upper

- Isla valley and Glen Rinnes) or potentially lead to a ‘corridor’ effect of development on either side of these small scale valleys experienced from roads and settlement.
- Differences in size, design and rotational speed of turbines, particularly where small turbines are located close to large turbines within wind farms.

15.2.2 Constraints

- The limited extent of the upland areas lying within this Assessment Unit which increases susceptibility in relation to effects on surrounding smaller scale settled landscapes.
- The immediate skylines these rolling hills provide to the adjacent small scale and settled *Narrow Farmed Valleys* which would be sensitive to intrusion by wind turbines sited on the outer edges of the hills.
- The backdrop provided by these hills to historic built features such as castles, and estate houses, and their associated designed landscapes, and to the planned settlement of Dufftown located in the *Broad Farmed Valley* and the *Narrow Farmed Valleys*.
- The Spey valley, including the settlement of Charlestown of Aberlour, which is backed by the steep wooded hill slopes of this landscape.
- The distinctive form of Ben Aigan which forms a highly visible landmark feature widely seen across central and eastern Moray and which is a focus for walkers and cyclists.
- The well-defined steep-sided hills of Little Conval, located in the adjacent *Open Uplands with Steep Slopes*, and Scaut Hill which are both important in forming part of the setting to Dufftown.
- Potential cumulative effects with the operational Hill of Towie wind farm, and its consented extension, the nearby operational Edintore wind farm and the operational Dorenell wind farm seen sequentially from roads and footpaths including cumulative effects from recreational routes on Ben Aigan.
- Views from well-used paths on Ben Rinnes where development in the southern parts of this landscape would appear close and could result in cumulative effects, particularly with the Dorenell wind farm.

15.2.3 Opportunities

- Small areas of gently undulating hill plateau close to the Hill of Towie wind farm where there may be potential to locate additional large wind turbines to appear as a small extension to this development whilst minimising effects on adjacent smaller scale valleys.
- Upland areas close to the boundary to Aberdeenshire where there may be scope to locate turbines to fit with the scale and character of this more settled area.

15.3 Sensitivity and guidance

The southern and western parts of this Assessment Unit are covered by SLA designations in recognition of the contribution made by these rolling forested hills to the scenic qualities and recreational value of these landscapes. These qualities, together with the relatively limited extent of these upland areas, increase sensitivity to larger

wind turbines. The setting these hills provide to the adjacent *Narrow Farmed Valleys* AU where upper hill slopes, hills and ridges form immediate skylines and backdrops to these smaller scale and well-settled landscapes, also increases sensitivity. There would be a **High** sensitivity to turbines >150m and a **High-medium** sensitivity to turbines 100-150m.

The upland area which accommodates the Hill of Towie wind farm is of reduced sensitivity because it is more extensive and lies further from formally valued landscapes such as the Spey valley and Ben Rinnes. There may be potential for small extensions to the operational Hill of Towie wind farm provided these are located in the core of the upland area and avoid significant additional intrusion on the adjacent sensitive *Narrow Wooded Valley* of the upper Isla and the Fiddich valleys.

All turbines >50m should avoid being sited on, or close-by, the landmark hill of Ben Aigan or the smaller, but locally prominent, Little Conval and Scaut Hills. The wooded slopes which form the backdrop to Charlestown of Aberlour and the Spey valley should also be avoided (and where any development would be seen in close proximity from popular recreational routes on Ben Rinnes). Turbines of this size should also be sited away from the south-eastern part of this Assessment Unit which is more settled and farmed and has a smaller scale. The presence of Auchindoun Castle and the need to protect its setting is an added constraint in this area.

15.3.1 *Repowering of operational wind farms*

Turbines within the operational Hill of Towie I are 100m high and the consented extension to this wind farm comprises turbines 125m high. This wind farm is sited in an upland area which is of limited extent and this increases susceptibility to turbines >150m high even if they replaced the operational Hill of Towie I turbines which are sited more into the interior of these uplands. A reduction in the number of turbines, and changes to the layout of the operational wind farm to ensure all repowered turbines lie within the less susceptible interior part of these uplands, and where undulating moorland and forestry could provide a degree of screening of turbines bases, could minimise their apparent scale and intrusion from surrounding landscapes. This wind farm is already close to the limit in terms of its fit with landscape scale and its proximity to, and effects on, adjacent more sensitive landscape and visual receptors.

15.3.2 *Smaller turbines*

Smaller turbines <50m would fit with the scale and generally simple landform of this landscape although potential cumulative effects with operational wind farms sited in this landscape and within the adjacent *Upland Farmland* will be a constraint in some areas. Cumulative effects between different designs and sizes of operational turbines on the hill slopes north-west of the Hill of Towie wind farm, seen from the A95 and from settlement in this area, are a key constraint to additional development in this area. Less complex lower hill slopes in the parts of this Assessment Unit set well away from the Hill of Towie wind farm may however offer opportunities to site smaller turbines where they could be visually associated with farms.



Existing wind farm development is sited within this landscape



These hills form the backdrop to Dufftown and a number of smaller scale settled valleys




The 'landmark' hill of Ben Aigan seen from the Spey Valley – this hill is popular with walkers and cyclists



Lower hill slopes and valleys accommodate small farms

Rolling Forested Hills



16 OPEN UPLANDS WITH STEEP SLOPES (13)

16.1 Introduction

These uplands are centred on Ben Rinnies, the highest hill in Moray. The assessment considers the sensitivity of this upland landscape to larger development typologies (turbines >50m high) in detail, providing summary guidance only for smaller typologies.

16.1.1 Operational/consented wind farms

There are no operational or consented wind farm or turbine developments located in this Assessment Unit. The extensive operational Dorenell wind farm is located in the adjacent *Open Uplands with Settled Glens* close to the boundary of this landscape and is seen in relatively close proximity (7km) from Ben Rinnies. The operational wind farms of Rothes I and II, Berry Burn, Hill of Towie and Paul's Hill, and the consented Paul's Hill II, Berry Burn II, Clash Gour and Rothes III and Hill of Towie II wind farms, located in other upland areas within Moray, are visible from hill summits and ridges from within this AU within approximately 10-17km distance. The consented Garbet wind farm is located in the adjacent *Open Uplands with Settled Glens* Assessment Unit and would be visible from Ben Rinnies at a distance of approximately 12km.

16.2 Summary description and assessment

The *Open Uplands with Steep Slopes* forms two relatively narrow areas of rolling hills separated by Glen Rinnies. Steep slopes extend up to narrow ridges or more complex summits and provide a dramatic backdrop and setting to the small-scale *Narrow Farmed Valleys* and the *Broad Farmed Valley*. The landscape scale of the highest uplands in this Assessment Unit is large but the topographical relief is much lower to the north and where there are more complex landforms and small foothills at the transition with these valleys. This landscape has a relatively simple land cover of heather moorland and upland grass with some conifer forest and shelter woods along the lower slopes. It is sparsely settled with occasional small farms associated with the narrow glens which extend into the hills.

The majority of this Assessment Unit is covered by the Ben Rinnies SLA in recognition of the dramatic scenery of this upland landscape, its little modified character and its popularity for recreation and tourism. Part of this Assessment Unit abuts the Cairngorms National Park.

16.2.1 Potential cumulative issues

A large number of wind farm developments (both operational and consented) are/will be visible from the summit of Ben Rinnies and other hills and ridges in this Assessment Unit.

Key cumulative landscape and visual issues include:

- Views from the top of Ben Rinnies and other smaller hills in this Assessment Unit which are popular with walkers and cyclists and where any development located

- in these uplands could create a dominant effect in combination with the large array of operational and consented wind farm development that is/will be visible.
- The incremental diminution of the qualities of wildness associated with Moray's landscapes – this Assessment Unit is important in being the only upland area remaining in Moray where there are no wind farm developments either built or consented.
 - Potential cumulative effects on views from the neighbouring *Broad Farmed Valley* (Spey valley) where a large array of operational and consented wind farm development is/will be visible.

16.2.2 Constraints

- The steep slopes and narrow ridgelines of these uplands which contain the *Broad Farmed Valley* of the Spey and the *Narrow Farmed Valley* of Glen Rinnies and also overlook the Braes of Glenlivet within the Cairngorms National Park to the south - larger typologies located in these areas would dominate the smaller scale of these adjacent well-settled landscapes.
- The role played by the undeveloped eastern flank of Glen Rinnies, which currently provides a visual buffer between the operational Dorenell wind farm and the smaller scale *Narrow Farmed Valley* of Glen Rinnies.
- The higher hills in the southern part of these uplands, including hills such as Cairn Muldonich, which provide screening of the operational Dorenell wind farm from Glenlivet.
- The lower relief and more complex landform associated with smaller scale foothills and lower hills to the northern end of this Assessment Unit and at the transition with the *Broad Farmed Valley* and *Narrow Farmed Valley*.
- The rugged profile, more complex landform and the prominent 'stand-alone' setting of Ben Rinnies, Meikle Conval and Little Conval, which together form a group of landmark hills which are highly visible and recognisable features over a wide area.
- The setting of the planned village of Dufftown which is in part formed by these upland areas.
- Views from roads such as the A95, A941 and B9009 – routes which are often used by tourists - and views from Ben Rinnies and other hills popular with walkers.
- Effects on the sense of wildness that can be experienced in this little developed upland area and the valuable contrast it provides with other upland areas in Moray where wind farm development is located.
- Cumulative landscape and visual effects with other wind farms and particularly the operational Dorenell and the consented Garbet wind farms which are both located relatively close-by in the adjacent *Open Uplands with Settled Glens*.
- The SLA which covers this landscape and recognises the important scenic and natural qualities of these uplands and their popularity for recreation and with visitors from outside Moray.

16.2.3 Opportunities

- Lower slopes at the transition with the adjacent *Broad Farmed Valley* and *Narrow Farmed Valley* where smaller turbines <50m could potentially be accommodated.

16.3 Sensitivity and guidance

While the large scale of much of this landscape reduces susceptibility to larger turbines, the steep and often dramatic slopes, ridges and summits of these uplands increase susceptibility and are particularly important in providing the backdrop and setting to the smaller scale settled valleys of the Spey, Glenlivet and Glen Rinnies. The value associated with this landscape contributes to its high sensitivity. This landscape has a **High** sensitivity to turbines >50m.

16.3.1 Smaller turbines

There is unlikely to be significant demand for smaller turbines <50m within these sparsely settled uplands. Some limited opportunities exist for smaller turbines to be located within sparsely settled glens, across more gentle lower slopes and at the transition with the *Broad Farmed Valley* with turbines <35m high likely to relate better to the scale of small farms, woodlands and farmland. Locating smaller turbines in these lower-lying settled areas would minimise cumulative landscape and visual effects with larger wind turbines sited within the core of the uplands by establishing a clear siting rationale and reducing close inter-visibility. Care would need to be taken to site smaller turbines to avoid impacting on the setting and key views to the landmark hills of Ben Rinnies, Meikle Conval and Little Conval.

Detailed guidance on siting smaller wind turbines is set out in Appendix D.



Ben Rinnes – an easily recognisable ‘landmark hill’ which is highly visible - the summit is also a popular viewpoint



Steep slopes enclose the valley of Glen Rinnes forming a pronounced edge and also screening the operational Dorenell wind farm to the east.




These uplands form the backdrop to small valleys including Glenlivet – the southern part of this AU adjoins the Cairngorms National Park



Ben Rinnes is prominent from the Spey valley and contributes to the scenic quality of this landscape.

Open Uplands with Steep Slopes



Open Uplands with Steep Slopes (13)

- Selected Assessment Unit
- Assessment Unit Boundary
- Moray Council Boundary
- Special Landscape Area
- Windfarm Planning Status**
- Consented
- Operational

17 OPEN UPLANDS WITH SETTLED GLENS (14)

17.1 Introduction

The *Open Uplands with Settled Glens* lie in the south-eastern corner of Moray. The assessment considers the sensitivity of this predominantly upland landscape to larger turbines >100m in detail providing summary guidance only for turbines <100m.

17.1.1 Operational/consented wind farms

The operational Dorenell wind farm is located in this Assessment Unit and is prominent in views from the A941. The consented Garbet wind farm is also located in the northern part of this Assessment Unit. The operational Clashindarroch and Kildrummy wind farms located in neighbouring Aberdeenshire, and other more distant wind farms in Moray, are visible from the hill summits and ridges in this Assessment Unit.

17.2 Summary description and assessment

The *Open Uplands with Settled Glens* extends across the lower rounded hills which form the eastern boundary of Moray. It includes the elevated shallow bowl of the Cabrach contained by an arc of hills and the sparsely settled upper reaches of the Deveron which flows through a narrow glen. Steeper slopes between Black Water Glen and Glen Fiddich create a transition between this landscape and the neighbouring *Open Uplands with Steep Slopes* which is generally characterised by higher and more pronounced hills.

These uplands lie next to rounded hills with a similar elevation lying to the north-east within Aberdeenshire although these adjacent hills are forested, contrasting with the open moorland cover of the *Open Uplands with Settled Glens*. The smooth, gently rolling landform of the *Open Uplands with Settled Glens* is accentuated by low grass and heather cover, interspersed by occasional small conifer woodlands above improved pastures on lower slopes. Dispersed farms are situated on the lower slopes of the broad basin of the Cabrach with isolated estate buildings and farms also located within the narrow glens which cut into the hills. The A941 passes through this area, entering Moray across the dramatic high pass of the Cabrach.

This landscape is not covered by a landscape designation although it lies close to the Ben Rinnes SLA and also borders the Cairngorms National Park.

17.2.1 Potential cumulative issues

Operational wind farm development has a strong influence on character and views in this landscape. Key cumulative landscape and visual issues include:

- Potential sequential and simultaneous views of multiple developments along the skyline around the 360-degree bowl of the Cabrach seen from the A941, particularly if development extended onto lower hill slopes either side of this road.
- Cumulative effects on views from the adjacent smaller scale and settled *Narrow Farmed Valleys*, the Deveron valley within neighbouring Aberdeenshire and on the setting of landmark historic features such as Auchindoun Castle.

- Visual confusion and an absence of rationale which could occur between large turbines sited in simple and more expansive upland areas and the same size of turbine also located within the more settled valleys and basins of this landscape.

17.2.2 Constraints

- The shallow farmed and settled basin of the Cabrach where the scale of the landscape is reduced by a more distinct land cover pattern and by small farms and houses.
- The hills and slopes on the outer edges of this landscape which backdrop the more sensitive settled and smaller scale landscapes of the Fiddich and Deveron valleys.
- The visual prominence and setting of The Buck, a landmark hill and cumulative effects from its summit where the operational Dorenell, Clashindarroch and Kildrummy wind farms are already visible in relatively close proximity.
- The setting of the historically important Auchindoun Castle which lies close to the northern edge of this Assessment Unit and is a popular visitor attraction.
- The ‘sense of arrival’ associated with panoramic views from elevated sections of the A941 and A920 when crossing into Moray.
- Cumulative effects with any additional wind energy developments seen in combination with the operational Dorenell and Clashindarroch wind farms on the Deveron Valley and in views from the A941.
- Effects on views from popular hill summits and elevated walking routes, including from Ben Rinnes and Ben Aigan where additional development would be seen cumulatively with operational wind farms.
- The proximity of the Cairngorms National Park and the setting of the Ladder Hills and Glen Buchat to the south of this Assessment Unit.
- Increased intrusion on the *Open Uplands with Steep Slopes* and the *Ben Rinnes* SLA – larger turbines and/or turbines sited closer to the upland ridge on the south-eastern side of Glen Rinnes could breach the screening it provides to the Dorenell wind farm in low-elevation views from roads and settlement in this sensitive area.

17.2.3 Opportunities

- The simple, gently graded landform and expansive scale of the long undulating ridges and shallow contained bowls to be found within the upland areas of this landscape.

17.3 Sensitivity and guidance

The expansive sweeping scale of this landscape, the generally smooth landform, often with gentle gradients, as well as the overall extent of the uplands and simple land cover all combine to reduce susceptibility to larger turbines. This Assessment Unit, however, lies close to more sensitive landscapes including the *Ben Rinnes* SLA and the *Cairngorms National Park* and this increases sensitivity. This landscape has a **High** sensitivity to turbines >150m and a **High-medium** sensitivity to turbines 100-150m.

Turbines 100-150m set well back into the interior of these uplands are more likely to minimise effects on adjacent smaller scale valleys including the dramatic basin of the Cabrach, the Deveron valley and Glen Rinnes. Visible aviation lighting on turbines >150m high would be likely to increase the duration and nature of effects given the dark skies which are a characteristic of this sparsely settled landscape and the surrounding area (including the Ben Rinnes SLA and Cairngorms National Park). Small extensions to operational wind farm developments or single/small groups of turbines rather than more extensive new wind farms are more likely to minimise landscape and visual effects.

Turbines should be sited to avoid significant impact on smaller scale and more settled landscapes within and surrounding this Assessment Unit and on valued features, including on views from Auchindoun Castle. Turbines should be set well away from the landmark hill of The Buck and not be located on prominent hill tops, skylines or slopes close to the A941 in order to avoid a dominant ‘corridor effect’ of wind turbines experienced when travelling through the Cabrach. The present screening of the Dorenell wind farm from lower elevation views within Glen Rinnes by an upland ridge on its south-eastern side should be conserved. Turbines should also avoid significant intrusion on views from popular hill summits including Ben Rinnes and Ben Aigan.

17.3.1 *Repowering of operational wind farms*

The operational Dorenell wind farm comprises turbines 126m high. Repowering of this wind farm with substantially larger turbines >150m could exacerbate effects on the scale and character of the Cabrach. It could also increase prominence from elevated viewpoints within the Ben Rinnes SLA and from parts of the Cairngorms National Park.

17.3.2 *Smaller turbines*

There is unlikely to be significant demand for smaller typologies <100m within the sparsely settled uplands of this landscape. Some limited opportunities exist for smaller turbines to be located on gentle lower hill slopes at the transition between the upland ridges and the farmed land where they would minimise cumulative impacts with nearby wind farms and could relate to the scale of farms, woodlands and farmland. Turbines <50m high would minimise cumulative effects with operational turbines due to their reduced prominence and clear size difference and siting rationale.



The wide bowl of the Cabrach is rimmed by extensive, long gently undulating ridges, but the degree of vertical relief between the farmed bowl and the ridgeline is low.



The operational Dorenell wind farm extends along the ridge line containing the northern part of the Cabrach basin.




The Buck, a 'landmark hill', rises to over 700m and is prominently sited on the boundary with Aberdeenshire



More complex landform along the floor of the glen and a higher degree of enclosure, reinforces the smaller scale of the upper Deveron at the transition with the 'Narrow Farmed Valley'

Open Uplands with Settled Glens



Open Uplands with Settled Glens (14)

- Selected Assessment Unit
 - Assessment Unit Boundary
 - Moray Council Boundary
 - Special Landscape Area
- Windfarm Planning Status**
- Consented
 - Operational

18 SUMMARY OF FINDINGS AND RECOMMENDATIONS

18.1 Introduction

This section of the report summarises the key findings of the sensitivity assessment undertaken for 14 Assessment Units across Moray. It addresses the landscape and visual issues associated with wider strategic planning of wind farm and turbine developments and sets out recommendations for an overall landscape strategy.

18.2 Key findings of the sensitivity assessment

Sensitivity to different sizes of wind turbines has been considered with these comprising broad groupings of turbines based on height to blade tip. The emphasis of the study is on larger turbines which currently comprise commercial wind farm developments.

Figures 4 and 5 show the landscape and visual sensitivity of Assessment Units to larger wind turbines >100m high to blade tip.

18.3 Strategic landscape issues

The sensitivity assessment identifies constraints and opportunities within each Assessment Unit. Although landscape context is considered as one of the key sensitivity criteria, the assessment essentially relates to specific landscapes and any effect on immediately adjacent Assessment Units in isolation. It is important to therefore also take into account the experience and appreciation of the landscape of Moray as a whole and to consider the wider implications of the conclusions of the individual assessments. The following text provides this landscape overview and addresses strategic cumulative landscape and visual effects of wind energy development before setting out a series of key landscape recommendations.

As a starting point, we have identified key distinctive landscape features which recur across Moray and have highlighted these in the sensitivity assessments undertaken for each Assessment Unit in the study. We have focused on landscape features which could potentially be significantly and adversely affected by wind energy development.

18.3.1 *The 'Landmark Hills'*

There are a number of well-defined, steep-sided hills which form prominent 'landmark' features seen across Moray. These are Knock Hill, Bin of Cullen, Meikle Balloch, Ben Rinnes (together with Little Conval and Meikle Conval), The Buck, Ben Aigan, Romach Hill, Mill Buie, Carn Kitty, Roy's Hill, Carn na Cailliche, Brown Muir, the Knock of Braemoray and Carn Biorach but also the smaller hills of Binn Hill, Tappoch and Quarry Wood which stand out within the low-lying *Coastal Farmland* (see Figure 6). The majority of these hills are highly visible and easily recognisable landmarks with many forming the immediate backdrop to settlements, small scale valleys and the coast. Some of these hills form visual 'buffers' to less prominent upland areas and are important in visually containing operational wind farm development from more settled valleys. The landmark hills are highly sensitive to wind turbine development sited on or near them as this would be visually prominent in views from roads and settlement within adjacent well-settled landscapes and would detract from their distinct form and

character. A more detailed description of each of these landmark hills is set out in Appendix E.

18.3.2 *Less developed upland areas*

There are very few upland areas remaining in Moray which do not accommodate wind farm developments. The uplands centred on Ben Rinnes, within the *Open Uplands with Steep Slopes* Assessment Unit comprises a rare tract of less developed uplands. SNH's 2014 Relative Wildness Map confirms the stronger wildness qualities of this area. Ben Rinnes and the steep-sided hills surrounding it are well-used by walkers. These hills are also important in providing a backdrop to the Cairngorms National Park. Given the extent of wind farm development already occupying much of the upland area within Moray, this remaining less developed upland area is a rare and valuable resource, recognised in its designation as a Special Landscape Area.

18.3.3 *The coast and wider seascape*

The coast and wider seascape of the Moray Firth is another key landscape feature. The value of the Moray coast is recognised in the series of contiguous Special Landscape Area designations which cover it. The coast includes extensive stretches of natural coastline and also features a distinctive pattern of historic fishing settlements. Although influenced in places by MOD development, the *Coastal Margin* Assessment Unit considered in this study strongly contrasts with more modified farmed landscapes in Moray and the diversity and scale of intricate coastal landform. The strong sense of naturalness associated with sections of the coast and the setting of historic settlements would be highly sensitive to most sizes of wind turbine. The stronger qualities of wildness associated with the more remote stretches of coast in Moray are recognised in SNH's Relative Wildness Map of June 2014. The coastal forests which back the coast are also important, being well-used for recreation and increasing the containment of the coast and the sense of seclusion that can be experienced.

18.3.4 *Extensive forests and dramatic narrow valleys*

The extensive estate forests found in the western part of Moray are well-managed and notable for their diverse and naturalistic character. They are complemented by mixed policy woodlands associated with the deeply incised and dramatic valleys of the Findhorn and Divie and the many designed landscapes which provide the setting to historic houses and lodges. The value of this area is recognised in a Special Landscape Area designation. These densely wooded valleys create a distinctive and highly scenic approach to Moray experienced from the A940, contrasting with the open expansiveness of the Dava and Lochindorb Moors to the south.

18.3.5 *Scenic approaches to Moray*

The A939/A940 presently provides a scenic approach to Moray when travelling northwards from the Cairngorms National Park, traversing contrasting wild open moorland in the Lochindorb and Dava area and diverse woodlands. The consented Cairn Duhie wind farm, located in the *Open Rolling Uplands* Assessment Unit within Highland, but lying close to the Moray boundary, will significantly detract from this

scenic route. Any further development of larger turbines located in close proximity to this route could exacerbate this effect.

There is also a strong sense of arrival gained when travelling into Moray on the A941 from Aberdeenshire where the dramatic experience is enhanced by panoramic views which are revealed when cresting the high pass of the Cabrach. The view from the A941 over the expansive bowl landform of the Cabrach has significantly altered following the construction of the Dorenell wind farm. This approach to Moray is susceptible to cumulative effects where further development could create a dominant effect by locating large turbines closer to the route and/or on either side of the road. The sense of expansiveness and dramatic character of the Cabrach appreciated from this route could be further diminished by the extension of the Dorenell wind farm and/or the introduction of substantially larger turbines on the uplands to the west.

The A920 between Huntly and Dufftown also provides an attractive approach to Moray with scenic views to the Deveron valley close to the border of Moray and Aberdeenshire and, within Moray, long views south-westwards towards the softly rolling hills lying in the northern part of the *Open Uplands with Settled Glens*. The scenic qualities of part of this route will be adversely affected by the consented Garbet wind farm.

Figure 6 shows these key approaches to Moray.

18.4 The existing pattern of wind farm development in Moray

Large operational and consented wind farm developments are generally associated with the more expansive upland areas within Moray. These developments include the Rothes, Paul's Hill, Clash Gour, Berry Burn and Dorenell wind farms. The Hill of Towie and Aultmore wind farms are located within less extensive areas of upland plateau, and this generally increases/will increase the visual impact of these wind farms on adjacent more settled areas.

Single and small groups of operational turbines between 50-100m are mainly located within the *Upland Farmland* but with occasional single larger turbines found within the *Rolling Farmland and Forests*, and the *Broad Farmed Valleys*. These operational developments contrast with the established pattern of larger turbines associated with larger scale upland landscapes and generally incur more significant impacts on landscape character and on visual amenity because of their location within more settled and smaller-scale landscapes. There are very few wind turbines <50m and where they occur their landscape and visual effect is not widespread.

Operational wind farms and larger turbines sited within landscapes adjoining Moray have been considered in the study. Inter-visibility between Moray and Aberdeenshire to the east between Cullen and the A96 is contained to some extent by a series of ridges and hills on the boundary, limiting views of operational wind farm development located in both regions from low level roads, settlement and coasts. Inter-visibility between Moray and Highland is greatest in the west across the open and relatively low-lying Dava and Lochindorb Moors although the landmark hills of Knock of Braemoray and Carn Biorach and extensive forestry in the north provide some screening.

18.5 Current trends and issues related to wind farm development

The following trends and issues have been taken into account in considering an appropriate landscape strategy for Moray:

- Pressure for wind farm developments located towards the outer edges of upland landscapes (usually where operational wind farms are sited within the interior of the upland area) and therefore lying closer to more settled and complex lowland landscapes thereby potentially increasing landscape and visual impact.
- The demand for substantially larger turbines up to around 220m height, in combination with siting closer to upland edges, has potential to increase landscape and visual impact on surrounding more sensitive landscapes.
- Extensions to operational wind farms which comprise substantially larger turbines and/or are different in their siting and association with a specific landscape feature (for example a bowl landform which provides some visual containment) thus affecting the design integrity of the original development and also resulting in cumulative effects as obviously different sized turbines are juxtaposed.
- Proposals for increases in turbine sizes of consented wind farms i.e. new applications submitted before any construction of the original consented proposal has been constructed.

To date, there has been no registered interest in the repowering of older operational wind farm developments in Moray.

18.6 Sensitivity to larger turbines over 100m high

The large extent of operational and consented wind farm development already located within Moray's uplands limits opportunities for additional turbines to be accommodated whilst minimising effects on adjacent more sensitive landscapes. This particularly applies to the *Open Rolling Uplands* and the *Upland Moorland and Forestry* and the *Open Uplands with Settled Glens* Assessment Units considered in this study. New development of turbines >150m (which may comprise stand-alone wind farms or 'extensions' to operational wind farms) within these upland Assessment Units would increase landscape and visual effects on adjacent more sensitive landscapes. This is because operational wind farms already occupy much of the less sensitive interior parts of these landscapes and additionally benefit from some screening in some areas by higher peripheral hills. New developments are more likely to be proposed closer to the edges of these uplands and therefore in closer proximity to more sensitive landscapes such as settled valleys. Greater number of turbines on the outer upland edges, combined with the increasing heights of turbines, will be likely to significantly exacerbate effects on more sensitive landscapes.

The importance of siting and designing wind farms to minimise landscape and visual effects and to protect an acceptable level of amenity for adjacent communities is recognised in Scottish Planning Policy.

18.7 Sensitivity to smaller turbines below 100m high

There has been a reduction in applications for smaller turbines within Moray since 2012 when the first Moray Wind Energy Landscape Capacity Study was undertaken. It is understood that availability of this size of turbine is limited and while in theory refurbished older turbines could come onto the market for reuse, this does not appear to be happening.

The lowland areas of Moray have an even dispersal of relatively small farms and other developments and cumulative landscape and visual effects could be significant if even a small number of these were to feature a turbine of up to this height, with multiple turbines in close proximity likely to overwhelm landscape features. Turbines <25m high would be less visually prominent and fit better with the scale of other landscape features in settled lowland landscapes and minimise cumulative effects.

18.8 Opportunities for repowering of operational wind farms

In general, the larger the extent and scale of an upland landscape, the less susceptible it is to larger wind turbines. Other factors also come into play including the value associated with some upland landscapes (including their scenic qualities and importance for recreation), the presence of operational and consented wind farm development and the proximity to smaller scale landscapes.


The *Upland Moorland and Forestry* and the *Open Rolling Uplands* (which border each other therefore expanding the extent of upland area distant from roads and settlement) offer greatest opportunity for repowering existing wind farms whilst minimising landscape and visual effects. Operational turbines within these uplands are currently 100-125m high to blade tip and most of these are located within the less visible interior of these uplands. Repowering of smaller turbines within the more sensitively sited older operational wind farms is likely to offer greatest opportunity to accommodate larger turbines whilst minimising effects on surrounding landscape and visual receptors. There may be opportunities to further mitigate effects on surrounding sensitive landscape and visual receptors by redesigning repowered wind farms, including relocating and reducing the number of turbines.


18.9 A recommended landscape strategy


- **Protect the landmark hills and their setting** Views of these hills recur across Moray where they form highly visible and easily recognisable landmarks. Many also form visual ‘buffers’ to less prominent upland areas, or the backdrop to settlements, small scale valleys and the coast. Wind farm development on or near these hills would be visually prominent and would detract from their distinct form and character.
- **Maintain the distinctive approaches to Moray** including the scenic A940/A939 route where attractive woodlands, deeply incised intimately scaled valleys, landmark hills and open moorland provide a richly scenic landscape. Visual intrusion by additional larger turbines located close to this route would detract from the scenic approach it provides to Moray, and also from the qualities of wildness and huge sense of space that can be experienced from

these western routes. The drama of the A941 over the Cabrach should be maintained by limiting additional significant intrusion by wind energy development while the scenic quality of views from the A920 should be protected from larger turbines sited close to this route or substantially extending over the skyline of folded hills seen to the south-west.

- ***Maintain the rugged scenery and setting to more dramatic uplands in the Ben Rinnies area*** by directing wind farm development away from these areas and avoiding developments that could impact on the wider landscape setting and appreciation of these landscapes. Cumulative landscape and visual effects of wind farm development in surrounding landscapes will need to be carefully considered in terms of potential effects on the perception of wildness and on views from popularly accessed hills. This upland area forms one of the few remaining landscapes in Moray with stronger qualities of wildness.
- ***Protect the special qualities of the coast and its associated historic settlements*** by resisting development of wind turbines where they could intrude on views from roads, settlement and recreational areas and also affect the setting of historic settlements and the strong sense of wildness experienced along the most natural and remote stretches of coast.
- ***Ensure that any further development of larger turbines is clearly associated with less sensitive upland landscapes*** where the greater extent and larger scale of these landscapes can better accommodate, and provide an appropriate setting, to large turbines. Impacts on adjacent more sensitive smaller scale settled landscapes should be minimised by setting development well back into the lower-lying interior of more extensive tracts of upland, and by also considering limitations in the height and numbers of turbines.
- ***Protect the character and special qualities of the Special Landscape Areas***
The coast, the western wooded valleys and estates, the Spey, Deveron and Pluscarden valleys and the high, undeveloped uplands centred on Ben Rinnies are all covered by the Special Landscape Area designation. Some smaller landscape lying close to Elgin and Forres are also designated. These landscapes are valued for their scenery, biodiversity, cultural heritage and because of their attraction for recreation and tourism. The Special Landscape Area designation is an accolade of the best of Moray's landscapes and a vehicle for safeguarding and enhancing these landscapes, in accordance with SPP paragraph 197. Larger wind turbines sited within or close-by these SLAs would be likely to have significant effects on their character and special qualities and should be resisted.
- ***Ongoing review of cumulative landscape and visual effects of multiple wind turbine developments*** will be necessary to ascertain cumulative landscape and visual effects. This will particularly apply to the upland areas of the *Open Rolling Uplands, Upland Moorland and Forestry* and *Open Uplands with Settled Glens* Assessment Units where current demand for wind farm development is focussed.







Appendix A: References

Grant, A. 2010. Landscape Capacity Studies in Scotland – a review and guide to good practice. Scottish Natural Heritage Commissioned Report No 385.

Historic Scotland (website). Inventory of Designed Landscapes, Moray (Darnaway, Cullen House, Brodie Castle, Innes House, Gordon Castle, Gordonstoun, Pluscarden and Relugas).

Natural England An Approach to Landscape Sensitivity Assessment, June 2019

The Landscape Institute and the Institute of Environmental Management and Assessment, Guidelines for Landscape and Visual Impact Assessment, 3rd Edition, 2013

Scottish Government, 2020 updated version. Scottish Planning Policy

Scottish Government Onshore Wind Policy Statement (December 2017)

NatureScot Landscape Sensitivity Assessment Guidance (2022)

Scottish Natural Heritage Landscapes of Scotland Map and Descriptions (2019)

Scottish Natural Heritage Visual Representation of Wind Farms Version 2.2 (February 2017)

Scottish Natural Heritage, Assessing the cumulative impacts of onshore wind energy developments (March 2012)

Scottish Natural Heritage. Siting and Designing windfarms in the landscape (Version 3a), (August 2017)

Scottish Natural Heritage, June 2015, Spatial Planning for Onshore Wind Energy Developments – Natural Heritage Considerations

Scottish Natural Heritage. Map of Wild Land Areas and Non-Technical Description of Methodology, June 2014

Swanwick, C. and Land Use Consultants, 2002. Landscape Character Assessment: Guidance for England and Scotland. Countryside Agency and Scottish Natural Heritage.

Appendix B: Scoping Exercise

Landscape Assessment Unit	Initial appraisal of key characteristics	Turbine typologies considered in the detailed assessment
<i>Coastal Margin</i>	While this coastal landscape is not small scale due to the 'borrowed' expansiveness of the Moray Firth, the complexity of coastal features, the popularity of the coast for recreation (increasing visual susceptibility and value) and the sense of naturalness and seclusion associated with this coast increase susceptibility to larger turbines.	Turbines <100m
<i>Coastal Farmland</i>	The subtly undulating to flat landform and openness of this landscape increases scale although the presence of settlement and other small features provides ready scale references against which larger turbines could be gauged. This landscape includes some larger buildings associated with agricultural and industrial production which may form a focus for wind energy development. There may be demand for farm-based turbines in future.	Turbines <150m
<i>Rolling Coastal Farmland</i>	While upper slopes are more open and expansive, the rolling landform and woodlands and well-settled character of much of this landscape reduces scale and increases susceptibility to larger turbines. There may be demand for farm-based turbines in future.	Turbines <150m
<i>Rolling Farmland and Forest</i>	This landscape has a small to medium scale, complex rolling landform in places and low relief increasing susceptibility with regard to scale. It is moderately settled with a number of farms which may increase demand for single and small groups of smaller turbines in future. The diverse woodland cover is an added constraint although broader areas of farmland are also present.	Turbines <150m
<i>Narrow Wooded Valley</i>	The small scale and limited extent of this narrow valley would be dominated by larger wind turbines. The integrity of the richly diverse woodland and policies which are a key characteristic of this landscape is also highly susceptible to multiple turbines which may require its removal. There would also be likely to be technical constraints to accommodating larger turbines in this sheltered valley.	Turbines <100m
<i>Broad Farmed Valley</i>	This landscape varies in scale ranging from the intimately scaled incised Spey on the floor of the valley to the broader shoulders and gently graded upper slopes where landcover pattern is also simpler. This landscape is well-settled and the	Turbines <150m

	regular pattern of buildings provides ready scale references against which larger turbines could be gauged. There may be demand for farm or industry (distilleries) based turbines in future.	
<i>Narrow Farmed Valley</i>	The small scale and limited extent of this narrow valley would be dominated by larger wind turbines. There would also be likely to be technical constraints to larger turbines in this sheltered valley.	Turbines <100m
<i>Upland Farmland</i>	An elevated broad and shallow farmed valley which is well-settled but has a simple landcover pattern and open character which increases scale in places. The higher hills near Keith already accommodate a wind farm and single and small groups of farm-based turbines are also present in the north.	Turbines <150m
<i>Low Forested Hills</i>	Low-lying and generally forested hills and broader plateaux. Although the subtle landform, absence of settlement and simple landcover of this AU increases scale they are not extensive in area and lie close to more sensitive landscapes. Consented wind farm developments lie in this AU	Turbines <150m
<i>Rolling Forested Hills</i>	The AU varies in its scale comprising larger scale uplands in the Ben Aigan/Hill of Towie area to lower elevation rolling upland farmland south of Dufftown. The larger scale uplands are not extensive in area increasing susceptibility in relation to effects on adjacent landscapes. Part of this AU accommodates operational and consented wind farms.	Turbines <150m
<i>Upland Moorland and Forestry</i>	This AU accommodates operational and consented wind farms and forms the focus of current interest from wind farm developers. This landscape is sparsely settled and the landform is generally gently undulating with a simple landcover pattern which increases scale but with settled outer fringes of this AU having a smaller scale.	Turbines >100m (assumed to be up to approximately 250m)
<i>Open Rolling Uplands</i>	This AU already accommodates operational and consented wind farms and forms the focus of current interest from wind farm developers. The landscape generally has a large scale, simple landcover and is very sparsely settled.	Turbines >100m (assumed to be up to approximately 250m)
<i>Open Uplands with Steep Slopes</i>	This upland landscape generally has a large scale and simple landcover although narrow glens and lower slopes are	Turbines >100m (assumed to be up to approximately 250m)
<i>Open Uplands with Settled Glens</i>	This upland landscape generally has a large scale, simple landcover and is sparsely settled. This landscape already accommodates	Turbines >100m (assumed to be up to approximately

	operational wind farm development and forms the focus of current interest from wind farm developers.	250m)
--	--	-------

APPENDIX C: DETAILED SENSITIVITY ASSESSMENT TABLES

Contents

Coastal Margin
Coastal Farmland
Rolling Coastal Farmland
Rolling Farmland and Forest
Narrow Wooded Valleys
Broad Farmed Valley
Narrow Farmed Valleys
Upland Farmland
Low Forested Hills
Upland Moorland and Forestry
Open Rolling Uplands
Rolling Forested Hills
Open Uplands with Steep Slopes
Open Uplands with Settled Glens

Coastal Margin- Detailed Sensitivity Assessment		
Summary description	Assessment of turbines 50-100m	Assessment of turbines <50m
Scale The Moray Firth gives a sense of expansiveness to the overall seascape. Long even beaches are open although more intricate sections of rocky indented coastline, narrow raised beaches and extensive dune systems have a smaller scale. Dispersed buildings are rare although a regular pattern of small settlements is a characteristic of this coast. Forests and enclosed farmland also provide scale references.	Although this turbine type could relate to the scale of more open, long even sections of coastline and the wider Moray Firth, areas of more complex indented coastline, the low relief of the shoreline, raised beaches and low cliffs would be highly sensitive in terms of comparisons of scale to turbines of this size. Small settlements and other features would be dominated by this turbine type if sited nearby. High	Turbines of this size could relate to the scale of more open, long even sections of coastline and more expansive hinterland areas. Small scale shoreline features including very narrow raised beaches, dunes and low cliffs and the compact coastal settlements are sensitive particularly to turbines towards the upper height band of this turbine type. High-medium
Landform A diverse and often complex landform with long sandy and banked stony beaches backed by complex sand dunes, spits and other transient geomorphological features in the Culbin, Findhorn and Spey estuary area. The coast is indented and rocky to the east and between Lossiemouth and Burghead, featuring small coves, promontories and occasional craggy islets. A raised beach platform and associated low cliff occurs between Buckie and Cullen.	The complex form of dune systems and more intricate coastal features would be highly sensitive to this turbine type. Although turbines of this size would relate better to the simpler stretches of coast and the gently sloping immediate hinterland present in some areas, they would detract from nearby more complex landform appreciated in long views along the coast. The abrupt edges of cliff tops, the low, narrow ridge between Lossiemouth and Burghead and skylines overlooking the coast would be particularly susceptible to this turbine type. High	The complex form of dune systems and more intricate coastal features including estuaries and basins are sensitive although turbines towards the lower height band of this turbine type (<25m) could relate to more even sections of coastline or be sited in flatter areas on the inland side of the coastal forests where they would not be seen in conjunction with more complex coastal features. The abrupt edges of cliff tops, the low, narrow ridge between Lossiemouth and Burghead and skylines overlooking the coast would be particularly sensitive. High-medium
Landcover Cultivated fields, often enclosed by stone walls, slope gently down to the low cliffs of raised beaches in the east. Gorse scrub colonises cliff tops and small knolls on seaward facing slopes and rocky knolls. Extensive pine forests planted on dunes and poorer soils and gravels back the coast in places and are particularly extensive to the west. Many of these forests are managed for their recreation and conservation value and are often diverse. Mudflats and saltmarsh form complex	This turbine type would detract from the diverse vegetation pattern which is closely associated with the landform of the <i>Coastal Margin</i> . More productive forestry and open farmland would be less susceptible. High-medium	Susceptibility is reduced as smaller turbines would be more able to be sited to avoid detracting from more diverse coastal vegetation. Medium

Coastal Margin- Detailed Sensitivity Assessment		
Summary description	Assessment of turbines 50-100m	Assessment of turbines <50m
patterns within the tidal Findhorn Bay and Spey estuary. Golf courses are occasional features.		
Built environment There is a strong identity to the settlements which are regularly spaced along the coast. Many are of historic and architectural interest. Lossiemouth and Burghead are distinctively sited on promontories above sheltered harbours while the planned fishing ports to the east are tucked below cliffs on narrow raised beaches. Parts of the immediate hinterland are more developed, for example between Lossiemouth and Burghead, Findhorn and east of the Spey with MOD development, golf courses and caravan parks. The lighthouse west of Lossiemouth forms a landmark feature. There are no wind turbines located in this AU and other wind farms lie some distance from this AU and do not have a strong influence on character or views. The Findhorn turbines are relatively small <50m and lie close to this coast but are seen in the context of MOD infrastructure and intervisibility is also restricted by dunes and coastal forest.	This turbine type would dominate the setting of architecturally distinctive settlements if sited nearby and/or on containing skylines. Turbines of this size, and particularly multiple turbines, could disrupt the regular pattern of largely compact settlements, often clearly associated with river mouths or sheltered natural harbours set along the coast by filling gaps of open land between. The lighthouse west of Lossiemouth would be sensitive to turbines sited nearby. Susceptibility is reduced in relation to cumulative effects due to the distance of other wind farms and the small size and limited visibility of the smaller Findhorn turbines. High	This turbine type could dominate the setting of architecturally distinctive settlements if sited nearby and/or on containing skylines. Multiple turbines could disrupt the regular pattern of largely compact settlements although there is increased scope to accommodate smaller turbines within this height band <25m to minimise effects on settlement pattern and setting. Lighthouses and other focal built features would be sensitive to turbines sited nearby. High-medium
Landscape context This character type forms a very narrow coastal margin largely defined by the low cliff of a raised beach in the east and a distinct ridge between Lossiemouth and Burghead. The character type is wider to the west where it includes the coastal forests, the most extensive of these being Culbin. This landscape lies adjacent to the <i>Coastal Farmland</i> although inter-visibility between the two is often restricted by landform and forestry. There is greater inter-visibility of these character types east of the River Spey due to the absence of screening features.	The narrowness of this character type increases sensitivity in terms of effects on adjoining landscapes. This turbine type is likely to have a significant impact on the <i>Coastal Farmland</i> , which although extensive and relatively simple in terms of its landform and land cover, is well settled and very open. Turbines of this size could detract from the landmark hill of the Bin of Cullen and the setting to Cullen House, within the <i>Coastal Farmland</i> if sited in the eastern part of this character type. High-medium	Smaller turbines would have less of an effect on the adjoining <i>Coastal Farmland</i> although the landmark hill Bin of Cullen and the setting of Cullen House are sensitive. Medium

Coastal Margin- Detailed Sensitivity Assessment		
Summary description	Assessment of turbines 50-100m	Assessment of turbines <50m
Visual amenity The <i>Coastal Margin</i> is well-settled and the forests and coast are highly valued for recreational use. There are open views across the Moray Firth to the distant Sutherland coast and hills. Views between the Moray coast and hinterland, including the adjacent <i>Coastal Farmland</i> are screened by landform and forestry in places although inter-visibility along the coast and the wider Moray landscape is increased along more open, long and even sections of coast. Binn Hill is prominent in these views.	This size of turbine would be highly visible from roads, settlement and beaches within this character type where it would form a dominant feature. Turbines of this size would also be prominent in views from the <i>Coastal Farmland</i> and from the north-facing settled slopes of the <i>Rolling Farmlands and Forest</i> and the <i>Rolling Coastal Farmland</i> . High	The openness of the coast and high recreational use increases visual sensitivity. Turbines of this size would be intrusive from roads, settlements and areas used for recreation, particularly if sited on the edge of beaches, between the coast and the A942 or sited on ridge tops and within narrow raised beaches and on the abrupt edge of cliffs. Susceptibility would be reduced for turbines towards the lower height band of this turbine type (<25m) particularly if sited inland so screened from the more sensitive coast by forest. High-medium
Landscape value This landscape largely falls within the Moray Coast SLA. Key qualities of the SLA include its diverse and important geomorphology, ecology and cultural heritage interests and its attraction for recreation and the sense of naturalness and seclusion that can be experienced along less settled parts of the coast.	Turbines of this scale could intrude on the sense of seclusion and naturalness experienced in the SLA and could significantly detract from the diverse character of the coast. High	Turbines of this size could intrude on the sense of seclusion and naturalness experienced along parts of the coastline although there is increased scope for smaller turbines to be set back from the more sensitive coastal edge and to be screened by coastal forest and thus minimise impacts on perceptual qualities. High-medium
Sensitivity Turbines >50m: High sensitivity Turbines <50m: High-medium sensitivity		

Coastal Farmland – Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50m-100m	Assessment of turbines <50m
Scale A generally open and expansive coastal plain but with more rolling landform, occasional outcrop hills and woodlands providing containment in some areas. A lower-lying linear shallow basin extending south/west to north/east is larger in scale and particularly open. This landscape is well settled with a regular pattern of farms, houses and settlements providing ready scale references.	The well-settled nature of this landscape increases susceptibility as these very tall turbines would dominate the scale of buildings and other landscape features including prominent small hills if sited on or nearby them. Areas of more rolling landform similarly have a smaller scale which would be dominated by turbines of this size. High	Turbines towards the lower height band of this type could relate to broader low-lying basins where settlement is sparser although this turbine type in general would appear very large in relation to buildings and woodlands. Turbines of this size would overwhelm the scale of prominent small hills if sited on or nearby them. Areas of more rolling landform similarly have a smaller scale which would be dominated by turbines of this size. High-medium	This turbine type could relate to broader low-lying basins where settlement is sparser although turbines of this size would still appear large in relation to buildings and woodlands and also to the smaller prominent hills (which do not rise above 100m) and more rolling landform. There would be increased scope to site this size of turbine to minimise effects on landscape scale. Medium
Landform This landscape has a predominantly subtly undulating landform but with some occasional landmark hills and ridges including Hill of Spynie close to Elgin and Tappoch and Binn Hill closer to the coast. Pockets of more complex rolling landform occur in the Urquhart, Lhanbryde and Spynie areas and small knolly hills NE of Elgin. The broad floodplains of the Spey and Lossie and a band of very low-lying land between Lossiemouth and Kinloss have a particularly simple landform.	The generally simple gently undulating to flat landform of this landscape reduces susceptibility although this turbine type would detract from the prominent hills and ridges and small areas of more complex rolling landform if sited on or nearby them. Medium	The generally simple gently undulating landform of this landscape reduces susceptibility although this turbine type would detract from the prominent hills and ridges and small areas of more complex rolling landform if sited on or nearby them. Medium	The generally simple gently undulating landform of this landscape reduces susceptibility. Turbines sited on or close-by prominent hills and ridges and small areas of more complex rolling landform would be detrautive although there is increase scope for smaller turbines to be sited to avoid impact on these features. Medium-low
Landcover A simple land cover pattern of large arable fields interspersed with small blocks of conifers. Some larger coniferous plantations occur close to the coast and the Spey Valley. Small pockets of more diverse land cover pattern are associated with the	This turbine type could relate to the simple and generally open character of farmland although policy features and more natural vegetation cover would be more susceptible. Medium	This turbine type could relate to the simple and generally open character of farmland although policy woodlands and more natural vegetation cover would be more susceptible. Medium	There is increased scope for smaller turbines to be sited to avoid impacting on more diverse landcover. Medium-low

Coastal Farmland – Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50m-100m	Assessment of turbines <50m
policies of mixed shelterbelts, parkland and avenues of Innes House, Gordon Castle, Brodie Castle and Gordonstoun, the more naturalistic moss and woodland of the Bauds of Cullen and Spynie Moss and broadleaved woodlands, scrub and wetlands along the Spey.			
Built environment RAF airfields and associated buildings and infrastructure including tall masts are concentrated in the Kinloss, Lossiemouth and Burghead area. Small and larger settlements and occasional historical buildings and grand houses/castles with designed landscapes are present as are larger warehouses, maltings and some quarrying and landfill sites. There is a well-developed network of roads and some transmission lines. A group of small wind turbines <50m high are located near Findhorn. While wind farm development in the Moray uplands is visible it is distant from this AU and does not have a significant influence on character or views.	The setting of small settlements and historic built features increases susceptibility although these features are generally widely dispersed so significant intrusion could be avoided. Infrastructure and industrial development in this landscape reduces susceptibility to some degree although the introduction of turbines of this size would accentuate this aspect of landscape character. Multiple developments of single and small groups of turbines of this size could significantly increase the clutter of disparate elements in this landscape although this AU is sufficiently distant to minimise potential cumulative effects with wind farms located in the Moray uplands. High-medium	The setting of small settlements and historic built features increases susceptibility although these features are widely dispersed so significant intrusion could be avoided. Infrastructure and industrial development in this landscape reduces susceptibility to some degree and turbines towards the lower height band of this turbine type could relate better to their scale. Multiple developments of single and small groups of turbines of this size could increase the clutter of disparate elements in this landscape. This AU is sufficiently distant to minimise potential cumulative effects with wind farms located in the Moray uplands. High-medium	There is increased scope to site smaller turbines to avoid affecting the setting of small settlements and historic built features. This turbine type could accentuate built clutter in parts of this landscape. Turbines of this size closely related to existing industrial development, would have a better scale relationship to these larger buildings and would minimise the spread of built infrastructure. Medium
Landscape context This AU is geographically extensive apart from at its eastern end where it narrows between the coast and the northern edge of <i>Low Forested Hills</i> and <i>Rolling Coastal Farmland</i> AUs. A low but distinct ridge forms a boundary between this character type and the <i>Coastal Margin</i> between Lossiemouth	The extensiveness of this landscape would generally limit impact on adjoining AUs. Sensitivity increases towards the east however where this band of <i>Coastal Farmland</i> constricts and where there is more inter-visibility with the <i>Coastal Margin</i> . This turbine type could detract from the	The extensiveness of this landscape would generally limit impact on adjoining AUs. Sensitivity increases towards the east however where this band of <i>Coastal Farmland</i> constricts and where there is more inter-visibility with the <i>Coastal Margin</i> . This turbine type could detract from the	There would be increased scope for this turbine type to be sited within this extensive landscape to avoid significant impact on adjoining more sensitive smaller scale landscapes. Sensitive skylines seen from the less built-up sections of coast within the <i>Coastal Margin</i> would still need to be avoided and

Coastal Farmland – Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50m-100m	Assessment of turbines <50m
<p>and Burghead and this, together with the coastal forests planted on more low-lying areas, restricts close views inland to this landscape from the coast. There is greater inter-visibility between these AUs east of the Spey due to the absence of screening features.</p> <p>The smaller scale landscapes of the <i>Rolling Coastal Farmland</i> and the <i>Rolling Farmlands and Forest</i> (and particularly the pronounced wooded ridge of Heldon Hill) strongly contrast with the expansive low-lying plain of this landscape.</p>	<p>landmark feature of the Binn of Cullen if located in the narrower eastern part of this AU. Turbines of this size sited towards the southern boundaries of this landscape could impact on smaller scale AUs</p> <p>Medium</p>	<p>landmark feature of the Binn of Cullen if located in the narrower eastern part of this AU. Turbines of this size sited towards the southern boundaries of this landscape could impact on smaller scale AUs</p> <p>Medium</p>	<p>turbines of this size could also still detract from key landmark features such as the Binn of Cullen if sited nearby or if interrupting key views to these features.</p> <p>Medium-low</p>
<p>Visual amenity</p> <p>This landscape can be very open in places with extensive and unimpeded views possible from major roads such as the A96 and from the dense network of minor roads which criss-cross this character type.</p> <p>Forestry and subtle ridges limit the extent of views in other areas. The prominent hills of Binn Hill and Tappoch form focal features in views across this landscape.</p> <p>There are views to the uplands of Moray to the south from this area, with Ben Rinnes, Ben Aigan and Brown Muir hills forming key features. The Moray Firth and distant Sutherland coast also feature in views to the north. Infrastructure and buildings associated with the RAF and the Findhorn wind turbines are prominent in the very open western part of this landscape.</p> <p>Close views to this landscape are limited</p>	<p>This size of turbine would be highly visible from roads and settlement within this open landscape and from adjoining more elevated landscapes to the south. Although close views from the <i>Coastal Margin</i> are likely to be screened by forest and a coastal ridge west of the Spey, this turbine type would be visible from sections of the coast east of the Spey and they would also be seen in longer and more open views along the coast from promontories and bays where the hinterland is more visible and from the Moray Firth.</p> <p>High</p>	<p>This size of turbine would be highly visible from roads and settlement within this open landscape and from adjoining more elevated landscapes to the south. Although close views from the <i>Coastal Margin</i> are likely to be screened by forest and a coastal ridge west of the Spey, this turbine type would be visible from sections of the coast east of the Spey and they would also be seen in longer and more open views along the coast from promontories and bays where the hinterland is more visible and from the Moray Firth.</p> <p>High</p>	<p>The extent of visibility of turbines of this size would be likely to be reduced and they would be less prominent in views than the larger turbines. Turbines towards the lower height band of this turbine type (<25m) would be more easily accommodated as multiple turbines across this open landscape.</p> <p>High-medium</p>

Coastal Farmland – Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50m-100m	Assessment of turbines <50m
from the <i>Coastal Margin</i> due to screening provided by forests and landform to the west of the Spey. Some inter-visibility between the coast and this landscape occurs east of the Spey however. The north-facing settled slopes of the <i>Rolling Farmland and Forest</i> , and the <i>Rolling Coastal Farmland</i> have open and elevated views across this landscape and over the Moray Firth.			
Landscape value The <i>Lower Spey and Gordon Castle Policies</i> and the <i>Spynie</i> SLAs cover relatively small parts of this AU. This AU lies close to a series of SLAs covering the Moray coast which extend in the east to also include the Binn of Cullen. Key special qualities of both the SLAs in this AU include their importance for cultural heritage, nature conservation and recreation. Both these SLAs are well-wooded which limits views of the surrounding coastal plain. Duffus Castle is a Scheduled monument and a popular visitor destination. Innes House, Gordon Castle, Brodie Castle and Gordonstoun GDLs are also present.	Turbines of this size could affect the seclusion associated with the SLAs and the appreciation of their naturalness and cultural heritage interests if seen above containing woodlands or in more open elevated views. SLAs covering the Moray coast could be affected by turbines sited on the northern edges of this AU and in the narrower eastern part of this AU. The relatively limited extent of designated landscapes and other valued interests such as GDLs increases scope for turbines to be sited to avoid effects on their special qualities. The setting of Duffus Castle is more open and larger turbines sited nearby could affect its prominence in the landscape. Medium	Turbines of this size could affect the seclusion associated with the SLAs and the appreciation of their naturalness and cultural heritage interests if seen above containing woodlands or in more open elevated views. SLAs covering the Moray coast could be affected by turbines sited on the northern edges of this AU and in the narrower eastern part of this AU. The relatively limited extent of designated landscapes and other valued interests such as GDLs increases scope for turbines to be sited to avoid effects on their special qualities. The setting of Duffus Castle is more open and larger turbines sited nearby could affect its prominence in the landscape. Medium	There would be more scope for this size of turbine to avoid effects on the SLAs and other valued features which cover relatively small parts of this AU. Medium-low
Sensitivity			
Turbines 100-150m: High-medium sensitivity Turbines 50-100m: High-medium sensitivity Turbines <50m: Medium sensitivity			

<i>Rolling Coastal Farmland – Detailed sensitivity assessment</i>			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
Scale A rolling landform with small hills cut by narrow valleys offers a degree of containment and reduces scale. This landscape is well-settled with a dispersed pattern of small farms and these, together with woodlands, provide ready scale references. The landscape becomes more open on upper hill slopes which are broader at the transition with the <i>Low Forested Hills</i> .	This turbine type would dominate the largely small to medium scale of this landscape. The consistent presence of small features, including dispersed settlement, also increases susceptibility. High	This turbine type would dominate the largely small to medium scale of this landscape. The consistent presence of small features, including dispersed settlement, also increases susceptibility. High	There is increased scope to site this turbine type within broader upper hill slopes but also on more open areas on lower farmed slopes. Narrow valleys and small rolling hills remain susceptible. While this turbine type would appear large in relation to domestic buildings, turbines towards the lower height band would relate better to the occasional larger agricultural sheds present in this landscape. Medium
Landform Small, rounded interlocking hills are cut by narrow incised burns – the Deskford Valley is broader but with undulating slopes. Landform is generally more complex on the lower slopes with broader, more even gradients on upper slopes and occasional small flatter areas.	Broader and more gently graded upper hill slopes and areas of flatter ground are limited in extent reducing scope to accommodate multiple turbines of this size. The pattern of more complex rolling landform and narrow valleys further increases susceptibility. High	Broader and more gently graded upper hill slopes and areas of flatter ground are limited in extent and while this would reduce scope to accommodate multiple turbines, this turbine type is more likely to comprise single or small groups of turbines. The pattern of more complex rolling landform and narrow valleys further increases susceptibility. High-medium	Single and small groups of turbines of this size could relate to more gently graded, upper hill slopes although this size of turbine would be likely to detract from nearby more complex landform if sited on lower slopes. Medium
Landcover Cultivated fields alternate with woodlands. Woodlands are often diverse comprising mixed conifers and broadleaves in valleys and forming the policies of Letterfourie, Cullen and Cairnfield Houses set on lower hill slopes.	This turbine type could impact on more diverse woodlands and parkland associated with designed landscapes and with more strongly enclosed farmland. More extensive upland pastures on upper hill slopes would be less susceptible. High-medium	This turbine type could impact on more diverse woodlands and parkland associated with designed landscapes and with more strongly enclosed farmland. More extensive upland pastures on upper hill slopes would be less sensitive. High-medium	Although designed landscape features would be sensitive to all development typologies sited within their boundaries, turbines <25m would be less likely to impact on designed landscape features these features if sited nearby, where screening may be provided by landform and woodlands. Single of this size could be sited to avoid effects on more strongly patterned farmland. Larger pastures on upper hill slopes are less susceptible. Medium

<i>Rolling Coastal Farmland – Detailed sensitivity assessment</i>			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
Built environment This landscape is well-settled with a regular pattern of dispersed farms and houses and small settlements such as Drybridge and Clochan tucked down on lower hill slopes. Public roads are generally very narrow and winding. The consented Aultmore and Lurg Hill wind farms located in the adjacent <i>Low Forested Hills</i> AU will be visible in close proximity from parts of this landscape.	More sparsely settled upper hill slopes would be less susceptible in terms of avoiding impact on the immediate setting of settlements. Potential cumulative effects with nearby consented wind farms increases susceptibility particularly as turbines of this size sited in this AU would be contrary to the siting rationale of larger turbines with more expansively scaled, simple and less settled upland areas. High-medium	More sparsely settled upper hill slopes would be less susceptible in terms of avoiding impact on the immediate setting of settlements. Potential cumulative effects with nearby consented wind farms increases susceptibility particularly as turbines of this size sited in this AU would be contrary to the siting rationale of larger turbines with more expansively scaled, simple and less settled upland areas. Differences in turbine size, design and blade rotation speeds could exacerbate cumulative effects. High-medium	More sparsely settled upper hill slopes would be less susceptible in terms of avoiding impact on the immediate setting of settlements. Turbines <25m would be clearly different from larger turbines located in adjacent upland areas thus reducing potential cumulative effects although the slopes directly below the Aultmore and Lurg Hill wind farms are of increased susceptibility. Medium
Landscape context This AU comprises a small area of north-facing rolling hills and the undulating Deskford valley which fringe the <i>Low Forested Hills</i> . It forms the foreground to views of the landmark hill of Bin of Cullen. The <i>Coastal Farmland</i> abuts this landscape to the north and forms a narrow band in this area which is fringed by the <i>Coastal Margin</i> .	The adjacent <i>Low Forested Hills</i> AU generally has a simple landform and land cover and is very sparsely settled reducing susceptibility to turbines sited in this landscape. The landmark hill of the Bin of Cullen which also lies in the <i>Low Forested Hills</i> AU is of increased susceptibility to turbines sited close-by which could intrude on views and deflect from its prominence. Turbines of this size would also impact on the <i>Coastal Farmland</i> , which is well settled and open, increasing susceptibility although there would be likely to be limited effects on the <i>Coastal Margin</i> due to its visual containment and distance from this landscape. High-medium	Susceptibility is similarly reduced in terms of the <i>Low Forested Hills</i> AU and while the landmark hill of the Bin of Cullen is of increased susceptibility to turbines sited close-by, there may be increased scope to locate this size of turbine to avoid intrusion. This turbine type would also have less of an effect on the <i>Coastal Farmland</i> Medium	Smaller turbines could be sited to avoid intrusion on key views to the Bin of Cullen and would have minimal effects on other AUs. Medium-low

<i>Rolling Coastal Farmland – Detailed sensitivity assessment</i>			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
Visual amenity There is a degree of visual containment offered by the rolling landform, incised valleys and woodlands when travelling on the narrow roads within this AU. The <i>Low Forested Hills</i> form an even and predominantly wooded low southern skyline to this landscape limiting views from settlement and roads in the south. The A98 and B9018 offer close views of this landscape and the western part of this AU is widely seen from the well-settled coastal plain.	This size of turbine would be visible in close proximity from roads and settlement within this AU, from the Bin of Cullen which is popular with walkers and also from the coastal plain to the north. Views from the <i>Upland Farmland</i> to the south would be likely to be limited due to the screening provided by the <i>Low Forested Hills</i> AU. High	Turbines of this size would also be highly visible from this AU and from the coastal plain to the north and the Bin of Cullen. Views from the <i>Upland Farmland</i> to the south would be limited due to the screening provided by the <i>Low Forested Hills</i> AU. High	Although this size of turbine would be visible from more open roads and elevated settlement within this landscape, there would be increased scope to site them to avoid prominent skyline locations. Smaller turbines <25m would be more likely to be partially screened by coalescing woodlands and landform in views from within this landscape and from the <i>Coastal Farmland</i> limiting their visual intrusion. Medium
Landscape value The Portgordon to Cullen Coast SLA covers the lower Deskford valley in this AU. Special qualities relevant to this part of the SLA include the prominent Bin of Cullen and Cullen House and its Inventory listed GDL which provide an important setting to the coast.	Turbines of this size sited in this relatively small AU could affect views to the Bin of Cullen from the coast and the setting of Cullen House and its designed landscape. High-medium	This turbine type could potentially be located to minimise effects on key qualities of the SLA. Medium	There would be greater scope to site smaller turbines to avoid effects on views to the Bin of Cullen and on the designed landscape of Cullen House. Medium-low
Sensitivity Turbines 100-150m: High sensitivity Turbines: 50-100m: High-medium sensitivity Turbines <50m: Medium sensitivity			

Rolling Farmland and Forest – Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
Scale The landform is generally rolling and includes low hills, knolls and deep valleys and this, together with extensive woodland cover, reduces openness and the scale of the landscape. A dispersed pattern of small farms and houses, enclosed fields and small woodlands, provide ready scale references. Scale increases at the transition with the <i>Upland Moorland and Forestry</i> where settlement is sparser and hill slopes broader and more gently undulating.	This turbine type would dominate the largely small to medium scale of this landscape. The consistent presence of small features, including dispersed settlement, further increases susceptibility. High	This turbine type would dominate the largely small to medium scale of this landscape. The consistent presence of small features, including dispersed settlement, further increases susceptibility. High	Turbines closer to the upper height band of this turbine type would appear large in relation to the scale of landform, woodlands, land cover pattern and settlement within this landscape although more expansive upper hill slopes would be less susceptible. Smaller turbines within this turbine type would have a better relationship to the scale of other landscape features. High-medium
Landform This landscape has a very varied landform with extensive areas of rolling small hills, deeply incised valleys of the Lossie and Pluscarden with their broad floodplains and broader gently undulating hill slopes with occasional more rounded small hills which rise gradually to the <i>Upland Moorland and Forestry</i> to the south. More pronounced hills occur including Romach Hill in the west and the long steep-sided ridges containing the Pluscarden valley. Pockets of more complex knolly landform occur, particularly in the western parts of this AU, and narrow valleys are occasionally filled with small water bodies.	Turbines of this size would detract from the predominantly more complex rolling landform of this landscape and especially areas with smaller knolls, narrow valleys, the setting of occasional water bodies and more pronounced hills and ridges High	Broader gently undulating hill slopes could more easily accommodate single and very small groups of turbines this size although smaller and more complex landform would be more susceptible. High-medium	Broader gently undulating hill slopes could more easily accommodate this turbine type although even smaller turbines would detract from the more complex landform of knolls, narrow valleys with small water bodies and occasional small rounded hills. High-medium
Landcover This landscape is particularly well-wooded in the west where diverse estate-influenced forests are a distinctive feature. A distinctive pattern of small pocket pastures occur within extensive	The diverse woodlands which are a key characteristic of much of this AU are susceptible to development which would affect their integrity (by removal to accommodate multiple turbines/wind	The diverse woodlands which are a key characteristic of much of this AU are susceptible to development which would affect their integrity (by removal to accommodate multiple turbines/wind	Susceptibility is reduced for smaller turbines as they could more readily be sited to avoid intrusion on open floodplain pastures, designed landscapes and more diverse

Rolling Farmland and Forest – Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
woodland in this part of the AU. Steep scarp slopes are densely wooded in the Pluscarden and upper Lossie valleys, contrasting with open farmland on the broad valley floor. Areas of mixed woodland and parkland are also associated with the extensive designed landscapes of Altyre and Darnaway but also the smaller policies of Kellas and Pluscarden Abbey. Farmland is more marginal and coniferous plantations become more extensive at the transition with the <i>Upland Moorland and Forestry</i> AU to the south.	farms) and larger turbines which could detract from diverse vegetation and landcover patterns. More uniform coniferous forestry and more extensive and open semi-improved pasture on upper hill slopes is generally less susceptible. The scenic contrast between densely wooded hills and steep slopes and farmed valley floors is a key feature which could be affected by turbines sited intrusively on farmland and thus appearing to diminish their openness. The distinctive pattern of smaller pockets of farmland found in the western part of this AU could be particularly disrupted by turbines sited in these open areas. The designed landscapes are also of increased susceptibility. High-medium	farms) and larger turbines which could be detrautive. More uniform coniferous forestry and more extensive and open semi-improved pasture on upper hill slopes is generally less susceptible. The scenic contrast between densely wooded hills and steep slopes and farmed valley floors is a key feature which could be affected by turbines sited intrusively on farmland and thus appearing to diminish their openness. The distinctive pattern of smaller pockets of farmland found in the western part of this AU could be particularly disrupted by turbines sited in these open areas. The designed landscapes are also of increased susceptibility. High-medium	woodlands. More open and simple landcover, especially more extensive grazing, would be less susceptible to this turbine type. Medium
Built environment This landscape is well-settled with a regular pattern of dispersed farms and houses, and also some small settlements, and important cultural heritage features including grand houses and other estate buildings, Pluscarden Abbey and occasional distilleries. It lies close to Elgin and Forres. Settlement is sparser at the transition with the adjacent <i>Upland Moorland and Forestry</i> . Public roads are generally very narrow and winding. There is no wind farm development located in this AU although two single turbines (61m) are located on farmed upper slopes. A number of wind farms are located relatively	More sparsely settled upper hill slopes would be less sensitive in terms of avoiding impact on the immediate setting of settlements and other built features of cultural heritage interest. The prominence of the Rothes I and II wind farm in the eastern part of this AU however increases susceptibility in terms of potential cumulative effects. Turbines of this size sited in this AU would appear very large from roads and settlement and, where inter-visible with operational and consented wind farms, they could have cumulative landscape and visual	More sparsely settled upper hill slopes would be less sensitive in terms of avoiding impact on the immediate setting of settlements and other built features of cultural heritage interest. The prominence of the Rothes I and II wind farm in the eastern part of this AU increases susceptibility in terms of potential cumulative effects. Turbines of this size sited in this AU would appear large from roads and settlement but could be sited on more expansive upper hill slopes (further away from settlement and roads) and to minimise	Turbines of this size would have less of an effect on the setting of settlements and they could be sited relatively close to larger buildings. There is increased scope to site smaller turbines to minimise inter-visibility with operational and consented wind farms although the more open upper hill slopes in the eastern part of this AU and close to the upper Lossie valley are susceptible due to their closer proximity to these wind farms. Multiple turbines <25m could be sited to minimise cumulative effects as they are more likely to benefit from

Rolling Farmland and Forest – Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
close to this LCT in the <i>Upland Moorland and Forestry</i> and <i>Open Rolling Uplands</i> AUs. While the Rothes I and II wind farm is seen in close proximity from the more open eastern parts of this AU, the Hill of Glaschyle and Berry Burn wind farms are very rarely visible due to the screening effect of dense woodlands and landform. The consented Meikle Hill, Kellas, Clash Gour and Kellas wind farms will increase the extent of turbines seen on the skyline of the upper Lossie valley.	effects and be perceived to conflict with the siting rationale of larger turbines in upland landscapes. High	inter-visibility with the operational and consented wind farms High-medium	screening by landform and woodland Medium
Landscape context This landscape forms a relatively narrow band of small rolling hills, deeply incised valleys contained by prominent long ridges and undulating hill slopes between the higher hills of the <i>Upland Moorland and Forestry</i> and the low-lying coastal plain of the <i>Coastal Farmlands</i> and, in the west, either side of the Findhorn valley. The steep-sided landmark hill of Brown Muir located within the <i>Upland Moorland and Forestry</i> provides a prominent backdrop to this LCT and the long ridge and gentle dip slopes of Heldon Hill, which contains the northern side of the Pluscarden valley, backdrops the <i>Coastal Farmland</i> .	The narrowness of this landscape increases susceptibility in terms of potential effects on adjacent landscapes. Turbines of this size could impact on the <i>Coastal Farmland</i> AU which, although extensive and open, is also well-settled thus reducing scale. Although the <i>Upland Moorland and Forestry</i> has a more expansive scale which reduces susceptibility, turbines of this size sited in the eastern part of this AU could impact on the landmark hill of Brown Muir. The small-scale <i>Narrow Wooded Valleys</i> is susceptible to larger turbines visible on skylines in the western part of this AU. High-medium	The narrowness of this landscape increases susceptibility in terms of potential effects on adjacent landscapes. Turbines of this size could impact on the <i>Coastal Farmland</i> AU and, if sited in the eastern part of this AU, Brown Muir hill sited in the adjacent <i>Upland Moorland and Forestry</i> . The <i>Narrow Wooded Valleys</i> AU is susceptible to larger turbines visible on skylines in the western part of this AU. There would be increased scope to site turbines towards the lower height band of this turbine type to minimise effects on adjacent landscapes. Medium	Turbines of this size would have less of an impact on adjacent landscapes due to their increased ability to be screened by landform and woodland provided that the more widely visible highest hills and outer ridges in this AU were avoided. Medium-low
Visual amenity Woodland and landform limits views from roads and settlement (which are largely located within valleys) within this landscape although upper hill slopes and tops provide extensive views over the <i>Coastal Farmland</i> to the Moray Firth. The	Turbines of this size would be likely to form dominant features in short-range views from settlement, roads and footpaths in this AU. They may also be more widely prominent from adjacent landscapes especially if located on the	This size of turbine, and particularly turbines towards the higher height band of this turbine type, could be locally prominent and would also be visible in wider views from surrounding landscapes if sited on higher ground.	Susceptibility is reduced to smaller turbines (and particularly those <25m) due to the screening that could be offered by the rolling landform and densely wooded character of this AU. Multiple turbines towards the upper

<i>Rolling Farmland and Forest – Detailed sensitivity assessment</i>			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
backdrop of steeper edge slopes of the <i>Upland Moorland and Forestry</i> forms a consistent feature seen from this landscape with the hill of Brown Muir being particularly prominent. This landscape forms a narrow band of hill fringes widely visible from roads and settlement in the <i>Coastal Farmland</i> AU to the north.	highest hills and outer ridges of this AU. Multiple turbines could affect sequential views from roads in this AU. High	Multiple turbines could affect sequential views from roads in this AU. High	height band of this turbine type could affect sequential views from roads in this AU. Medium
Landscape value <i>The Pluscarden Valley, Quarrelwood, The Findhorn Valley and Wooded Estates</i> and a small part of <i>The Spey Valley</i> SLAs fall within this AU. <i>The Pluscarden Valley</i> SLA is valued for its richly diverse woodlands, the contrast between wooded ridges and floodplain farmland and the setting this deeply incised and secluded valley provides to Pluscarden Abbey. The special qualities of <i>Quarrelwood</i> SLA include the setting this small hill provides to Elgin, its diverse woodland and important cultural heritage features. <i>The Findhorn Valley and Wooded Estates</i> SLA special qualities include its diverse woodlands and estate policies, distinctive built features, the strong containment and seclusion of this landscape and its popularity for recreation. The wooded hills lying in the eastern part of this AU form the backdrop to <i>the Spey valley</i> SLA.	Turbines of this size would affect the setting of cultural heritage features and the sense of seclusion associated with <i>The Pluscarden Valley and Findhorn Valley and Wooded Estates</i> SLAs if sited within or close-by, for example if seen on prominent skylines of ridges above these valleys. The <i>Quarrelwood</i> SLA is small in area and in terms of its relief and would be susceptible to turbines sited in and nearby which would dominate its scale, the setting it provides to Elgin and the experience of recreational users. While the wooded hills which backdrop the <i>Spey Valley</i> SLA in the eastern part of this AU are not prominent they provide an uncluttered and simple backdrop to the valley which would be compromised by large wind turbines seen in close proximity from the SLA. High-medium	Turbines of this size, and particularly those towards the upper height band, would also affect special qualities within <i>The Pluscarden Valley and Findhorn Valley and Wooded Estates</i> and the <i>Quarrelwood</i> SLAs if sited within or close-by these designated landscapes. The wooded hills which backdrop the <i>Spey Valley</i> SLA in the eastern part of this AU could also be compromised by prominently sited turbines seen on the skyline from this SLA. High-medium	There would be increased scope to site smaller turbines to avoid effects on the SLAs. Turbines of this size (and especially <25m) could potentially be located in parts of some of these SLAs without compromising their special qualities. Medium
Sensitivity Turbines 100-150m: High sensitivity Turbines 50-100m: High-medium sensitivity Turbines <50m: Medium sensitivity			

Narrow Wooded Valleys – Detailed sensitivity assessment		
Summary description	Assessment of turbines >50m	Assessment of turbines <50m
<p>Scale The scale of the landform becomes progressively smaller as the undulations become more complex and the valley becomes narrower and more enclosed, closer to the rivers. The medium to small scale of the topography is reinforced by the low relief, with landform generally undulating between 100m and 150m in elevation, although it is lower to the north. Woodland creates considerable containment reducing the scale of the experience of this landscape and open areas of farmland within woodland are small. Trees and buildings provide consistent reference points against which size of turbines can be judged.</p>	<p>This size of turbine would impact on the small scale of much of this AU. In particular, this turbine type would dominate the low relief, the small-scale landform and the size of open spaces within this landscape. The consistent presence of small features – including trees and buildings – increases susceptibility.</p> <p>High</p>	<p>This size of turbine would impact on the small scale of much of this AU although turbines towards the lower height band <25m high would have a less dominant effect on the scale of larger areas of open space on the broader shoulders of these valleys.</p> <p>High</p>
<p>Landform Landform is particularly complex at the conjunction of the rivers and tributaries with steep slopes and incised rocky gorges. Valley sides are undulating but, in places interlocking and complex, with occasional more gently sloping fields on the shoulders of the valley.</p>	<p>The irregular and small-scale landforms and steep sided river valleys and their immediate setting are all sensitive to this turbine type. Larger turbines would detract from complex and dramatic landform features even if sited on more gently sloping upper slopes.</p> <p>High</p>	<p>The more irregular and smaller scale landforms and the steep sided river valleys and their immediate setting are sensitive to this turbine type. More level and gentle slopes on upper valley sides would be less susceptible to turbines of this size.</p> <p>High-medium</p>
<p>Landcover This landscape is strongly characterised by the variety of woodland, which ranges from extensive pine forest of different ages, to riparian woodland and wooded policies. The woodland alternates with cultivated and grazed fields, some of which are relatively small pockets and some of which are larger more extensive areas of open fields. These open spaces are frequently irregular in shape, increasing the sense of interlock. The sequential pattern of open spaces and woodland is a key quality of this landscape. The rivers are a particular feature, forming sinuous and well-defined gorges with steep sides clothed with broadleaved woodland. Feature trees are associated with some of the policy woods and designed landscapes.</p>	<p>The integrity and diversity of woodlands increases susceptibility particularly to multiple turbines which could involve removal of these features. The diversity of the pattern of vegetation and the importance of the open spaces within the woodland also increases susceptibility to turbines of this size which could easily dominate the open spaces and reduce the contrast between these open spaces and the forested areas.</p> <p>High</p>	<p>Susceptibility would be reduced in areas with a more open and simpler landcover but even smaller turbines <25m could affect the intricate pattern of small open spaces and woodland present in many parts of this AU.</p> <p>High-medium</p>

Narrow Wooded Valleys – Detailed sensitivity assessment		
Summary description	Assessment of turbines >50m	Assessment of turbines <50m
Built environment This landscape is not extensively settled, with farms and houses generally located at the edge of the open spaces overlooking the fields. Historic houses, such as Logie and Relugas, are strongly associated with the river valleys, often located to overlook dramatic stretches of gorge. There are additional buildings and built features associated with these estates, including the bridge at Relugas. The main A940 extends through the eastern side of this AU although minor roads are often narrow and winding. A small single turbine is located at Logie in this AU. The operational wind farm of Berry Burn is visible at some distance from elevated open areas of this AU. The operational Hill of Glaschyle wind farm is visible above woodland from open areas on the shoulders of the valleys and seen intermittently from the A940 and from footpaths in Findhorn gorge at closer distance than Berry Burn wind farm.	The historic buildings and their settings would be susceptible to large turbines seen in close proximity above wooded skylines. This AU is however not extensively settled and there may be opportunities to site even this size of turbine without impacting on the immediate setting of settlement. The character of some of the road network is likely to be compromised by improvements to accommodate large vehicles required to transport this turbine type. It is also unlikely that large vehicles could negotiate the historic bridges. Cumulative effects with wind farms sited in adjacent AUs, and particularly the more prominent Hill of Glaschyle wind farm, could occur from open areas of farmland and from the A940 (which forms an important scenic approach to Moray) and from well-used gorge footpaths. High-medium	There are increased opportunities to site smaller turbines to avoid effects on the setting of historic buildings and their transportation would require less upgrading of narrow winding roads. Turbines towards the upper height band of this turbine type would appear large in close views and could have cumulative effects with other operational wind farms (and particularly the Hill of Glaschyle wind farm) seen above containing woodland from open areas of farmland, the A940 and gorge footpaths. Medium
Landscape context These narrow deeply incised valleys are relatively self-contained. The <i>Rolling Farmland and Forests</i> forms the immediate skyline either side of these valleys while the <i>Upland Moorland and Forestry</i> and <i>Open Rolling Uplands</i> also abut the south-eastern corner of this landscape. This AU, especially to the south, is overlooked from high points, including the Knock of Braemoray and is inter-visible with the low western hills of the <i>Upland Moorland and Forestry</i> . The wooded character of this landscape merges with the adjacent <i>Rolling Farmland and Forests</i> and the valley itself extends into neighbouring Highland where it has a very similar character. This landscape forms a key ‘gateway’ to Moray from the south experienced from the A940 which extends over the dramatic open expanse of the Dava Moor before descending into the richly wooded valleys of the Dorback Burn and Findhorn.	This AU is relatively self-contained, with views into this type from neighbouring AUs limited by dense woodland and the valley landform. Higher hills on adjacent upland AUs to the south overlook these wooded valleys and turbines of this size sited in this AU would affect more open adjoining areas although these larger scale upland areas are generally less susceptible. Turbines of this size would impact on the approach and sense of arrival to Moray from the A940 whose scenic importance relies on the variety of landscapes experienced from the route. High-medium	Susceptibility is reduced for turbines of this size (and particularly turbines towards the lower height band <25m) as they would be more likely to be partially or wholly screened by woodland and the valley landform. The approach and sense of arrival to Moray remains susceptible to intrusion. Medium

Narrow Wooded Valleys – Detailed sensitivity assessment		
Summary description	Assessment of turbines >50m	Assessment of turbines <50m
<p>Visual amenity The woodland limits wide visibility, although there are views from the rare open spaces within this AU to the higher ground in the adjacent <i>Upland Moorland and Forestry</i>. The occasional long views, especially to the pronounced hills of <i>Open Rolling Uplands</i> and the Knock of Braemoray, a landmark hill, at the southern end of the valley, are unexpected and revelatory. Views within this AU are often intermittent due to the enclosure created primarily by woodland, but also the containment created by landform along the spine of the river valleys. Views along the rivers; from bridges and access routes; to and from the historic buildings; and from the A940, including the arrival into Moray, are all important. The wooded skyline is a prominent feature seen from footpaths in the Findhorn valley.</p>	<p>The woodland often screens parts of this landscape, so that views from the A940, for example, are intermittent. However, the height of this turbine type means that it is likely to appear above many of these smaller features, or encroach upon the setting of key visual features, and may be widely and consistently visible from well-used gorge footpaths, minor roads and from settlement focussed on the areas of open farmland on the valley shoulders.</p> <p>High</p>	<p>Views of this height of turbine are likely to be intermittent from the A940 and other roads and reduced by the screening effects of landform and trees. Turbines towards the lower height band of this turbine type (<25m) would be less prominent and could benefit from a greater degree of screening by woodland in key views. The wooded skyline above the gorges and views from the A940 remain susceptible.</p> <p>High-medium</p>
<p>Landscape value The <i>Findhorn Valley and Wooded Estates</i> SLA covers this AU. Key special qualities of this SLA include the dramatic river gorges, diverse woodlands and policy features, the popularity of the area for recreation and the strong sense of intimacy and seclusion that can be experienced in this landscape.</p>	<p>The sense of seclusion experienced in this landscape, and the naturalness and drama associated with the river gorges would be affected by larger turbines which would be more likely to be visible on containing skylines above the valleys. Multiple turbines sited in woodland could also diminish the integrity of woodland cover which is a key special quality of the SLA.</p> <p>High</p>	<p>This turbine type could also affect the sense of seclusion in this landscape, and the sense of naturalness and drama associated with the river gorges if visible above containing skylines. Smaller turbines <25m located on more extensive open farmed and settled land on the shoulders of valley would have less of an effect on the special qualities of the SLA.</p> <p>High-medium</p>
<p>Sensitivity Turbines >50m: High sensitivity Turbines <50m: High-medium sensitivity</p>		

Broad Farmed Valley - Detailed sensitivity assessment			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment for smaller turbines <50m
Scale The Spey valley is strongly contained in places by steep and predominantly wooded side slopes although it opens out to form a broad floodplain north of Craigellachie. It is also broader and more open south-west of Aberlour where undulating side slopes merge more gradually with adjacent uplands. The Spey Valley is well-wooded and settled with a regular pattern of farms and other buildings contributing to its small scale. Scale increases on broader upper slopes at the transition with the <i>Upland Moorland and Forestry</i> where settlement is less dense and the land cover pattern more extensive.	This turbine type would dominate the small to medium scale of much of this landscape including the more open flat floodplain of the Spey. The even dispersal of buildings and other small features across this well-settled landscape increases susceptibility to turbines of this size. High	This turbine type would dominate the small to medium scale of much of this landscape including the more open flat floodplain of the Spey. Although turbines of this size could relate to broader sections of the Spey Valley on more open upper valley sides at the transition with adjacent upland AUs, the even dispersal of buildings and other small features across this well-settled landscape increases susceptibility. High	Turbines towards the upper height band of this turbine type would appear large in relation to the small scale of lower slopes and narrower valley floors and the small buildings which are evenly dispersed across much of this landscape. The broader sections of the Spey Valley and less densely settled upper slopes at the transition with the adjacent upland areas would be less susceptible in terms of scale and turbines <25m could more fit with the scale of more settled middle valley sides. High-medium
Landform The Spey Valley has a flat open floodplain to the north which the river meanders across. The floodplain narrows in the upper reaches of the Spey (in Moray) and is contained by steep scarp slopes. Rolling lower slopes step up to a broader more gently undulating elevated terrace in the Archiestown area and a number of tributaries cut narrow valleys in the upper Knockando area. Small, rounded hills occur on the edge of the Spey Valley and fringing the broader upland AUs.	This turbine type would detract from more distinctive landform features including more deeply incised sections of the Spey, steep scarp slopes and more complex rolling landform commonly found within the valley floor and lower slopes of the upper Spey. Turbines of this size would also detract from the strong contrast that occurs between the open flat floodplain and steep containing side slopes in the lower reaches of the Spey. More gently undulating upper slopes at the transition with the <i>Upland Moorland and Forestry</i> would be less susceptible. High-medium	This turbine type would detract from more distinctive landform features including more deeply incised sections of the Spey, steep scarp slopes and more complex rolling landform commonly found within the valley floor and lower slopes of the upper Spey. Turbines of this size would also detract from the strong contrast that occurs between the open flat floodplain and steep containing side slopes in the lower reaches of the Spey. More gently undulating upper slopes at the transition with the <i>Upland Moorland and Forestry</i> would be less susceptible. High-medium	Broader, more gently undulating valley sides would be less susceptible and turbines <25m could also minimise effects on more complex and dramatic landform features although the more deeply incised sections of the Spey, narrow floodplains, steep scarp slopes and areas of more the complex rolling landform remain susceptible. Medium

Broad Farmed Valley - Detailed sensitivity assessment

Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment for smaller turbines <50m
Landcover This landscape is characterised by enclosed farmland (with smaller fields on lower slopes), broadleaved and coniferous woodlands including distinctive mixed policy plantings in places. The often diverse vegetation pattern reinforces the smaller scale of this landscape.	This turbine type would detract from areas with a more diverse land cover pattern although simpler and more extensive pastures on upper slopes would be less susceptible. Medium	This turbine type would detract from areas with a more diverse land cover pattern although simpler and more extensive pastures on upper slopes would be less susceptible. Medium	This turbine type would detract from areas with a more diverse land cover pattern although smaller turbines would have a less detrautive effect if sited nearby (but not on) more complex areas of landform. Simpler and more extensive pastures on upper slopes would be less susceptible. Medium-low
Built environment A well-settled landscape with a regular pattern of small towns sited next to the Spey including Aberlour, Craigellachie and Rothes and with occasional smaller settlements on upper hill slopes and side valleys. Historic houses, castles, bridges and traditional and some larger newer distillery buildings are a feature of this valley. The operational wind farms of Paul's Hill, Berry Burn, Rothes I and II and Hill of Towie located in the uplands to the north are visible, principally from the broader section of the valley between Craigellachie and Ballindalloch. The consented Paul's Hill II, Berry Burn II, Clash Gour and Rothes III developments will increase the prominence of wind turbines in this broader part of the valley and from the Upper Knockando area.	Turbines of this size could affect the setting of settlements and other historic built features. Cumulative effects would occur if turbines of this size were introduced to this AU as this would weaken the clear association of large turbines with more simple and expansive upland landscapes. Inter-visibility between operational/consented developments largely seen on upland skylines and large turbines sited in this valley would also be likely to result in significant cumulative effects. Multiple turbines of this size and/or larger groups of turbines (wind farms) would increase cumulative effects. High	Turbines of this size could affect the setting of settlements and other historic built features. Cumulative effects could occur if turbines of this size, and particularly those towards the upper height band, were introduced to this AU as this would weaken the clear association of large turbines with more simple and expansive upland landscapes. Inter-visibility between operational/consented developments largely seen on upland skylines and this size of turbine (which would appear large in close views from roads and settlement) sited in this valley would also be likely to result in some significant cumulative effects. Multiple turbines of this size would increase cumulative effects. High	Less settled upper valley sides would have a reduced susceptibility to smaller turbines where they could be sited away from key views to settlements and landmark built features. This turbine type could have cumulative impacts with larger turbines sited in adjacent upland character types if sited close-by. Although there is scope to site this turbine type to minimise cumulative effects, turbines towards the upper height band of this turbine type would still appear very large from settlements and roads within the Spey valley and could affect the present clear rationale of large turbines being associated with upland areas. Multiple turbines could increase cumulative effects although susceptibility would be reduced to well-sited turbines <25m High-medium
Landscape context This AU is visually contained by adjacent uplands, limiting its influence on the wider	Although the <i>Broad Farmed Valley</i> has relatively limited influence on surrounding landscapes, turbines of this size sited	There may be increased opportunity to site turbines of this size, and particularly those towards the lower	Turbines of this size could detract from the setting of adjacent landmark hills if sited nearby or in key views to them.

Broad Farmed Valley - Detailed sensitivity assessment

Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment for smaller turbines <50m
<p>landscape. However, where these uplands form distinctive high hills with steep slopes, this can create highly scenic landscapes in their juxtaposition and contrast with the richly patterned settled landscapes of this valley. This notably occurs where the upper Spey is back-dropped by Ben Aigan, Ben Rinnes and Roy's Hill which all form key 'landmark' features. The <i>Open Uplands with Steep Slopes</i> AU which is centred on Ben Rinnes, is particularly dramatic in views from the Spey valley.</p>	<p>within this AU would detract from the setting and key views of the landmark hills sited and the <i>Open Uplands with Steep Slopes</i> AU and could diminish the visual composition in areas where a rich scenic juxtaposition occurs between these valleys and the uplands.</p> <p>High</p>	<p>height band, to minimise effects on adjacent landmark hills and on the character of the <i>Open Uplands with Steep Slopes</i> AU. Multiple turbines of this size would be likely to increase effects.</p> <p>High-medium</p>	<p>This turbine type would have less of an effect in terms of landscape context where the valley is broader and backed by simpler and more gently undulating upland areas. Susceptibility would be reduced for turbines <25m as these would be less prominent particularly if multiple turbines were to be accommodated.</p> <p>Medium</p>
<p>Visual amenity</p> <p>This is a well-settled landscape with a network of roads located within the valley floor and also on the broader valley sides of the upper Spey. This valley is well wooded and this can often screen views. The Spey Valley is a key attraction for visitors engaged in recreational activities including fishing, cycling, walking and undertaking distillery tours. The Speyside Way long distance footpath is aligned through this AU. The immediate skyline formed by upper valley sides and the outer edge hills and slopes of the adjacent upland landscapes are prominent from the valley floor but more expansive views are possible from more elevated settlement, paths (including popular routes on Ben Rinnes) and roads.</p>	<p>Turbines of this size would be highly visible in views across and along these valleys from roads and settlement. They would also be seen in relative proximity from more elevated views from popular hill walking routes and also from sections of the Speyside Way. The well-settled nature of this valley and its popularity for tourism and recreation increases susceptibility sensitivity.</p> <p>High</p>	<p>Turbines of this size would be highly visible in views across and along these valleys from roads and settlement. They would also be seen in relative proximity from more elevated views from popular hill walking routes and also from sections of the Speyside Way. The well-settled nature of this valley and its popularity for tourism and recreation increases visual sensitivity.</p> <p>High</p>	<p>Turbines of this size would be significantly larger than other landscape features and could be prominent if sited within the more densely settled and traversed lower valley areas. They would be likely to be less intrusive if sited on upper valley sides at the transition with adjacent uplands where rising ground could reduce visual prominence in key views from key roads and settlement. Turbines <25m high would minimise intrusion.</p> <p>High-medium</p>
<p>Landscape value</p> <p>The majority of this AU is designated as the Spey Valley SLA and it also lies adjacent to</p>	<p>Turbines of this size would be likely to have a significant effect on the scenic quality of the Spey Valley SLA including</p>	<p>Turbines of this size would be likely to have a significant effect on the scenic quality of the Spey Valley SLA including</p>	<p>Well-sited turbines, and particularly those towards the lower height band of this turbine type <25m, would be less</p>

Broad Farmed Valley - Detailed sensitivity assessment

Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment for smaller turbines <50m
the <i>Ben Rinnes</i> SLA. These SLAs are interlinked with the high and rugged mountain of Ben Rinnes noted in citations as forming an important landmark feature which contributes to the scenic character of the Spey valley. The romance associated with whisky distilling is also noted as a special quality.	detracting from the dramatic backdrop provided by Ben Rinnes. The romance associated with the Spey valley and whisky distilling could also be diminished by very large and intrusive turbines. High	detracting from the dramatic backdrop provided by Ben Rinnes. The romance associated with the Spey valley and whisky distilling could also be diminished by large and intrusive turbines. High	likely to significantly impact on the scenic qualities of the Spey Valley SLA and on the dramatic backdrop provided by Ben Rinnes and would also be less likely to affect the sense of romance that may be experienced by some people particularly if turbines were carefully sited to minimise visibility from key tourist routes and destinations. Multiple turbines towards the upper height band would increase effects. High-medium
Sensitivity Turbines 100-150m: High Turbines 50-100m: High Turbines <50m: High-medium			

Narrow Farmed Valleys – Detailed sensitivity assessment

Summary description	Assessment of turbines 50-100m	Assessment of turbines <50m
<p>Scale These narrow valleys are strongly contained by adjacent upland areas. The upper Isla, Glen Fiddich and the Deveron form winding valleys which limit visibility and give an intimate scale in places. Glen Rinnes is broader and more open in character but dramatically contained by steep slopes and high hills. The often, well-wooded character of these valleys and the presence of small houses and farms further reduce scale.</p>	<p>Turbines of this height would dominate the small scale of these often narrow, strongly contained and well-settled valleys.</p> <p>High</p>	<p>This turbine type would dominate the small scale of these valleys where they are strongly contained by steep slopes within the valley floor and lower slopes. Turbines of this size would appear large in relation to houses and woodlands. There are few less well-settled areas within these valleys although gently graded upper hill slopes at the transition with adjacent uplands would be less susceptible. Multiple turbines towards the upper height band associated with a number of land holdings could appear to 'fill' the narrow extent of these valleys. Multiple turbines <25m could be accommodated more readily</p> <p>High-medium</p>
<p>Landform Valley floors are generally narrow with occasional flatter floodplain areas. Steep lower slopes often give way to more rolling broader upper slopes on the south-east side of the Isla and in Glen Rinnes. Landform is more complex, with steep slopes and interlocking hills in places within the Deveron valley and between the Fiddich and the Dullan Water. Small, rounded hills and ridges on the edge of these valleys at the transition with the adjacent uplands contain and provide the backdrop to these valleys.</p>	<p>This turbine type would detract from areas of more complex interlocking landform, steep slopes and from the small open floodplain areas which contribute to the diversity of these landscapes. Broader, more gently undulating upper hill slopes and terraces would be less susceptible although these areas are not extensive and the numbers of turbines that could be accommodated would be limited.</p> <p>High</p>	<p>Turbines would detract from areas of more complex interlocking landform, steep slopes and from the small open floodplain areas which contribute to the diversity of these landscapes. Broader, more gently undulating upper hill slopes and terraces would be less sensitive.</p> <p>High-medium</p>
<p>Landcover This landscape is often richly patterned with a mix of enclosed pastures and some arable land and small woodlands. Policy woodlands, a strong pattern of shelterbelts, field trees and avenue plantings occur in the upper Isla and Deveron valleys. Small pockets of wetland and riparian woodlands are present on the floor of some of these valleys.</p>	<p>This turbine type would detract from more diverse areas where policy woodlands and a strong pattern of shelterbelts, field trees and avenues are present. Multiple developments of large turbines across these valleys would have a greater effect.</p> <p>High-medium</p>	<p>There are opportunities for this turbine type to minimise effects on areas with a more diverse land cover pattern although multiple turbines of this size repeated across these valleys would still introduce new features that could cumulatively detract from the rich land cover pattern characteristic of these valleys.</p> <p>Medium</p>

Narrow Farmed Valleys – Detailed sensitivity assessment

Summary description	Assessment of turbines 50-100m	Assessment of turbines <50m
<p>Built environment</p> <p>These valleys are well-settled with small villages, dispersed farms and houses and occasional grand houses and castles (including the dramatically sited Auchindoun Castle perched high above the River Fiddinch) evenly distributed across the slopes above the floodplain. Narrow winding roads are aligned through these valleys. There are no wind farm developments located in this AU although operational and consented wind farms located in adjacent upland areas are visible from parts of this AU. These include the operational Hill of Towie wind farm (and consented extension) which is prominent in views from the upper Isla valley and Glen Fiddich. The operational Dorenell is less visible from the floors of these valleys but seen from the higher slopes of Glens Rinnes and Fiddich. The operational Clashindarroch wind farm located in neighbouring Aberdeenshire is visible from parts of the upper Deveron valley. The Dorenell/Blackhillock 132kV transmission line is prominent in the area between Glens Rinnes and Fiddich.</p>	<p>The setting of small settlements, grand houses/castles and their designed landscapes and archaeological features would be highly susceptible to this turbine type. Cumulative effects with operational and consented wind farms located in adjacent AUs additionally increase susceptibility where these larger turbines could be perceived as diverging from the rationale of locating larger turbines with more expansive and simpler upland landscapes. Cumulative effects are most likely to affect the upper Isla and the upper Deveron valleys and parts of Glen Fiddich. Views from Ben Rinnes also increases susceptibility in relation to cumulative effects between larger turbines sited in Glen Rinnes and with the Dorenell wind farm. The presence of the 132kV line increases susceptibility in relation to cumulative effects where closely inter-visible with wind turbines sited in this AU.</p> <p>High</p>	<p>The setting of small settlements, grand houses/castles and their designed landscapes would be susceptible to turbines of this size sited nearby or interrupting key views to and from these features. Turbines towards the upper height band of this turbine type would still appear large from nearby roads and settlement and cumulative effects could occur if developments were seen together or if these smaller turbines were sited on upper valley sides close to larger turbines where scale differences were obvious, creating a cluttered appearance. The presence of the 132kV line increases susceptibility in relation to cumulative effects where closely inter-visible with wind turbines sited in this AU.</p> <p>High-medium</p>
<p>Landscape context</p> <p>These valleys have a limited influence on adjacent AUs due to their strong containment. They are seen in conjunction with the adjacent <i>Rolling Forested Hills</i> and the <i>Open Uplands with Steep Slopes and Open Uplands with Settled Glens</i> AUs. Where these smaller scale and more diverse valleys are juxtaposed with rugged slopes or more pronounced hills on the edges of these uplands, scenic composition is enhanced.</p>	<p>The containment of these valleys generally limits effects on adjacent landscapes. Turbines of this size could detract from key views to the more distinctive hills, including the landmark hills of Ben Rinnes, Meikle Conval and Little Conval, and dramatic scarp slopes within the <i>Open Uplands with Steep Slopes</i> and diminish the scenic composition with valleys such as Glen Rinnes and the Deveron valley.</p> <p>Medium</p>	<p>Susceptibility is also increased in relation to the intrusion of turbines on more distinctive hills within adjoining upland areas although there is increased scope to site turbines of this size to avoid diminishing the scenic composition of the wider landscape.</p> <p>Medium-low</p>
<p>Visual amenity</p> <p>These valleys are well-settled and also contain a number of main roads. Many of the roads form popular</p>	<p>Turbines of this height would be highly visible within these valleys and would be seen in relatively close proximity to settlement and roads increasing</p>	<p>Turbines of this height would be highly visible if sited in the lower valley areas although broader upper hill slopes set back from main concentrations of settlement and</p>

Narrow Farmed Valleys – Detailed sensitivity assessment		
Summary description	Assessment of turbines 50-100m	Assessment of turbines <50m
tourist routes. Views beyond the valley are limited however due to their containment by adjacent upland areas. Views into these valleys are largely restricted to elevated recreational routes within nearby hills including Ben Rinnies.	susceptibility. They could interrupt key views to the landmark hills and would be visible from nearby elevated recreational routes. High	main roads would be less visually sensitive. Smaller turbines would be less prominent from elevated recreational routes. High-medium
Landscape value The <i>Deveron Valley</i> SLA covers the upper part of this valley in Moray (continuing into neighbouring Aberdeenshire). Special qualities of the <i>Deveron Valley</i> SLA include its intimate scale as well as its rich diversity and harmonious character and the scenic contrast which occurs with the simpler uplands which backdrop the more patterned and settled valley. Glens Livet and Rinnies lie within the <i>Ben Rinnies</i> SLA. The relevant special qualities of the <i>Ben Rinnies</i> SLA include the dominance of Ben Rinnies and its popularity for recreation, the tranquil and little developed character of the glens and the rich cultural heritage of the area which includes historic distilleries and the 14 th century Auchindoun Castle.	Larger turbines could disrupt the harmonious character of the <i>Deveron Valley</i> SLA and conflict with its intimate scale. Turbines of this size sited in Glens Livet and Rinnies could detract from views to and from Ben Rinnies and key cultural heritage features. They could also be perceived as diminishing the little developed character of these glens particularly if turbines towards the upper height band and/or multiple turbines were used. High	Even smaller turbines could disrupt the harmonious character of the <i>Deveron Valley</i> SLA and conflict with its intimate scale. There would be likely to be increased opportunities to site turbines of this size to minimise effects on views to and from Ben Rinnies and cultural heritage features. Smaller turbines and particularly those <25m could also minimise effects on the little developed character of Glens Livet and Rinnies although concentrations of turbines would need to be avoided. High-medium
Sensitivity Turbines 50-100m: High sensitivity Turbines <50m: High-medium sensitivity		

<i>Upland Farmland – Detailed sensitivity assessment</i>			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
Scale The gently undulating and shallow valleys of this AU are expansive and open although the presence of a regular pattern of small farms and houses provide ready scale references and reduce the overall scale of the landscape. Some narrower and more contained valleys occur in places and small, well-defined hills are occasional features.	Although this turbine type could relate to the broad scale of the generally gently undulating landform, it would dominate small houses and farms. The more contained valley floors, including the valley of the River Isla and the relatively small hills which occasionally occur, would additionally be susceptible to this turbine type. High	Turbines of this size would also dominate small houses and farms although less densely settled upper slopes would be less susceptible. The more contained valley floors, including the valley of the River Isla and the relatively small hills which occasionally occur, would additionally be susceptible to this turbine type. High-medium	Turbines towards the upper height band would appear large in relation to the evenly dispersed small buildings in this well-settled AU. Susceptibility is reduced in more sparsely settled areas at the transition with the <i>Low Forested Hills</i> AU. Smaller turbines <25m would reduce impacts on scale. Medium
Landform This gently undulating landscape encompasses the flat-bottomed valley of the River Isla, the broad slopes which provide its wider setting and the shallow valleys of visually insignificant tributaries running from the north which are divided by long, low ridges with gentle and smooth slopes. Occasional well-defined small hills and ridges occur - the most distinctive of these being the landmark hill of Knock Hill on the border with Aberdeenshire. The small hills of Mulderie, Cairds Wood, Garrel Hill and the ridge of Silliean Wood also stand out within the generally gently undulating landform	This turbine type could relate to the generally simple landform of this character type although they would significantly detract from Knock Hill and from the smaller, yet distinctive, hills and ridges if sited on or close-by them. Medium	This turbine type could relate to the generally simple landform of this character type although they would significantly detract from Knock Hill and from the smaller, yet distinctive, hills and ridges if sited on or close-by them. Medium	This turbine type could relate to the generally simple landform of this character type although more contained valley floors and small well-defined hills remain susceptible. Medium-low
Landcover This landscape has a simple land cover of large fields of pasture and some arable land. Small coniferous shelterbelts and woods pattern the farmland although it generally has an open and simple pattern.	The simple land cover pattern of this landscape reduces susceptibility. Low	The simple land cover pattern of this landscape reduces susceptibility. Low	The simple land cover of this landscape reduces susceptibility and smaller turbines could be more easily sited Low

Upland Farmland – Detailed sensitivity assessment

Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
Built environment This is a relatively well-settled landscape with the settlement of Keith sited in the south. Operational single and small groups of wind turbines (70-92m high) are situated in the north-eastern part of this AU, the operational Edintore wind farm is located near Keith and high voltage transmission lines and large substations are also located close to this settlement. The consented Aultmore and Lurg Hill wind farms sited in the <i>Low Forested Hills</i> AU will be widely visible across this open landscape. The operational Hill of Towie wind farm located in the <i>Rolling Forested Hills</i> is also prominent on the skyline in views from this landscape.	Turbines of this size would exacerbate the discordant clutter of transmission lines in the area around Keith, further diminishing its landscape setting. The disparate sizes and designs of operational larger turbines sited in the north of this AU near Grange Crossroads already result in significant cumulative effects and conflict with the predominant pattern within Moray of larger typologies being associated with more expansive and simple upland landscapes. The presence of operational and consented wind farms located in the nearby <i>Low Forested Hills</i> increases susceptibility. High	Turbines of this size would exacerbate the discordant clutter of transmission lines in the area around Keith, further diminishing its landscape setting. The disparate sizes and designs of operational larger turbines sited in the north of this AU near Grange Crossroads already result in significant cumulative effects and conflict with the predominant pattern within Moray of larger typologies being associated with more expansive and simple upland landscapes. The presence of operational and consented wind farms located in the nearby <i>Low Forested Hills</i> increases susceptibility. High	Turbines of this size would also exacerbate the discordant clutter of transmission lines in the area around Keith if sited nearby. This turbine type could have cumulative impacts with larger turbines sited in adjacent upland AUs if sited close-by. Turbines towards the upper height band of this turbine type would still appear very large from settlements and roads within this landscape and could exacerbate cumulative effects in some parts of this landscape – smaller turbines <25m would have a clear size differential with operational and consented turbines and could be accommodated more easily High-medium
Landscape context This character type is contained by the higher ground of the adjacent <i>Low Forested Hills</i> AU and has limited inter-visibility and influence on wider landscape character, including neighbouring Aberdeenshire. Although the adjoining <i>Low Forested Hills</i> AU is generally sparsely settled and densely forested, thus limiting views to the <i>Upland Farmland</i> , it includes the landmark hills of the Bin of Cullen and Meikle Balloch which are popular for recreation.	This landscape has little influence on surrounding landscapes. Turbines of this size would however appear to diminish the vertical scale and detract from more distinctive defined landmark hills if sited close-by. Medium	This landscape has little influence on surrounding landscapes. Turbines of this size would however appear to diminish the vertical scale and detract from more distinctive defined landmark hills if sited close-by. Medium	Turbines towards the upper height band could detract from the landmark hills within the adjacent <i>Low Forested Hills</i> if sited nearby although there are increased opportunities for this turbine type to avoid such impacts and turbines <25m would have minimal impacts Medium-low
Visual amenity This is a very open landscape with long views possible from roads and elevated settlement across much of the AU.	Turbines of this height would be highly visible within this open landscape and would be seen in close proximity to settlement and roads increasing	Turbines of this height would be highly visible within this open landscape and would be seen in close proximity to settlement and roads increasing	Turbines of this height would still be prominent within this landscape. Multiple turbines of this size associated with a number of land holdings could

<i>Upland Farmland – Detailed sensitivity assessment</i>			
Summary description	Assessment of turbines 100-150m	Assessment of turbines 50-100m	Assessment of turbines <50m
The distinctive summits of Knock Hill, Meikle Balloch and Bin of Cullen (the majority of these located in the adjacent <i>Low Forested Hills</i>) form key foci in views. The shallow valleys north of the River Isla are more contained, restricting views from the B9018 and B9017. There are views of the southern and western parts of this landscape from the A95.	susceptibility. Turbines of this size could interrupt key views to focal hills within this AU and to the landmark hills of Meikle Balloch and Bin of Cullen. High	susceptibility. Turbines of this size could interrupt key views to focal hills within this AU and to the landmark hills of Meikle Balloch and Bin of Cullen. High	have significant effects on views as this landscape is open and highly visible from settlement and major roads. Turbines of this size could interrupt key views to focal and landmark hills if sited on or close-by these features. Turbines <25m high would be less intrusive particularly if multiple turbines were accommodated. High-medium
Landscape value A small part of the <i>Deveron Valley SLA</i> covers the south-eastern corner of this AU. The special qualities of this SLA include the harmonious character of farmland and woodlands, its intimate scale and the sense of seclusion that can be experienced in this landscape. This AU does not directly adjoin or influence other SLAs. The distinctive Knock Hill located in this AU is popular with walkers.	Larger turbines sited within or close to the Deveron Valley SLA so visible on immediate skylines would be likely to impact on its intimate scale and seclusion. The majority of this AU is less valued although turbines would need to be sited well away from Knock Hill. Medium-low	Larger turbines sited within or close to the Deveron Valley SLA so visible on immediate skylines would be likely to impact on its intimate scale and seclusion. The majority of this AU is less valued although turbines would need to be sited well away from Knock Hill. Medium-low	Larger turbines sited within or close to the Deveron Valley SLA so visible on immediate skylines would be likely to impact on its intimate scale and seclusion. The majority of this AU is less valued although turbines would need to be sited well away from Knock Hill. Medium-low
Sensitivity Turbines 100-150m: High sensitivity Turbines 50-100m: High-medium sensitivity Turbines <50m: Medium sensitivity			

Low Forested Hills – Detailed sensitivity assessment		
Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Scale The more expansive plateaux and broad ridges have a large-scale but this is reduced where ridges are narrower and where hills have more defined summits and are generally smaller in extent.	This turbine type could relate to broader areas of gently undulating to flat plateau although these areas are not extensive reducing scope for multiple turbines of this size. The low relief of the more defined landmark hills and the narrow ridges within this AU increases susceptibility. High-medium	This turbine type would have a better relationship to the scale of more extensive plateaux and multiple turbines could potentially be accommodated. Narrow ridges and the low relief of the more defined landmark hills increases susceptibility. Medium
Landform This landscape generally features smooth, gently graded slopes and subtly rounded indistinct hill tops within broader plateaux. However, more distinctive hills with steeper slopes and defined summits also occur and include Lurg Hill and the landmark conical hills of Bin of Cullen and Meikle Balloch.	While this turbine type could relate to the generally simple landform of much of this AU, turbines of this size would significantly detract from the more defined hills which form landmark features within this landscape if sited on or close-by them. High-medium	This turbine type could relate to the generally simple landform of much of this character type although turbines of this size would detract from more defined hills which form landmark features within this landscape if sited on or close-by them. High-medium
Landcover This landscape has a simple land cover of extensive coniferous forestry with some small areas of moorland on the summits of more defined hills and semi-improved pasture at the transition with the <i>Upland Farmland</i>	The generally simple land cover of this landscape reduces susceptibility. Medium-low	The generally simple land cover of this landscape reduces susceptibility. Medium-low
Built environment This is a sparsely settled landscape with only occasional small farms located on lower hill slopes. The operational Edintore wind farm occupies a farmed and forested hill to the south of Keith. The consented Aultmore wind farm will occupy one of the broader plateau-like hills within this AU and the consented Lurg Hill wind farm a more pronounced ridge. The operational and consented Hill of Towie I and II wind farm is located in the nearby <i>Rolling Forested Hills</i> and a number of operational single and very small groups of turbines <92m are in the Grange Crossroads area in the <i>Upland Farmland</i> AU.	The extent of operational and consented wind farms visible in this and surrounding AUs increases susceptibility to cumulative effects. The introduction of turbines of this size could additionally incur contrasts of scale, layout and blade rotation speed with smaller operational and consented turbines sited in this AU and in the adjacent <i>Upland Farmland</i> . Cumulative effects would principally affect views from settlement and roads in the <i>Upland Farmland</i> and views from hilltop recreational routes. High	The extent of operational and consented wind farm developments in this AU increases susceptibility in terms of cumulative landscape and visual effects. Views from roads and settlement in nearby well-settled landscapes and from recreational routes on hills would be principally affected. Susceptibility would be reduced for turbines towards the lower height band of this turbine type due to their greater compatibility with the size of operational and consented turbines. High-medium

Low Forested Hills – Detailed sensitivity assessment		
Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Landscape context The elevation of this AU increases its visual influence on adjacent landscapes. This AU includes narrower ridges as well as broader plateaux although in general these upland areas are not extensive. These upland areas are important in forming a simple backdrop to more complex smaller scale settled landscapes including the <i>Upland Farmland</i> , <i>Broad Farmed Valley</i> , <i>Rolling Coastal Farmland</i> and the <i>Coastal Farmland</i> . In general, the simpler lower-lying plateaux within this AU make a lesser contribution to wider scenic character than the particularly distinctive ‘landmark’ hills of Bin of Cullen and Meikle Balloch. The densely wooded northern and western slopes of Whiteash Hill and the Wood of Ordiequish are additionally important in providing the setting to Gordon Castle designed landscape, Fochabers and the Spey valley.	Turbines of this size could have a significant impact on adjacent smaller scale, settled landscapes and the coast both in Moray and neighbouring Aberdeenshire due in part to the relatively limited extent of the discrete units of this AU. The more prominent hills and the western part of this AU is of increased susceptibility in terms of effects on surrounding landscapes. High	Turbines of this size would be likely to have a greater impact on adjacent landscapes if sited on the western parts of this AU, on or nearby the landmark hills or in areas where the upland area is less extensive. High-medium
Visual amenity Views from within this landscape are restricted due to the extensive coniferous forest covering much of these upland areas but also because few roads and settlement are present. The Bin of Cullen, Whiteash Wood and Meikle Balloch hill are popular with walkers however. This AU generally forms low and even forested skylines seen from surrounding settled and farmed landscapes – the exception to this being the landmark hills. This AU forms discrete areas of upland which are not extensive in area and are surrounded by more settled landscapes thus increasing opportunities for turbines to be seen in close proximity from roads and settlement.	Turbines would be highly intrusive if sited on or nearby the hills and woodlands popular with walkers and the landmark hills which form key foci in views. This turbine type would be likely to be very prominent in views from roads and settlement in surrounding AUs including the <i>Rolling Coastal Farmland</i> , <i>Upland Farmland</i> and <i>Broad Farmed Valley</i> . Lighting of turbines would be likely to extend the duration of effects. High	Turbines would be highly intrusive if sited on or nearby more defined hills and woodlands which are popular with walkers and also form key foci in views. This turbine type would be likely to be prominent in views from roads and settlement in surrounding AUs including the <i>Rolling Coastal Farmland</i> , <i>Upland Farmland</i> and <i>Broad Farmed Valley</i> . High
Landscape value The Bin of Cullen which lies in the AU is covered by the <i>Portgordon to Cullen Coast</i> SLA. The western part of this	Turbines sited on or nearby the Bin of Cullen, seen on sensitive skylines above the Cullen house designed landscape or in close proximity to the Spey valley would	Turbines sited on or nearby the Bin of Cullen, seen on sensitive skylines above the Cullen house designed landscape or in close proximity to the Spey valley would

Low Forested Hills – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
AU also lies within the Spey valley and Lower Spey and Gordon Castle Policies SLAs and the hill of Meikle Balloch near Keith features popular recreation routes. Other parts of this AU are not designated or otherwise highly valued. Key special qualities of the <i>Portgordon to Cullen Coast</i> SLA comprise the prominence of the Bin of Cullen and the setting it, and the wooded policies of Cullen House, provide to the coast. The backdrop the western forested slopes of this AU provide to the Spey valley and Fochabers and the recreational value associated with Whiteash Wood are relevant qualities of <i>The Spey Valley and Lower Spey and Gordon Castle Policies</i> SLAs.	significantly affect qualities of the SLAs which cover parts of this AU. Meikle Balloch hill is also sensitive to development. This AU comprises a number of distinct and separate areas and there is likely to be scope to avoid effects on valued landscapes by siting wind energy development on the less valued parts of this AU. Medium	significantly affect qualities of the SLAs which cover parts of this AU. Meikle Balloch hill is also sensitive to development. This AU comprises a number of distinct and separate areas and there is likely to be scope to avoid effects on valued landscapes by siting wind energy development on the less valued parts of this AU. Medium
Sensitivity Turbines >150m: High sensitivity Turbines <150m: High-medium sensitivity		

Upland Moorland and Forestry – Detailed sensitivity assessment		
Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Scale A large scale gently undulating upland plateau rising to between 300-400m. Slightly lower hills occur on the northern edge of this AU. While this AU is not extensive in area, it lies adjacent to the similarly large-scale <i>Open Rolling Uplands</i> AU. Scale is reduced within occasional narrow glens such as the Glen of Rothes and at the transition with the upper Lossie Valley and the Spey valley where landform and landcover is more complex and settlement is present.	The expansive scale of the interior plateau reduces susceptibility although this AU is not extensive in area and turbines of this size, and particularly those towards the upper height band of this turbine type (>200m), could dominate smaller glens and valleys lying on the outer fringes of this AU. Medium	The expansive scale of the interior plateau reduces susceptibility. Turbines of this size would be likely to have reduced effects on the smaller scale fringes of this AU provided they were sited within the interior of the broader parts of these uplands. Medium-low
Landform These uplands form a simple undulating plateau with broad gentle slopes, shallow basins and rounded summits. Landform is more complex at the transition with the <i>Rolling Farmland and Forests</i> to the south-west of Dallas where incised valleys, more knolly topography and lochans occur. The narrow and incised Glen of Rothes and steep-sided and pronounced hills of Mill Buie, Brown Muir and Carn na Caillche form landmark features on the edges of this AU.	The predominantly simple landform of this gently undulating plateau reduces susceptibility. Turbines of this size would however dominate and detract from the landmark hills of Brown Muir, Mill Buie, Hunt Hill and Carn na Caillche, the deep trough of the Glen of Rothes and pockets of more complex landform, if sited on or nearby these features. Medium	The predominantly simple landform of this gently undulating plateau reduces susceptibility. Turbines of this size would detract from the landmark hills of Brown Muir, Mill Buie and Carn na Caillche, the deep trough of the Glen of Rothes and pockets of more complex landform, if sited on or nearby these features. Medium
Landcover Extensive coniferous forestry and grass/heather moorland with occasional boggy basins between hills. Enclosed farmland and small woodlands are present within the upper Lossie valley, the Upper Knockando area and Glen Rothes.	The generally simple landcover found within the interior of these uplands would be of reduced susceptibility although turbines of this size sited on the outer fringes of this AU could detract from more diverse landcover. Medium-low	The generally simple landcover found within the interior of these uplands would be of reduced susceptibility although turbines of this size sited on the outer fringes of this AU could detract from more diverse landcover. Medium-low
Built environment A very sparsely settled landscape with isolated farms located within the Glen of Rothes and on hill slopes above the <i>Broad Farmland Valley</i> and the <i>Rolling Farmlands and Forest</i> . The A941 and a narrow minor road cross this landscape although there is limited access within these uplands. The operational Rothes I and II and Hill of Glaschyle wind farms, the consented Meikle Hill, Clash Gour, Rothes III and Kellas wind farms, masts and power lines are located within this	The relatively sparse settlement and presence of existing and consented wind farms generally reduces susceptibility although there are few remaining areas of undeveloped ground without significant landscape and visual constraints. Additional wind farm development would be more likely to be located closer to the outer edges of the uplands with cumulative effects occurring on the <i>Rolling Farmland and Forest</i> to the north and on the <i>Broad Farmed Valley</i> of the Spey to the south	The relatively sparse settlement and presence of existing and consented wind farms generally reduces susceptibility although there are few remaining areas of undeveloped ground without significant landscape and visual constraints. Additional wind farm development would be more likely to be located closer to the outer edges of the uplands with cumulative effects occurring on the <i>Rolling Farmland and Forest</i> to the north and on the <i>Broad Farmed Valley</i> of the Spey to the south

Upland Moorland and Forestry – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
AU. The Paul's Hill and Berry Burn wind farms are operational in the adjacent <i>Open Rolling Upland</i> AU. The larger operational wind farms tend to be located in the interior of the adjoining uplands of the <i>Upland Moorland and Forestry</i> and the <i>Open Rolling Uplands</i> and this generally limits their impact on surrounding more susceptible landscape and visual receptors. The Hill of Glaschyle, Kellas and Meikle Hill wind farms are located closer to the outer edges of this AU. The consented wind farms will substantially increase wind turbines in these uplands with little remaining unconstrained ground remaining for further development	<p>increasing the extent of development seen on prominent skylines. Contrasts with smaller turbines within operational wind farms appreciable in views from roads, settlement and recreational routes would contribute to cumulative effects. Repowering of operational wind farms located in the interior of these uplands (and which are therefore distant from roads and settlement) may reduce cumulative effects.</p> <p>High</p>	<p>increasing the extent of development seen on prominent skylines. Repowering of operational wind farms located in the interior of these uplands (and which are therefore distant from roads and settlement) would reduce cumulative effects.</p> <p>High-medium</p>
Landscape context This landscape forms a relatively low backdrop of extensively forested and open hills to the more richly patterned and smaller scale <i>Rolling Farmland and Forest</i> to the north, the <i>Narrow Wooded Valley</i> of the Findhorn to the west and the <i>Broad Farmed Valley</i> covering the Spey valley to the south. These uplands form a distant long low ridge seen from the well-settled <i>Coastal Farmlands</i> to the north. Visibility into the interior of these uplands is limited from these surrounding landscapes. The more defined hills of Mill Buie, Brown Muir and Carn na Calliche stand out as easily recognisable and frequently visible 'landmark' hills on the edge of this AU.	<p>Remaining undeveloped areas principally occur on the outer edges of these uplands which lie closer to more settled and smaller scale landscapes, increasing susceptibility. Turbines sited on or near the more pronounced landmark hills which lie on the periphery of this AU would affect their character and also, in some instances, their ability to screen extensive wind farm development. Very large turbines towards and over 200m high would be likely to have a greater impact on adjoining more sensitive landscapes.</p> <p>High</p>	<p>Similar susceptibilities relate to the landmark hills and proximity to the Lossie and Spey valleys. Turbines of this size would be likely to reduce effects on adjoining AUs provided they were located within the limited areas of undeveloped ground located in the interior of the broader parts of these uplands. Repowering of operational wind farms located in the less sensitive interior of these uplands with turbines of this size would be likely to minimise effects on surrounding landscapes.</p> <p>High-medium</p>
Visual amenity This upland landscape is sparsely settled. It is crossed by two public roads; the A941 is aligned through Glen of Rothes and has restricted views while views from the single-track unclassified road between the Spey Valley and Dallas are more open and the existing Rothes I and II wind farm (and the Berry Burn and Paul's Hill wind farms in the adjacent <i>Open Rolling Uplands</i>) are visible from this route. Increased visual intrusion will be associated with the consented Clash Gour (eastern and western groups) and Rothes III wind	<p>The sparsely settled nature of this AU and the restricted visibility of lower basins within the interior of these uplands from roads and settlement in more settled lowland areas reduces susceptibility although these areas are largely occupied by operational and consented wind farms. The remaining undeveloped outer edges and peripheral landmark hills of this AU are of increased susceptibility</p> <p>High</p>	<p>The sparsely settled nature of this AU and the restricted visibility of lower basins within the interior of these uplands from roads and settlement in more settled lowland areas reduces susceptibility although these areas are largely occupied by operational and consented wind farms. The remaining undeveloped outer edges and peripheral landmark hills of this AU are of increased susceptibility</p> <p>High</p>

<i>Upland Moorland and Forestry – Detailed sensitivity assessment</i>		
Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
farms. Forest and wind farm tracks provide access to the interior of these hills although public access is likely to be fairly limited. Views from more settled lowland areas and valleys into the interior of these uplands are restricted in places by more defined or higher 'edge' hills, such as Brown Muir, Carn na Calliche and Mill Buie. These are important in views from surrounding settled lowland areas and also visually contain operational wind farm development sited in this AU and the adjoining <i>Open Rolling Uplands</i> AU. There are views to the outer edges and skyline of this AU from the A95 and the B9102 in the Spey valley, which comprise a promoted tourist route, and the B9010 in the upper Lossie valley and from settlement and recreational routes in these valleys.		
Landscape value A very small part of this AU lies within the <i>Findhorn Valley and Wooded Estates</i> SLA and comprises the lower, wooded hills lying on the eastern edge of the Altyre policies. The smaller hills on the western edge of this AU form a backdrop to the Findhorn valley visible from occasional open spaces in the SLA. This AU does not form a focus for recreation. A relatively small part of this AU is designated SSSI for its bog habitat.	The general absence of designations and other recognised interests associated with this landscape reduces its value. The north-western part of this landscape however lies adjacent to the <i>Findhorn Valley and Wooded Estates</i> SLA which is a strongly contained and intimately scaled landscape sensitive to intrusion from large scale infrastructure. Medium-low	The general absence of designations and other recognised interests associated with this landscape reduces its value. The north-western part of this landscape however lies adjacent to the <i>Findhorn Valley and Wooded Estates</i> SLA which is a strongly contained and intimately scaled landscape sensitive to intrusion from large scale infrastructure. Medium-low
Sensitivity Turbines >150m: High sensitivity Turbines <150m: High-medium sensitivity		

Open Rolling Uplands – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Scale A large scale gently undulating upland plateau with rounded hills rising generally to between 400-520m. The low-lying basin of Moidach More is very open and expansive. Scale is reduced within the shallow valleys of the Divie and Dorback Burn where settlement, water bodies, woodlands and enclosed farmland introduce smaller scale features. More complex knolly landform and lochans close to the headwaters of the Lossie also influence the smaller scale landscape found to the north and north-east of Carn Kitty. The similarly large scale adjacent <i>Upland Moorland and Forestry</i> AU increases the expansiveness of upland landscapes in this area.	The expansiveness of the interior plateau of this AU reduces susceptibility although smaller scale valleys and more complex landform features would be of increased susceptibility and the relief of more pronounced hills could be overwhelmed by turbines >200m sited on/nearby. Medium	The expansive scale of the interior plateau reduces susceptibility. Turbines of this size would be likely to have reduced effects on the smaller scale fringes of this AU provided they were sited within the interior of the broader parts of these uplands. Medium-low
Landform These uplands form a simple undulating plateau with broad gentle slopes, shallow basins, flat mosses and rounded summits. The steep-sided hills of Knock of Braemoray and Roy's Hill have a well-defined shape and some more complex areas of smaller scale knolls and lochans occur to the north of Carn Kitty.	The predominantly simple landform of low-lying basins and broad hill slopes are less susceptible although turbines of this size would detract from more pronounced higher or steep-sided hills and areas of more complex landform if sited on or near them. Medium	The predominantly simple landform of low-lying basins and broad hill slopes are less susceptible although turbines of this size would detract from more pronounced higher or steep-sided hills and areas of more complex landform if sited on or near them. Medium
Landcover This landscape has a predominantly simple land cover of grass/heather moorland with areas of moss and deep peat, patterned with small lochans and wetland, and occasional semi-improved fields and small coniferous woodlands within shallow valleys. Native pine woodland is a feature within the valley of the Dorback Burn	The generally simple land cover of this AU would be less susceptible although more intricately patterned landcover including lochans and wetland within Moidach More and native woodlands in the Divie and Dorback valleys are of increased susceptibility. Medium	The generally simple land cover of this AU would be less susceptible although more intricately patterned landcover including lochans and wetland within Moidach More and native woodlands in the Divie and Dorback valleys are of increased susceptibility. Medium
Built environment A very sparsely settled landscape with isolated farms associated with the shallow valleys of the River Divie and Dorback Burn. The A940 is aligned close to the western edge of this AU. The operational Paul's Hill I and Berry	While the presence of operational and consented wind farms in this AU reduces susceptibility, the extent of development already occupying the more central parts of these uplands increases scope for potential cumulative effects to occur on adjacent more sensitive landscapes.	While the presence of operational and consented wind farms in this AU reduces susceptibility, the extent of development already occupying the more central parts of these uplands increases scope for potential cumulative effects to occur on adjacent more sensitive landscapes.

Open Rolling Uplands – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Burn wind farms are located in this AU. The consented Clash Gour, Berry Burn II and Paul's Hill II wind farms also lie in this AU. Operational and consented wind farms in the adjoining <i>Upland Moorland and Forestry</i> AU are principally seen together with wind farms located in this AU from the Lossie valley between Knockando and Dallas, from the Knockando and Spey valley area. The Hill of Glaschyle wind farm is principally visible from the west, affecting views from the Dava Way and across the Lochindorb/Dava Moors in Highland.	<p>Views from the <i>Broad Farmed Valley</i> of the Spey, from the Lochindorb and Dava Moor area in neighbouring Highland and seen sequentially from the Dava Way could occur particularly as this size of turbine is likely to be more prominent when seen on the skyline of these uplands even if set back into the rare remaining open spaces within the interior upland plateau.</p> <p>High</p>	<p>Views from the <i>Broad Farmed Valley</i> of the Spey, from the Lochindorb and Dava Moor area in neighbouring Highland and seen sequentially from the Dava Way could occur particularly as this size of turbine is likely to be more prominent when seen on the skyline of these uplands even if set back into the rare remaining open spaces within the interior upland plateau.</p> <p>Repowering of operational wind farms located in the interior of these uplands (and which are therefore distant from roads and settlement) would be likely to reduce cumulative effects.</p> <p>High-medium</p>
<p>Landscape context</p> <p>The <i>Open Rolling Uplands</i> AU extends to the south and west within neighbouring Highland Council area. The extensiveness of this landscape also increases where it adjoins the <i>Upland Moorland and Forestry</i> to the north-east and north. Within Moray, the landmark Roy's Hill forms an open and shapely backdrop to the richly patterned and smaller scale hill fringes of the <i>Broad Farmed Valley</i> to the south. These uplands also form a distant long ridge seen from the well-settled <i>Coastal Farmlands</i> to the north. The Knock of Braemoray, and to a lesser degree Carn Biorach, are prominent in views from Lochindorb/Dava Moor and the Findhorn valley on the western edge of this AU (where it occurs in Moray). Views into the interior basins and lower hills of this upland area are limited.</p>	<p>The landmark hills of Knock of Braemoray, Carn Biorach and Roy's Hill are of high susceptibility to very large turbines sited on or nearby them which would significantly affect the scenic backdrop these hills provide to the Spey valley, parts of the Findhorn valley and the Lochindorb/Dava Moor area. The less visible lower-lying interior of these uplands is of reduced susceptibility although extensive operational and consented wind farm development is already located in these areas.</p> <p>Repowering or extensions to operational wind farms in this AU with substantially larger turbines could increase the influence of development on adjoining landscapes. Development on the higher southern hills of this AU within Moray could affect views from more elevated parts of the Cairngorms National Park and its wider landscape setting with lighting of turbines potentially contributing to these effects.</p> <p>High</p>	<p>Turbines sited on or near the more pronounced landmark hills of Knock of Braemoray, Carn Biorach and Roy's Hill would significantly affect the scenic backdrop these hills provide to the Spey valley, parts of the Findhorn valley and the Lochindorb/Dava Moor area. The limited visibility of the lower-lying interior of these uplands reduces susceptibility although operational and consented wind farm development is already accommodated within much of this area. Development extending on the higher southern hills of this AU within Moray could affect views from the more elevated parts of the Cairngorms National Park although the smaller (and unlit) turbines of this turbine type could reduce effects.</p> <p>High-medium</p>
<p>Visual amenity</p> <p>This upland landscape is sparsely settled and access is generally limited. The prominent hills of the Knock of</p>	<p>The sparsely settled nature of this AU and restricted visibility of the lower interior hills and basin from more settled lowland areas reduces susceptibility although the</p>	<p>The sparsely settled nature of this AU and restricted visibility of the lower interior hills and basin from more settled lowland areas reduces susceptibility although</p>

Open Rolling Uplands – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Braemoray and Carn Biorach are prominent in views from the A940 and the Lochindorb/Dava Moor area and restrict views into the interior of this AU. The Dava Way Trail, aligned on a former railway route, is popular with walkers and cyclists and provides rare access into the interior of this landscape. The consented Clash Gour wind farm will significantly increase the prominence of wind farm development from the Dava Way and (in combination with the consented Paul's Hill II) from the single-track road between Upper Knockando and Dallas. Roy's Hill is prominent from the Spey valley. This AU is more distant from settled lowland landscapes and valleys to the north because of the 'buffer' provided by the <i>Upland Moorland and Forestry</i> AU increasing distance from key receptors and providing some screening.	Operational wind farms sited in this AU are generally located within the upland interior and are distant from surrounding roads, recreational routes and settlement being. Consented wind farms will significantly increase intrusion from the Dava Way, parts of the Spey valley and Lochindorb in Highland as they are located closer to these areas. Turbines of this size (and particularly those around 200m and over) sited on or near more prominent hills and seen on more visible stretches of the upland skyline would increase intrusion on surrounding landscapes. Susceptibility could be reduced if operational wind turbines sited in the less visible interior of these uplands were repowered with turbines towards the lower height band of this turbine type. High	Operational wind farms sited in this AU are generally located within the upland interior and are distant from surrounding roads, recreational routes and settlement being. Consented wind farms will significantly increase intrusion from the Dava Way, parts of the Spey valley and Lochindorb in Highland as they are located closer to these areas and comprise larger turbines. Development sited on or near more prominent hills and located closer to lower and more visible stretches of the upland skyline would increase intrusion on surrounding landscapes. Susceptibility would be likely to be reduced if operational wind turbines sited in the less visible interior of these uplands were repowered with turbines of this size. High-medium
Landscape value No landscape designations apply to this landscape although it lies close to the <i>Findhorn Valley and Wooded Estates</i> SLA and <i>The Spey Valley</i> SLA in Moray and the <i>Drynachan, Lochindorb and Dava Moors</i> SLA in Highland Council area. The western and southern edges of this landscape (and particularly the landmark hills of Knock of Braemoray, Carn Biorach and Roy's Hill) form a scenic backdrop to these SLAs.	There is a general absence of designations and other recognised interests within this landscape. The north-western part of this landscape lies adjacent to the <i>Findhorn Valley and Wooded Estates</i> SLA which is a strongly contained and intimately scaled landscape sensitive to intrusion from large scale infrastructure. The setting provided by these uplands to SLAs lying to the west and south of this AU increases value. Medium	The general absence of designations and other recognised interests associated with this landscape reduces its value. The north-western part of this landscape however lies adjacent to the <i>Findhorn Valley and Wooded Estates</i> SLA which is a strongly contained and intimately scaled landscape sensitive to intrusion from large scale infrastructure. The setting provided by these uplands to SLAs lying to the west and south of this AU increases value. Medium
Sensitivity Turbines >150m: High sensitivity Turbines <150m: High-medium sensitivity		

<i>Rolling Forested Hills – Detailed sensitivity assessment</i>		
Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Scale The more expansive rolling plateaux and the higher hill of Ben Aigan have a large scale although scale is reduced within narrow valleys and on lower hill slopes where farmland, buildings and smaller woodlands are present.	Turbines of this size as part of new and repowered proposals would dominate the vertical scale and limited extent of these uplands. They could also overwhelm settled and farmed upper slopes and valleys especially if located on the fringes of more expansive upland areas (which already accommodate wind farm development). Turbines towards 200m and above could additionally appear to overwhelm the relief and limited extent of Ben Aigan. High	This turbine type could relate to the scale of more extensive plateaux (although much of these areas are already occupied by wind farm development). Turbines of this size would dominate settled and farmed upper slopes and valleys. High-medium
Landform A prominent group of rounded hills, aligned north-east/south-west, with relatively steep sides and conical or rounded summits, and separated by a network of long and connected valleys	This turbine type could relate to the generally simple landform of much of this AU although turbines of this size would detract from the more defined hill of Ben Aigan if sited on or close-by. High-medium	This turbine type could relate to the generally simple landform of much of this AU although turbines of this size would detract from the more defined hill of Ben Aigan if sited on or close-by. High-medium
Landcover This landscape has a generally simple land cover of extensive coniferous forestry with areas of heather moorland on the summits of the higher hills. Semi-improved fields of pasture are interspersed with smaller woodlands on lower slopes at the transition with the settled valleys which cut into these hills.	The simple land cover of this landscape reduces susceptibility although more patterned farmland and woodland on lower hill slopes has an increased susceptibility Medium-low	The simple land cover of this landscape reduces susceptibility although more patterned farmland and woodland on lower hill slopes has an increased susceptibility Medium-low
Built environment A sparsely settled upland landscape with occasional farms located on lower slopes and within valleys. The operational wind farm of Hill of Towie is located in this AU. The operational Edintore and Dorenell wind farms are sited in other AUs but lie relatively close-by. A variety of small farm turbines are located on hill slopes to the SW of the A95 in the Maggieknoctater area and around Mulben in the adjacent <i>Upland Farmland</i> .	The setting of Dufftown would be susceptible to very large turbines sited on the hills which immediately surround this settlement. Turbines of this size, and particularly towards 200m and over, would be likely to increase the extent and prominence of turbines visible on sensitive skylines resulting in significant cumulative effects from roads and settlement. The narrow valley of the upper Isla would be particularly susceptible to cumulative effects of repowered, extensions and new development in the Hill of Towie area seen in conjunction	The setting of Dufftown would be similarly susceptible to turbines of this size sited on the hills which immediately surround this settlement. Extensions and new wind farm developments could increase the extent of turbines visible on sensitive skylines resulting in significant cumulative effects from roads and settlement. The narrow valley of the upper Isla would be particularly susceptible to cumulative effects of repowered, extensions and new development in the Hill of Towie area seen in conjunction

Rolling Forested Hills – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
	<p>development located in the Hill of Towie area and seen in conjunction with the Edintore and Hill of Towie wind farms. This turbine type would contrast with the smaller turbines within the operational Hill of Towie wind farm if sited nearby. Repowering of this wind farm could reduce some cumulative effects.</p> <p>High</p>	<p>with the Edintore and Hill of Towie wind farms. Extensions to the operational Hill of Towie wind farm featuring turbines towards the upper height band of this turbine type could result in obvious contrasts of scale between turbines. Repowering of the Hill of Towie wind farm could reduce cumulative effects.</p> <p>High-medium</p>
<p>Landscape context</p> <p>The elevation of this AU increases its visual influence on adjacent landscapes. These hills are important in forming a backdrop to smaller scale settled landscapes including the <i>Upland Farmland Broad Farmed Valley</i> and <i>Narrow Farmed Valleys</i>. This landscape includes the landmark hill of Ben Aigan which is prominent in views from the Spey valley and also from the wider Moray coastal plain to the north.</p>	<p>Turbines of this size would be likely to have an increased influence on adjoining landscapes even if forming part of a repowering scheme for the Hill of Towie wind farm (which is generally located in the interior of a broader upland area and thereby more distant from surrounding settled valleys). Additional turbines of this size (forming extensions or new developments) would have a greater impact as they would be located closer to surrounding landscapes and also comprise very large turbines. The western part of this AU and the Ben Aigan area is particularly susceptible in relation to effects on the Spey valley.</p> <p>High</p>	<p>Turbines of this size would be likely to impact on adjacent landscapes particularly where the upland area is less extensive or where the interior uplands are largely occupied by operational wind farm development resulting in turbines being sited on the outer edges of upland areas. The narrow western part of this AU and Ben Aigan and its immediate surrounds are of increased susceptibility due to their proximity to the Spey valley. Repowering of operational wind farm development may reduce impact although the limited extent of these uplands increases susceptibility in relation to effects on adjacent landscapes.</p> <p>High-medium</p>
<p>Visual amenity</p> <p>Views from within this landscape are often restricted due to the coniferous forest covering slopes and smaller hills. A narrow road crosses the Hill of Towie and footpaths on Ben Aigan are well-used. This AU generally forms low forested skylines seen from surrounding settled and farmed landscapes – the exception to this is Ben Aigan which forms a landmark feature particularly in views from the Spey valley. The lower hills in the western part of this AU backdrop the Spey valley and Dufftown.</p>	<p>Turbines would be highly intrusive if sited on or close-by Ben Aigan which is popular with walkers and also forms a key focus in views particularly from the Spey valley. Susceptibility is also increased in the western part of this AU because of the close proximity of Ben Rinnies and the Spey valley. Turbines of this size would be likely to be very prominent in views from roads and settlement in surrounding AUs including the <i>Upland Farmland</i>, <i>Broad Farmed Valley</i> and the <i>Narrow Farmed Valleys</i>. The presence of operational wind farm development within the interior of the more extensive upland plateau centred on the Hill of Towie, reduces</p>	<p>Turbines would be highly intrusive if sited on or close-by Ben Aigan which is popular with walkers and also forms a key focus in views particularly from the Spey valley. Susceptibility is also increased in the western part of this AU because of the close proximity of Ben Rinnies and the Spey valley. This turbine type would be likely to be prominent in views from roads and settlement in surrounding AUs including the <i>Upland Farmland</i>, <i>Broad Farmed Valley</i> and the <i>Narrow Farmed Valleys</i>. The presence of operational wind farm development within the more extensive and less visually sensitive upland plateau centred on the Hill of Towie, reduces scope to site</p>

<i>Rolling Forested Hills – Detailed sensitivity assessment</i>		
Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
	<p>scope to site additional turbines in this landscape without significant visual intrusion occurring on adjacent settled valleys. Repowering of operational wind farm development may reduce visual intrusion although the limited extent of these hills and their proximity to more sensitive landscapes increases susceptibility to this very large turbine type. Lighting of turbines would be likely to increase the duration of visual effects.</p> <p>High</p>	<p>additional turbines in this landscape without significant visual intrusion on adjacent settled valleys.</p> <p>High</p>
Landscape value Ben Aigan lies within the <i>Spey Valley</i> SLA. Qualities of this designated area include the steep-sided slopes of this hill which backdrop the Spey valley and the prominence of its heather-capped summit. Ben Aigan is also well-used by walkers and cyclists which increases value. The smaller hills and steep slopes west of Dufftown which lie in this AU are included in the <i>Ben Rinnes</i> SLA. This area comprises the northern end of the rolling ridge which extends from Ben Rinnes and also forms the setting to the planned settlement of Dufftown. Other parts of this AU are not designated or formally valued.	<p>Turbines of this size sited on or near Ben Aigan (within <i>The Spey Valley</i> SLA and also on upper slopes west of the A95 where they could extend above the skyline) would significantly detract from the focus provided by this prominent hill seen from the Spey valley, affecting a key quality of this SLA. Very large turbines could also diminish the experience of recreational users accessing this hill even if sited in adjacent upland areas, for example in the Hill of Towie area. Lighting of turbines could contribute to significant landscape and visual effects. Similarly, turbines sited in the upland area to the west of Dufftown would be likely to significantly encroach on the setting to Ben Rinnes, affecting views from popular recreational routes and diminishing the prominence of this hill (with consequent effects on <i>The Spey Valley</i> SLA). The setting of Dufftown and views from <i>The Spey Valley</i> SLA would also be likely to be significantly affected.</p> <p>High</p>	<p>While the areas covered by both <i>The Spey Valley</i> and <i>Ben Rinnes</i> SLAs and their immediate surrounds are sensitive to development which would be seen on close skylines above the Spey valley and would be likely to detract from the prominence of Ben Rinnes and Ben Aigan, there may be increased opportunities to site turbines of this size (and particularly turbines towards the lower height band of this turbine type) to minimise intrusion on both SLAs.</p> <p>High-medium</p>
Sensitivity		
Turbines >150m: High sensitivity Turbines 100-150m: High-medium sensitivity		

Open Uplands with Steep Slopes – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
<p>Scale Large scale, strongly vertical sided long, open but often narrow ridges rise directly up from the adjacent valleys to an elevation of over 700m in the south, dropping to lower relief associated with lower ridges (487m) in the north. Ben Rinnies rises to 840m, forming the highest point of an outlying group of steep sided open hill summits. Scale is reduced by increased containment created by narrow glens and passes. Woodland and smaller topographical features, including smaller stand-alone hills which provide the backdrop to Dufftown, also reduce the scale along the transition between these slopes and adjacent valleys.</p>	<p>The expansiveness and relief of the higher hills and long ridges reduces susceptibility, although turbines of this size would dominate the narrow ridgelines, enclosed glens and small hills. Turbines towards the upper height band of this turbine type would also overwhelm the scale of lower uplands (for example the ridge on the east side of Glen Rinnies) where their relief is relatively low when viewed from the glens.</p> <p>High-medium</p>	<p>This turbine type could relate to the general expansiveness and relief of this landscape with the exception of the narrow ridgelines, the enclosed glens and passes and smaller foothills which have an increased susceptibility.</p> <p>Medium</p>
<p>Landform These uplands form relatively even ridgelines to the east of Glen Rinnies. The rugged profile formed by more complex gradients rise to the pronounced summit of Ben Rinnies to the west. The AU is dominated by steep slopes, with only occasional areas of more gentle gradients. More complex landform, including smaller hills, occur at the northern end of Glen Rinnies.</p>	<p>The generally complex landforms and steep slopes of this AU increase susceptibility. While turbines of this size (and particularly those towards and >200m) would have less of a detrautive effect on the simple landform of long ridges and occasional more gentle slopes and gradients, these areas are not extensive increasing susceptibility to multiple turbines.</p> <p>High-medium</p>	<p>The generally complex landforms and steep slopes of this AU increase susceptibility. This size of turbine (and particularly multiple turbines closer to 100m) could relate to the simple landform of long ridges and occasional gentler slopes and gradients.</p> <p>High-medium</p>
<p>Landcover This landscape has a predominantly simple land cover of heather moorland across the upper slopes and summits, with occasional improved grassland fields along the lower hill slopes. These blend seamlessly with grass fields within the farmed low-lying land. Coniferous woodlands, some of which are quite extensive, and smaller shelter woods are to be found along the lower slopes.</p>	<p>While the generally simple land cover of this AU reduces susceptibility, the integrity of heather moorland (which is spectacular in flower) would be affected by extensive development.</p> <p>Medium</p>	<p>While the generally simple land cover of this AU reduces susceptibility, the integrity of heather moorland (which is spectacular in flower) would be affected by extensive development.</p> <p>Medium</p>
<p>Built environment This is a very sparsely settled landscape with isolated farms associated with the occasional sheltered valley on</p>	<p>Cumulative effects could principally occur on more elevated views from Ben Rinnies and other walking routes where turbines located in this AU would be seen closely</p>	<p>Cumulative effects could principally occur on more elevated views from Ben Rinnies and other walking routes where turbines located in this AU would be seen closely</p>

Open Uplands with Steep Slopes – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
<p>the periphery of the AU. There are no wind turbines or wind farms located in this AU. The extensive operational Dorenell wind farm lies on the western edge of the neighbouring <i>Open Uplands with Settled Glens</i>. The ridge along the east side of Glen Rinnes provides a visual screen to this wind farm, limiting its impact on the smaller scale settled valley of Glen Rinnes although it is prominent in views from Ben Rinnes. The Paul's Hill, Rothes I and II, the Hill of Towie, Berry Burn and Clashindarroch wind farms are also visible but lie at significantly greater distances from this AU than Dorenell.</p>	<p>with the Dorenell wind farm in particular. Contrasts in turbine scale with the smaller turbines of the Dorenell wind farm could be appreciated if larger turbines were located on the ridge on the eastern side of Glen Rinnes. (More strategic cumulative effects are considered under 'landscape context' below)</p> <p>Medium</p>	<p>with the Dorenell wind farm in particular. Contrasts in turbine scale with the smaller turbines of the Dorenell wind farm could be appreciated if larger turbines were located on the ridge on the eastern side of Glen Rinnes. (More strategic cumulative effects are considered under 'landscape context' below)</p> <p>Medium</p>
<p>Landscape context</p> <p>This high and rugged landscape forms the last remaining tract of uplands in Moray which does not accommodate wind farm development. Ben Rinnes and the smaller hills within this group are widely visible and easily recognisable landmark features. These hills provide an uncluttered backdrop which makes a strong contribution to the scenic qualities of the <i>Broad Farmed Valley</i> of the Spey valley and to the <i>Narrow Farmed Valleys</i> of Glen Rinnes and Glenlivet. These uplands merge with adjacent hills to the east and south within the Cairngorms National Park to create a more expansive upland landscape.</p>	<p>The contrast provided by this open, dramatic and little modified AU to other upland landscapes in Moray which are characterised by wind farm development increases susceptibility. The scenic contribution made by these prominent uplands to the <i>Broad Farmed Valley</i> and some of the <i>Narrow Farmed Valleys</i> AUs would be compromised by this turbine type. Turbines of this size could also affect parts of the Cairngorms National Park. The importance of Ben Rinnes and the smaller hills within this group as a widely recognisable landmark feature seen across lowland areas of Moray further increases susceptibility.</p> <p>High</p>	<p>The contrast provided by this open, dramatic and little modified AU to other upland landscapes in Moray which are characterised by wind farm development increases susceptibility. The scenic contribution made by these prominent uplands to the <i>Broad Farmed Valley</i> and some of the <i>Narrow Farmed Valleys</i> AUs would be compromised by this turbine type. Turbines of this size could also affect parts of the Cairngorms National Park. The importance of Ben Rinnes and the smaller hills within this group as a widely recognisable landmark feature seen across lowland areas of Moray further increases susceptibility.</p> <p>High</p>
<p>Visual amenity</p> <p>There is limited settlement and public road access to this area, but the summits and the high ridgelines are walking routes. Ben Rinnes is a popular, high summit (a Corbett hill) which stands above the surrounding glens offering fine views. Ben Rinnes, Meikle Conval and Little Conval also stand out as a landmark hills from elsewhere in the type, because of their distinctive shape and 'stand-alone' setting. Ben Rinnes is widely visible across Moray and</p>	<p>The widely visible presence of Ben Rinnes, the prominence of the lower hills and ridges seen from the glens they enclose (and also seen in close views from Ben Rinnes and other elevated recreational routes) increases susceptibility. Lighting of turbines would be likely to increase the duration of effects on views.</p> <p>High</p>	<p>The widely visible presence of Ben Rinnes, the prominence of the lower hills and ridges seen from the glens they enclose (and also seen in close views from Ben Rinnes and other elevated recreational routes) increases susceptibility. Lighting of turbines would be likely to increase the duration of effects on views.</p> <p>High</p>

<i>Open Uplands with Steep Slopes – Detailed sensitivity assessment</i>		
Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
from parts of the Highland Council area and the Cairngorms National Park.		
Landscape value This landscape falls within the <i>Ben Rinnes SLA</i> . The key special qualities of this SLA include the relatively unmodified character of the upland area, the prominence of Ben Rinnes and the focus it provides for recreation and the wider setting these uplands provide to the Cairngorms National Park.	Turbines of this size could significantly affect the prominence and dramatic landform of Ben Rinnes and the experience of using recreational routes in this area. The little modified character of the SLA would also be significant affected by development with lighting of turbines contributing to these effects. High	Turbines of this size could significantly affect the prominence and dramatic landform of Ben Rinnes and the experience of using recreational routes in this area. The little modified character of the SLA would also be significant affected by development. High
Sensitivity Turbines >150m high: High sensitivity Turbines 100-150m high: High sensitivity		

Open Uplands with Settled Glens – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Scale Broad, gently undulating ridges create a sense of sweeping horizontal scale emphasised by the openness and elevation of these uplands which rise generally to between 500 – 630m with occasional higher points at Cooks Cairn and The Buck. The lower-lying basin of the Cabrach is expansive, but at only 200m or so below the height of the containing hills the basin is shallow. Scale is reduced within the gently enclosed, shallow valleys of the Deveron and the Treble Burn where scattered settlement, shelter woodlands and fields introduce smaller scale features.	This turbine type could relate to the expansiveness and relief of the long ridges, although very large turbines (and particularly those towards 200m high) would significantly dominate smaller scale valleys, the shallow bowl of the Cabrach and smaller topographical features. High-medium	This turbine type could relate to the expansiveness and relief of the long ridges, the shallow bowl of the Cabrach would be less susceptible to turbines of this size provided they were set back from the slopes and edges of the uplands which contain this basin. Smaller scale valleys and topographical features are of increased susceptibility. Medium
Landform These uplands form undulating ridges with broad rounded slopes containing shallow valleys and bowls. Steeper slopes contain the glen of the Black Water and become more steep westwards over the Dorenell/Glen Fiddich ridge to form a transition between this AU and the neighbouring <i>Open Uplands with Steep Slopes</i> (12a) AU. The steeper sided and more pronounced summit of the Buck stands out as a landmark hill.	This turbine type could relate to the predominantly simple landform of these uplands, although the steeper western slopes are of increased susceptibility and may also require extensive earth works to accommodate tracks and platforms. The more rugged landform and conical shape of The Buck, which contrasts with the gentler undulations of nearby ridges, is more susceptible. Medium	This turbine type could relate to the predominantly simple landform of these uplands, although the steeper western slopes are more susceptible and may also require extensive earth works to accommodate tracks and platforms. The more rugged landform and conical shape of The Buck, which contrasts with the gentler undulations of nearby ridges, is more susceptible. Medium
Landcover This landscape has a predominantly simple land cover of heather moorland across the upper slopes and summits, with improved grassland fields along the lower hill slopes. These blend seamlessly with grass fields within the farmed low-lying land. Small coniferous shelter woodlands and occasional larger woods lie within the shallow bowls and settled glens.	The generally simple land cover of this AU would be less sensitive to turbines of this size, although the farmed glens and shallow bowls have a more complex pattern which is of increased susceptibility. Medium-low	The generally simple land cover of this AU would be less sensitive to turbines of this size, although the farmed glens and shallow bowls have a more complex pattern which is of increased susceptibility. Medium-low
Built environment Settlement is sparse and associated with the farmed low-lying glens and shallow basin of the Cabrach. The A941	Cumulative effects are likely to principally arise on the A941, the A920, the hill of The Buck (which is well-used by walkers) and the Cabrach area. They could also arise	Cumulative effects are likely to principally arise on the A941, the A920, The Buck (which is well-used by walkers) and the Cabrach area. They could also arise on

Open Uplands with Settled Glens – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
<p>and A920 pass through this AU. The operational Dorenell wind farm extends along a north-south aligned ridge between the glens of Glen Fiddich and the Black Water and is prominent from the A941 in the Cabrach area but less visible from the upper Deveron Valley. The operational Clashindarroch wind farm is located in Aberdeenshire but lies close to the Moray boundary – this wind farm is visible from parts of the upper Deveron valley (the <i>Narrow Farmed Valleys</i> AU) and from more elevated ground within this AU. The Garbet wind farm is located in the northern part of this AU and is principally visible from the north-west and from higher summits such as Ben Rinnes.</p>	<p>on parts of the Cairngorms National Park and on the <i>Narrow Farmed Valleys</i> AU where additional development in this AU could increase the extent of development seen on prominent containing ridgelines. Very large turbines towards and >200m could additionally incur significant cumulative impacts with operational wind farms due to differences in turbine size and/or layout.</p> <p>High</p>	<p>parts of the Cairngorms National Park and on the <i>Narrow Farmed Valleys</i> AU where additional development could increase the extent of development seen on containing ridgelines.</p> <p>High-medium</p>
<p>Landscape context</p> <p>This upland landscape is larger in extent to the south. The extensiveness of this landscape also increases where it merges with <i>Open Uplands with Steep Slopes</i> to the west and with the Ladder Hills within the Cairngorms NP to the south. It becomes narrower in extent to the north, where it forms the upland edge to the smaller scale <i>Narrow Farmed Valleys</i> and well-settled farmland within Aberdeenshire. The conical, higher landmark hill of The Buck stands out in views from the surrounding area, including adjacent Aberdeenshire. The area forms dramatic gateways to Moray from Aberdeenshire, across the high passes of The Cabrach (A941) and A920 at Corsemaul. This AU contributes to the setting of the Ladder Hills and its southern boundary forms the ridgeline which encloses Glen Buchat and Braes of Glenlivet which lie within the adjacent Cairngorms National Park. The northern part of these uplands also forms the setting to Auchindoun Castle.</p>	<p>The Dorenell wind farm is located within the broader upland core of this AU. Remaining undeveloped parts of these uplands lie closer to more sensitive receptors including the Ben Rinnes SLA, the small-scale settled Deveron and Fiddich valleys and Auchindoun Castle increasing susceptibility. Turbines of this size, and particularly those towards and > 200m high, together with any potential visible aviation lighting, could significantly affect the wider setting of the northern Ladder Hills if located on the southern border of Moray, as well as being likely to intrude on the smaller scale, settled glen of Glen Buchat and the Braes of Glenlivet in the Cairngorms National Park. The landmark hill of The Buck could additionally be dominated by very large turbines sited on or nearby it and widely visible from Aberdeenshire.</p> <p>High</p>	<p>The Dorenell wind farm is located within the broader upland core of this AU. Remaining undeveloped parts of these uplands lie closer to more sensitive receptors including the Cairngorms National Park, the Ben Rinnes SLA, the small-scale settled Deveron and Fiddich valleys and Auchindoun Castle increasing susceptibility. Limited number of turbines of this size may be able to be accommodated within the core of these uplands to avoid significant intrusion on the Ladder Hills, Glen Buchat and the Braes of Glenlivet in the Cairngorms National Park (particularly as they would not require visible lighting) and on other susceptible landscape and visual receptors in the wider area around this AU. The Buck would be highly susceptible to turbines sited on or nearby it.</p> <p>High-medium</p>

Open Uplands with Settled Glens – Detailed sensitivity assessment

Summary description	Assessment of turbines >150m	Assessment of turbines 100-150m
Visual amenity The dispersed but widespread settlement is located largely on the lower lying slopes and glen floors, but the shallow sides of these glens permit long views onto the upper ridges. The threshold or 'sense of arrival' to Moray as experienced from the A941 at the Cabrach and the A920 at Corsemaul is sensitive because of the panorama revealed on cresting the top of these passes. The operational Dorenell wind farm is prominent from the A941 pass at the Cabrach and also visible elsewhere along this road. The Buck hill is widely visible from the Cabrach and parts of Aberdeenshire.	While the prominence of the Doronell wind farm reduces susceptibility to some degree additional very large turbines could significantly impact on views from the high passes along the A920 and A941 particularly as views westwards into Moray are elevated and panoramic. Views from surrounding hills, including The Buck, which is popular with walkers, increase susceptibility. Turbines of this size located on the remaining undeveloped peripheral upland areas of this AU are more likely to significantly intrude on sensitive skylines above the settled valleys lying within this and other AUs. Lighting of turbines could contribute to significant effects given the relatively dark skies characteristic of this sparsely settled landscape. High	While the Doronell wind farm reduces visual susceptibility to some degree, additional large turbines could significantly impact on views from the high passes along the A920 and A941 particularly as views westwards into Moray are elevated and panoramic. Views from surrounding hills, including The Buck, which is popular with walkers, increase susceptibility. Turbines of this size located on the remaining undeveloped peripheral upland areas of this AU could intrude on sensitive skylines above the settled valleys lying within this and other AUs. High-medium
Landscape value This AU lies close to the Cairngorms National Park and the <i>Ben Rinnnes</i> SLA. Relevant special qualities of the Cairngorms National Park are likely to include the contribution the uplands of this AU makes to <i>Grand panoramas and framed views</i> and the character of the <i>Glens and Straths</i> and also the <i>Dark Skies</i> of the Park. The qualities of the <i>Ben Rinnnes</i> SLA include the prominence of Ben Rinnnes and its popularity with walkers and the little modified character of the SLA. Auchindoun Castle and its dramatic setting is also noted in the citation for this SLA. The Cabrach is a well-known historic hill pass into Moray and The Buck is a focus for walkers.	While this AU is not covered by any landscape designations, there are recognised values associated with the Carbrach pass and The Buck hill which would be affected by turbines sited closer to these features. The proximity of this AU to the Cairngorms National Park and the Ben Rinnnes SLA increases potential for significant effects to occur on the qualities of these designated areas. Turbines of this height located on higher ridges and closer to these designated areas have greater potential to incur impact by being visible on prominent skylines and affecting the little modified character of these adjoining designated areas, including the effects of illuminated turbines on the dark skies which are a special quality of the Cairngorms National Park. High-medium	While this AU is not covered by any landscape designations, there are recognised values associated with the Carbrach and The Buck hill which would be affected by turbines sited closer to these features. The proximity of this AU to the Cairngorms National Park and the Ben Rinnnes SLA increases potential for significant effects to occur on the qualities of these designated areas. Turbines located on higher ridges and closer to these designated areas have greater potential to incur impact by being visible on prominent skylines and affecting their character. There may be increased scope for small developments of turbines of this size to be carefully sited to minimise effects of adjacent designated landscapes. Medium
Sensitivity Turbines >150m: High sensitivity Turbines 100-150m: High-medium sensitivity		

APPENDIX D: GUIDANCE ON MICRO-SITING OF SMALLER TURBINES

Appendix D: Guidance on the micro-siting of smaller turbines

Introduction

The height of turbines relative to other structures in the landscape is a key consideration in terms of landscape ‘fit’. With this in mind, five types of ‘small’ turbines were initially considered when developing the methodology for this landscape capacity assessment. These are:

- | | |
|-----------------------------|-------------------------------------|
| • Domestic systems | Roof/wall mounted systems |
| • Micro wind | Freestanding up to 12m to blade tip |
| • Micro-small wind turbines | 12m – 20m to blade tip |
| • Small wind turbine | 20m – 35m to blade tip |
| • Small-medium wind turbine | 35m – 50m to blade tip |

Domestic systems

Domestic roof/wall mounted systems are most likely to have an impact on townscape and add to cumulative effects especially in urban areas. They have not been included in this landscape capacity assessment, as it is difficult to identify a robust list of sensitivities for this size of development which can be properly assessed at the strategic scale required for this locational guidance.

Micro wind developments

Freestanding turbines up to 12m high relate well to the size of existing buildings in the landscape, including farm buildings. These turbines are just over twice the height of a single storey house, while a two storey house is about 9m high to roof pitch. This height of turbine is also similar to small telephone masts and tall telegraph poles¹. This size of turbine has not been included in the landscape sensitivity assessments.

A single turbine of this height is most likely to be used to contribute to the energy needs of a residential house, farm or other rural based small business. The size means that it is relatively easy to accommodate in a settled landscape, if sited to be associated with such a building cluster. It is therefore likely that any assessment of landscape sensitivity will conclude that this size of turbine could be readily accommodated – perhaps, at the most, subject to siting considerations to encourage the turbines to be located where they can be visually seen to be part of a group of buildings, or clearly linked to an individual house.

Therefore, while it is recognised that the free standing turbines of up to 12m may have cumulative effects on the landscape, they have been excluded from the landscape sensitivity assessments.

¹ Telegraph poles are available in heights from 6m to 25m, although based on site observations most appear to be 10m or less in height.

Guidance for micro-small turbines (12m – 20m in height to blade tip)

Freestanding turbines between 12m and around 20m in height to blade tip can be, at its highest, over twice the height of a two storey house. This size of turbine is therefore likely to be prominent and may appear above buildings. However, a well grown, mature forest, broadleaved or conifer tree is also about 15-20m in height. Turbines are likely to be similar in height to these trees, even more so in fertile lowland landscapes where trees often achieve good growth. Other structures of a similar height include taller communications masts and small pylons.

It is likely that proposals for this height of turbine will only come forward in settled lowland landscapes or hill fringes, and in these locations, trees and other structures will provide an appropriate scale reference. Specific landscape sensitivity assessments for this size of turbine were therefore not carried out within each of the landscape character types. Nevertheless, this size of turbine has been considered within the guidance offered in the lowland landscape sensitivity assessments carried out for this study. Generic guidance for this height of turbine is provided below.

Background

Within the Moray landscape, the following issues have been identified as being particularly influential in terms of detailed siting of this typology within character types identified as being appropriate for this typology:

- *Association with existing built development*
- *Turbine height in relation to the scale of the landscape*
- *Landform shape*
- *Settlement and land use pattern and features*
- *Visibility*
- *Potential cumulative issues*

Association with existing built development

Wherever possible, a turbine of less than 20m high will ‘fit’ into the landscape more successfully if it forms part of a ‘cluster’ of development and is visually associated with other built structures in the landscape. This is best achieved if the size of the turbine is in proportion to the size of individual features, such as buildings, trees and even pylons and other structures.



Image 1: A turbine illustrated at an indicative 2x height of the house from this view, or a taller turbine located behind the ridge to reduce overall height from this view. The turbine is well scaled in relation to the size of other individual features. It is also located on the side of the hill, rather than the hill top, where it can be 'read' in conjunction with the farm buildings. This forms a 'cluster' of development, which reduces landscape and visual impact.

Turbine height in relation to the scale of the landscape

Understanding scale, and the relative proportions of features in the landscape, is important in siting this typology. Landscape scale is made up of two factors, the scale of the landform and the scale of the pattern of land use.

Assessing the scale of the landform involves assessing the perceived vertical height and horizontal expanse of the topography, as well as the degree of openness and containment created by topographical relief.

The pattern of land use creates an additional layer of possible enclosure, for example where woodland, hedges and field walls provide containment. Conversely, low-growing vegetation, such as moorland, can reinforce openness. In addition, while we often assess sense of scale relative to ourselves within the landscape, individual elements, from trees to pylons, can provide reference points against which the scale of the landscape or size of other elements is perceived and understood.

In Moray, the scale of the landform is a significant factor in defining landscape character. More enclosed and steep-sided river valleys, small scale hummocky landforms and low hills, as well as more complex landform along some of the foothills, create areas of relatively small scale character. Plateau moorlands, more expansive hills, long undulating ridges are characteristic of upland areas. Relatively expansive but undulating low-lying landscape is more characteristic of the lowland farmed plains.

Trees and woodland, field pattern, settlements and farms are located on the lower fringes of the uplands, within the glens and across the farmed plains. The consistent and recurring presence of these elements creates a pattern which reduces the scale in these areas, and the individual elements provide scale reference points against which height can be judged.

As shown in Image 1 above, turbines of this height (12m – 20m) are still small enough to be sited where they can be associated with buildings and trees. Although they may be bigger than these elements, they are proportionately unlikely to be more than three times the size of

any building or tree, and within a wider landscape setting, this size relationship can usually be accommodated unless there are site-specific scale sensitivities.

On the coastal fringe, landform relief tends to be very low, with raised beaches or sand dunes, some of which are forested, forming a backdrop to the beach. Even where cliffs and more pronounced landform is present, the scale is sensitive, and a turbine can easily diminish the sense of height.

As a result, the landscape sensitivity assessment for the Coastal Fringe (1-3), concludes that turbines of no more than 20m high to blade tip are appropriate for this area. Turbines should be set back from the crest of a raised beach, promontory, cliff or other key landform feature.

Wherever possible, they should be sited where they can be associated with existing development. Buildings along the coast are often small, and even trees can be ‘wind shorn’ and struggle to reach full height in exposed locations. This further emphasises the need to use only small turbines in the coastal landscape, to reflect the relative size of these features.




Image 2 – Coastal landscapes: This turbine is perched on top of the raised beach and although it is quite small, instantly dominates the view and overlooks, or appears to ‘hover above’, the coast.



Image 3 – Coastal landscapes: The same turbine set back from the immediate coastal edge and associated with buildings is a less intrusive impact on the coast. The buildings along the coast are often small and low, therefore smaller turbines are more acceptable in terms of relative scale.

Landform shape

The farms and settlements where turbines of this height (12m – 20m) are most likely to be located are generally associated with lower hill slopes or valley floors. Some valleys have broad upper terraces, across which are scattered small farms, and where some of the steadings have fallen into disuse. The more extensive farmed coastal plains are gently undulating, often with subtle terraces or smaller areas of more complex landform created by deposits. There are also occasional long ridges, where settlement can extend far up the slopes, for example in *Rolling Farmland and Forests with Valleys* (5b).

These farmed slopes and valley or glen floors often have terraces, narrow ledges, folds and subtle hollows, distinct changes in gradient associated with rising slopes or dips within undulations. These changes in gradient all have the potential to create natural platforms for siting turbines of this height (12m – 20m) within the settled landscape.




Image 4 – landform shape – locating turbines on changes of gradient: This turbine (an indicative 2 x the size of the two storey house), is located at the distinct change in gradient close to the farm buildings. This means that the turbine reinforces the presence of the existing change of gradient or break in slope, rather than detract from it.

When siting turbines in this landscape, avoid locating them on the tops of knolls. Side slopes of low hill and ridges, and terraces or places where there is a marked change in gradient offer good opportunities.

On the more expansive farmed landscapes – such as the Coastal Farmland (4) and the Upland Farmland (8) – landform is more subtle, with long low ridges and undulating forms, as well as occasional more pronounced ridges. Turbines of this height (12m – 20m) should aim to be linked to existing building groups, and should avoid the tops of ridges except where this is a characteristic of settlement pattern. These turbines will be more easily accommodated if they are sited on the side slopes of ridges.

Settlement and land use pattern and features

Turbines of this height (12m – 20m) are most easily accommodated in areas where there is existing settlement and other infrastructure. In such areas, the distribution of existing built development can form a recognisable pattern to which wind turbines can be visually and physically linked.

In Moray, there is frequently a clear link between settlement and landform, for example, buildings may be located at a natural break in slope, the side slopes of the glens or associated with watercourses. In more extensive farmed areas, farm buildings may be relatively evenly dispersed across the landscape. Along the coast, settlement is located on harder rocky terrain, near the mouths of rivers and sheltered coastal locations.

Larger farm buildings, industrial buildings and distilleries are also to be found in Moray, and these building groups can even include tall stacks or other masts.

While even turbines of this height (12m – 20m) may be larger than most domestic and farm buildings, it is likely to still be appropriate to establish a visual relationship between a turbine and a farm or other group of buildings in this type of landscape. It is desirable to support the existing pattern of built development, where turbines of a similar size are consistently associated with a commonly occurring detailed landform or built features associated with the farms or small settlements in an area. Note that proximity to ‘regularly occupied’ buildings will also need to be balanced with a noise buffer zone.




Image 5 – Poor relationship with settlement pattern. Here a turbine is located in between two farms, and is not associated with either. It appears to ‘drift’ unattached in the landscape as it does not reflect the existing pattern of built development. Instead, the turbine is setting up a new pattern of development which conflicts with the existing well-established pattern.




Image 6 – Strong relationship with settlement pattern. The same landscape, with a turbine sited to each of the farms, close to the buildings, each of which now form ‘building clusters’. Here the turbines reflect the existing pattern of settlement, emphasising this, rather than starting a new built pattern which conflicts with the existing pattern. Micro-siting will need to balance creating a development cluster with the need to apply a recommended ‘noise buffer’ zone.




Image 7 – Settlement pattern on extensive low-lying farmed landscapes: Most farms are located away from the top of the high ridges, and landform is relatively subtle. Micro-small turbines (12 – 20 m) can be located relatively close to buildings, to form ‘clusters of development’ consistently placed across the more expansive farmland areas. Consistent siting and association with existing farms will limit negative cumulative landscape effects. Micro-siting will need to balance creating a development cluster with the need to apply a recommended ‘noise buffer’ zone.

In some landscapes, this consistency can be further reinforced if turbines are located at a similar elevation, especially if this relates to the existing elevation of farms, settlements or another major feature, such as the head dyke, which forms the boundary between fields and open hill ground, and is often located at a break in slope.

It is important to assess and understand the existing settlement pattern at the outset, and consider how a number of turbines could be sited in a landscape. Careful and consistent siting will limit potential negative cumulative effects on landscape character.

Visibility

Unsurprisingly, these micro-small turbines are likely to be less visible than the larger ones over a wider area. Turbines which are 20m or less are more likely to be able to be screened or partially hidden by the low ridges and more undulating landform within the settled landscapes of Moray. Tree cover, including sometimes extensive woodland, also limits visibility, although this can be sparse in more open farmed areas.

Hiding turbines *per se* is not more important than choosing a turbine of the right size in relation to landform or other landscape features, or than good micro-siting in relation to landform and settlement pattern. However, reducing sustained visibility of turbines helps limit potential cumulative visual impacts.

Siting turbines on the sides of ridges and low hills, rather than their summits and high points overall reduces visual cumulative effects – turbines are partially screened from some viewpoints to the lee of the hill and slopes in these locations. If several turbines are visible in an area, broad consistency of turbine design, height and location can help mitigate potential visual impacts.

Potential cumulative issues

Micro-small turbines may become a frequent and common occurrence in farmed landscapes. Key cumulative issues for small turbines are likely to relate strongly to potential clutter in the landscape. Issues may include:

- *Several individual, or small groups of turbines, could begin to dominate local character;*
- *The landscape could appear ‘cluttered’ if single or groups of turbines were associated with the majority of land holdings, especially where holdings are small and therefore closer together;*
- *Lack of a clear siting strategy could lead to fragmentation of an existing robust, recognisable, consistent and characteristic pattern of settlement, especially if turbines do not relate well to existing buildings and established pattern of built development;*
- *While one turbine breaching a skyline may be a focal point, a number of diverse structures, all spinning at different speeds – or even several of the same type of turbine – or appearing at irregular intervals along a prominent or important skyline will become a visual distraction from other landscape features or from perceived visual amenity, especially from key viewpoints;*
- *The variety of potential different types of wind turbines within the landscape could lead to clutter with different styles, sizes of structures and speeds of blade movement dotted across a landscape;*
- *There may be the added complication of increased visual clutter created by a wide range of different heights of turbine within a farmed landscape with micro-, small and small/medium sized turbines;*
- *Potential clutter may also be exacerbated if there are other masts, such as telecoms masts, overhead wires and pylons within the same vicinity*

The sensitivity assessment has assumed that single turbines and some groups of up to 3 micro-small (below 20m to blade tip) turbines are most likely to be associated with this typology and will have the most potential to be accommodated in the landscape. The assessment has also assumed that this size of turbine is most likely to be associated with farmed and settled landscapes.

Proposals for ‘wind farms/crofts’ of micro-small turbines over 3 in number are likely to have more significant adverse impacts on the landscape character, including on cumulative effects.

Guidance for small turbines (20m – 35m in height to blade tip)

The sensitivity of the landscape to this development scenario has been included in all assessments carried out in settled and farmed lowland landscape and coastal character types. Less settled upland landscape character types were not assessed for this size of development, as this size of turbine is associated with more settled landscapes and applications are unlikely to come forward in areas where there are no farms or other settlement.

Background

Within the Moray landscape, the following issues have been identified as being particularly influential in terms of detailed siting of this typology within character types identified as being appropriate for this typology:

- *Turbine height in relation to the scale of the landscape*
- *Landform shape*
- *Settlement and land use pattern and features*
- *Visibility*
- *Potential cumulative issues*

Turbine height in relation to the scale of the landscape

Turbines of between 20m and 35m are going to be one of the tallest structures in any Moray landscape. They are going to be taller than most buildings and trees. They are still, however, similar in height to some taller pylons and communications masts. In addition, especially on the coastal farmland, there are taller communication masts and structures associated with military activity.

Understanding scale, and the relative proportions of features in the landscape, is therefore important in siting this typology. Landscape scale is made up of two factors, the scale of the landform and the scale of the pattern of land use.

Assessing the scale of the landform involves assessing the perceived vertical height and horizontal expanse of the topography, as well as the degree of openness and containment created by topographical relief.

The pattern of land use creates an additional layer of possible enclosure, for example where woodland, hedges and field walls provide containment. Conversely, low-growing vegetation, such as moorland, can reinforce openness. In addition, while we often assess sense of scale relative to ourselves within the landscape, individual elements, from trees to pylons, can offer reference points against which the scale of the landscape or size of other elements is perceived and understood.

In Moray, the scale of the landform is a significant factor in defining landscape character. More enclosed and steep-sided river valleys, small scale hummocky landforms and low hills, as well as more complex landform along some of the foothills, create areas of relatively small scale character. Plateau moorlands, more expansive hills and long undulating ridges are characteristic of upland areas. Relatively expansive but undulating low-lying landform is more characteristic of the lowland farmed plains.

Turbines of this size (20m – 35m), even in small groups of up to three turbines, may be able to take advantage of the degree of relief created by small and medium scaled landforms, for example the broad slopes of foothills and lower fringes of upland areas, lower side slopes of valleys or the sides of undulating ridges and more subtle landforms of *Upland Farmland* (8) and the *Coastal Farmland* (4).




Image 8 – Landscape scale and size of features: A ‘small typology’ (20m – 35m) turbine located on a low-lying ridgeline set back from but still associated with the pattern of settlement. In this location, the turbine is linked to the scale of the landform and there are no features in the immediate proximity against which to judge turbine height. It is sited at a slight dip in the ridge, and back-dropped in this view by higher ground. It is located away from the house, to avoid overwhelming the buildings in terms of scale.

Trees and woodland, field pattern, settlements and farms are located on the lower fringes of the uplands, within the glens and across the farmed plains. The consistent and recurring presence of these elements creates a pattern which reduces the scale in these areas, and the individual elements provide scale reference points against which height can be judged. Care should be taken to site 20m – 35m high turbines where they do not dominate individual buildings, trees or other features, although some association with broad settlement pattern is still considered appropriate.

On more marginal farmed landscapes characteristic of the settled areas of Moray, buildings and tree cover are likely to be sparse and often are smaller in size than more fertile lowland farmlands. Trees may also be limited in height by exposure or poor soils and buildings are often low, either due to exposure, or due to the poorer quality farmland, which is often reflected in the characteristically more modest building style.

In these locations, the relationship between small turbines (20m – 35m) and landscape features is likely to be very sensitive, as this size of turbines could easily overwhelm the small stature and scale of individual elements which are key characteristics of these landscapes.

Where larger farm buildings, and even industrial and distillery buildings are located in more expansive landscapes or broader valleys, there are increased opportunities to site this height of turbine (20m – 35m) closer to buildings.

Overall, turbines of this height (20m – 35m) can most readily be accommodated by micro-siting them to relate to the scale of landforms or where present, larger buildings and woodlands, rather than trying to link them to the size of small structures, buildings and small trees.




Image 9 – Landscape scale – larger buildings: A turbine of this height (20 – 35m), could be associated with larger buildings in more simple landscapes, for example where larger woodlands are also present.

Turbines of this height are likely to be more difficult to accommodate within very small scale and complex topography, along the floor of very narrow glens and passes, on the coast, or where small landscape scale is created by small fields, diverse land use and dense settlement pattern.

For this typology, if there is doubt about the potential impact of a turbine on the scale of the landscape, a photomontage or wireline of the turbine taken from a key viewpoint will help the assessment of potential impacts.

Landform shape

This size of turbine is more likely to fit with the landscape if they are sited to clearly relate to a specific landform. Turbines of this size could be accommodated on low hills or ridgelines across the more expansive farmed areas, or in the wider and more extensive areas of farmed valleys. Other opportunities include the rising ground which provides the immediate backdrop to the farmed lowland areas and valley floors, especially if they are back-dropped by larger hills.

Distinct changes in gradient associated with rising slopes, well defined dips within undulations or more expansive concave landforms, long ridges and interim hills along the lower edges of the foothills, as well as the edges of more expansive plateaux all provide potential opportunities for micro-siting turbines of this size.




Image 10 – Landform shape and scale: A cluster of indicative small (20 – 35m high) typology turbines located on the side of a hill, sited where there is a distinct, relatively level ridge and at a low point in the landform. The turbines have been located where they are not likely to interrupt key views of the 'landmark hills' to the right. They are also in scale with the landform, although they are at the upper end of this typology in terms of size.

Settlement and land use pattern and features

In Moray, there is frequently a link between settlement and landform, for example, buildings may be located at a natural break in slope, the side slopes of the glens or associated with watercourses. In more extensive farmed areas, farm buildings may be relatively evenly dispersed across the landscape. Along the coast, settlement is located on harder rocky terrain, near the mouths of rivers and sheltered coastal locations.

Larger farm buildings, industrial buildings and distilleries are also to be found in Moray, and these building groups can even include tall stacks or other masts.

This height of turbine (20m – 35m height to blade tip) is larger than most buildings found in rural areas. They therefore should be sited where they can more readily be accommodated by landform scale, and avoid overshadowing or dominating smaller elements in the landscape, including small and complex landforms, small fields and settlement. It is more likely that these small sized turbines will be located on low ridges, the side slopes of hills, set slightly apart from farms or settlements.

The alignment of tracks and location of other infrastructure, as well as the turbines themselves, are also more likely to be an issue than with smaller turbine sizes.

Developing a recognisable pattern of development – for example, locating turbines at a similar elevation, and/or on similar topographical features across a landscape type will help create a pattern of development which will appear less cluttered and will also develop a distinctive and consistent landscape characteristic over time. Proximity to 'regularly occupied' buildings will need to be balanced with a noise buffer zone.




Image 11 – Developing a landscape pattern: These indicative 35m high turbines are located at a similar elevation on this hillside. They are also loosely associated with the location of the farms. This similarity in size, location and elevation helps to maintain the unity of the landscape pattern. Consistent association with watercourses, low hills or breaks in slope, head dykes or other features will help increase unity in the landscape and reduce negative cumulative landscape effects.

Visibility

Turbines which are more than 20m in height are taller than most trees and large farm buildings, and are therefore likely to have wider visibility than those turbines less than 20m in height.

As applicants may own farms or larger land holdings, there may be the potential to screen turbines from viewpoints if required, for example to reduce cumulative visual impacts, by establishing trees adjacent to the viewpoint (for quicker, maximum screening affect).

Potential cumulative issues

These small sized turbines may become a frequent and common occurrence, especially in farmed landscapes. Key cumulative issues are likely to relate strongly to potential clutter in the landscape and the visual relationship with other wind turbines. Issues are similar to those identified in the analysis of micro-small wind turbines, but because of the larger size of these turbines the issues are likely to occur more quickly and may include:

- Several individual, or small groups of turbines, could begin to dominate local character;
- Lack of a clear siting strategy could lead to fragmentation of an existing robust and recognisable landscape pattern – where possible, it is important to site turbines on similar landforms, at similar elevations and with a similar relationship to the existing settlement pattern;
- Diverse designs of turbine, all spinning at different speeds – or even several turbines of the same type – strung along a prominent or important skyline could become a visual

distraction from other landscape features or from perceived visual amenity, especially from key viewpoints;

- *The larger the turbine, the harder it is likely to be to accommodate a number of them in a single view or recognisable tract of landscape without them becoming the dominant feature. It is also harder to accommodate the turbines in a sequence of views experienced, for example, when travelling along a road;*
- *The variety of potential different types of wind turbines within the landscape could lead to clutter with different styles, sizes of structures and speeds of blade movement dotted across a landscape;*
- *Potential clutter may also be easily created if there are other masts, such as telecoms masts, overhead wires and pylons within the same vicinity;*
- *There may be the added complication of increased visual clutter created by a wide range of different heights of turbine within a farmed landscape with micro-, small and small/medium sized turbines;*
- *An additional complication may be the visual interrelationship with larger wind farms of large and medium sized turbines, especially along the upper edge of farmland adjacent to upland character types.*

Other landscape issues associated with this typology

Undergrounding electricity cables to a suitable off-site location to connect with the grid should also be undertaken in order to avoid a clutter of disparate built elements in the landscape.

Guidance for small-medium turbines (35m – 50m in height to blade tip)

The sensitivity of the landscape to this development scenario has been included in all assessments carried out in settled lowland landscape and coastal character types. Less settled upland landscape character types, however, were not assessed for this size of development, as this size of turbine is associated with more settled landscapes and applications are unlikely to come forward in areas where there are no farms or other settlements.

Background

Within the Moray landscape, the following issues have been identified as being particularly influential in terms of detailed siting of this typology within character types identified as being appropriate for this typology:

- *Turbine height in relation to the scale of the landscape*
- *Landform shape*
- *Settlement and land use pattern and features*
- *Visibility*
- *Cumulative issues*

Turbine height in relation to the scale of the landscape

Turbines of between 35m and 50m are going to often be the tallest structures in any Moray landscape. They are going to be taller than buildings and trees. They will also be taller than most communication masts and pylons, although there are some very tall masts associated with military installations on the Coastal Farmland (4) in Moray.

Understanding scale, and the relative proportions of features in the landscape, is therefore important in siting this typology. Landscape scale is made up of two factors, the scale of the landform and the scale of the pattern of land use.

Assessing the scale of the landform involves assessing the perceived vertical height and horizontal expanse of the topography, as well as the degree of openness and containment created by topographical relief.

The pattern of land use creates an additional layer of possible enclosure, for example where woodland, hedges and field walls provide containment. Conversely, low-growing vegetation, such as moorland, can reinforce openness. In addition, while we often assess sense of scale relative to ourselves within the landscape, individual elements, from trees to pylons, can offer reference points against which the scale of the landscape or size of other elements is perceived and understood.

In Moray, the scale of the landform is a significant factor in defining landscape character. More enclosed and steep-sided river valleys, small scale hummocky landforms and low hills, as well as more complex landform along some of the foothills, create areas of relatively small scale character. Plateau moorlands, more expansive hills and long undulating ridges are characteristic of upland areas. Relatively expansive but undulating low-lying landscape is more characteristic of the lowland plains.

Turbines of this height (35m – 50m) can therefore be accommodated most readily by relating the height of the turbines to the scale of the landform. If well sited, turbines of this size, even in small groups of up to three turbines, may be able to take advantage of the degree of relief created by medium scaled landforms. Examples include the broad slopes of larger scale foothills and fringes of extensive upland areas and plateaux or the transition between smaller scale farmed or settled landscapes and the edge of larger scale upland landscapes.




Image 12 – Landscape scale and size of features: A ‘medium-small’ (35 – 50m high) turbine located where it is readily associated with the scale of the landform rather than individual features within the low-lying farmland. This size of turbine is more easily accommodated if it is not located close to farms and trees, but can be seen in the context of landform and more simple landcover, such as moorland and larger woods, for example at the transition between upland and lowland landscapes. This turbine has also been placed where it avoids the hill top, and at a clear break in slope along the ridgeline.

Trees and woodland, field pattern, settlements and farms are located on the lower fringes of the uplands, within the glens and across the farmed plains. The consistent and recurring presence of these elements creates a pattern which reduces the scale in these areas, and the individual elements provide scale reference points against which height can be judged.

On more marginal farmed landscapes characteristic of the settled areas of Moray, buildings and tree cover are likely to be sparse and often are smaller in size than more fertile lowland farmlands. Trees may also be limited in height by exposure or poor soils and buildings are often low, either due to exposure, or due to the poorer quality farmland, which is often reflected in the characteristically more modest building style.

In settled and farmed locations, the relationship between small-medium turbines (35m – 50m) and individual smaller scale elements is likely to be very sensitive, as this size of turbines could easily overwhelm the size of individual elements, such as farms, other buildings, trees, small woods and policy features which are key characteristics of these landscapes.


Turbines of this height (35m – 50m) can therefore be accommodated most readily by relating the height of the turbines to the scale of the landform, and away from the setting of farms, other buildings, trees and woodland, as shown in image 12 above.

For this typology, if there is doubt about the potential impact of a turbine on the scale of the landscape, a photomontage, wireline or photowire taken from a key viewpoint will help the assessment of potential impacts.

Landform shape

This size of turbine (35m - 50m to blade tip) is likely to be more readily accommodated in medium scaled landscapes or the transition between smaller scale farmed or settled landscapes and the edge of larger scale upland landscapes. In these locations, they are more likely to fit with the landscape if they are sited to clearly relate to a specific land form. Turbines of this size could be accommodated on low hills or ridgelines which provide the immediate backdrop to the farmed lowland areas, especially if they, too, are back-dropped by larger hills or more sweeping plateaux.

Distinct changes in gradient associated with rising slopes, well defined dips within undulations, natural terraces or more expansive concave landforms, long ridges, and interim hills and foothills, as well as the edges of more expansive plateaux all provide potential opportunities for micro-siting turbines of this size.



Landform shape and scale: An indicative medium-small turbine (height 35 – 50m) shown at the break in slope at the transition between more accessible farmed land and steeper hillsides.


Settlement and land use pattern and features

Wherever possible, this size of turbine will 'fit' in the landscape more successfully if it is strongly associated with the scale of the landform and not individual features such as settlement. This will mean locating this typology away from the setting individual farms and buildings and woodland features.

This size of turbine (35-50m) is most likely to be accommodated where the pattern of built development becomes more sparse, for example in the upland fringe, or where farm holdings are large with very dispersed settlement pattern set within more open, large scale lowland landscapes. Other opportunities include where the pattern of fields gives way to more extensive forestry, open hills and moorland.

The alignment of tracks and location of other infrastructure, as well as the turbines themselves, are also more likely to be an issue than with smaller turbine sizes.

Developing a recognisable pattern of development – for example, locating turbines at a similar elevation, and/or on similar topographical features across a landscape type will help create a pattern of development which will appear less cluttered and will also develop a distinctive and consistent landscape characteristic over time.



Landscape pattern: These two indicative 35-50m high turbines are located at the break in slope, reinforced by the change from field pattern to open ground. They are also broadly linked to watercourses on this hillside, therefore a pattern is emerging.

Visibility

Turbines of this height are likely to be widely visible, as they are difficult to screen with smaller landform. Good siting is therefore very important, as the relationship with landform and wider landscape setting will be very visible.

Cumulative issues

Small-medium sized turbines may become a more common occurrence. Key cumulative issues are likely to relate strongly to potential clutter in the landscape and the visual relationship with wind farms of larger turbines or individual and small groups of small turbines. Cumulative issues may include:

- Several individual, or small groups of turbines, could begin to dominate local character;
- Diverse designs of turbine, all spinning at different speeds – or even several turbines of the same type – strung along a prominent or important skyline could become a visual distraction from other landscape features or from perceived visual amenity, especially from key viewpoints;
- Lack of a clear siting strategy could lead to fragmentation of an existing robust and recognisable landscape pattern – where possible, it is important to site turbines on similar landforms, at similar elevations and with a similar relationship to the existing settlement pattern;

- *The larger the turbine, the harder it is likely to be to accommodate a number of them in a single view or recognisable tract of landscape without them becoming the dominant feature. It is also harder to accommodate the turbines in a sequence of views experienced, for example, when travelling along a road;*
- *The variety of potential different types of wind turbines within the landscape could lead to clutter with different styles, sizes of structures and speeds of blade movement dotted across a landscape;*
- *Potential clutter may also be easily created if there are other masts, such as telecoms masts, overhead wires and pylons within the same vicinity – this is likely to be a bigger problem with these small turbines than larger ones;*
- *There may be the added complication of increased visual clutter created by a wide range of different heights of turbine within a farmed landscape with micro-, small and small/medium sized turbines;*
- *Other complications may be the visual interrelationship with larger wind farms of large and medium sized turbines, especially along the upper edge of farmland adjacent to upland character types.*

Other landscape issues associated with this typology

More complex landform, such as the areas of small-scale deposits and knolls will be particularly sensitive to the construction of access tracks for this size of wind turbine development. The construction of new access tracks should be minimised by careful siting of turbines to use existing tracks and to avoid more difficult or steep terrain. Care should also be taken in the alignment and design of any access tracks to ensure that sensitive landform and vegetation is not adversely affected and that intrusion on key views is avoided.




Undergrounding electricity cables to a suitable off-site location to connect with the grid should also be undertaken in order to avoid a clutter of disparate built elements in the landscape.

Appendix E: Landmark Hills

Knock Hill	A distinctive conical and isolated hill which rises out of lower-lying farmland on the border of Moray and Aberdeenshire and is widely visible across both areas.
Bin of Cullen	The shapely conical form of this hill forms a prominent feature seen widely across eastern Moray. It is important in forming an immediate backdrop to the Moray coast and to Cullen House and its designed landscape. This hill is popular with walkers and its open rocky summit (lower slopes are densely wooded) offers expansive views over the coast and the Moray Firth.
Meikle Balloch	This rounded and largely forested hill lies close to Keith. The boundary between Moray and Aberdeenshire is aligned through the summit of this hill. Footpaths and tracks on the hill are well-used and the open summit offers extensive views.
Ben Rinnes	The highest hill in Moray, classified as a 'Corbett' and thus very popular with walkers. The smaller hills of Little Conval and Meikle Conval extend from Ben Rinnes, forming a long heather-clad rolling ridge on the west side of Glen Rinnes. Ben Rinnes has a smooth and rounded form with steep slopes. A number of Tors form distinctive features on its curving ridge. This hill is important in forming the backdrop to Glen Rinnes and the Spey valley and especially dramatic views to it are possible when travelling south on the minor road from Dallas to Upper Knockando. This hill is particularly spectacular when the heather is in flower and in snowy conditions.
The Buck	The distinctive pointed profile of this hill together with its 'stand-alone' position amidst more rolling upland plateaux, contribute to the landmark status of this hill. The Buck lies on the border of Aberdeenshire and Moray and is popular with walkers, offering extensive views.
Ben Aigan	Ben Aigan rises to 471m and forms a prominent feature seen across the coastal plain of Moray and from the Spey Valley. The hill is largely forested but has an open heathery summit offering extensive views. Mountain bike trails and footpaths are well-used and the Speyside Way is aligned on the western and northern slopes of the hill.
Romach Hill and Mill Buie	These densely wooded rounded hills lie close to each other in the western part of Moray. They are most prominent when seen from longer views across the coastal plain of Moray near Findhorn and Forres where they form distinct high points along the upland backdrop.
Carn Kitty	Not widely visible but forms distinct high point within the <i>Open Rolling Uplands</i> (11) and is glimpsed from the Upper Knockando to Dallas road. This hill is surrounded by the operational wind farms of Berry Burn and Paul's Hill.
Roy's Hill	Prominent in views from the Spey Valley and tourist routes such as the A95 where its steep open heathery slopes form an immediate backdrop to the Spey and also Ballindalloch Castle designed landscape. This hill is additionally important in visually containing the Paul's Hill wind farm. Wind farm access tracks appear to be used by mountain bikers and walkers. The summit of this hill has extensive views to the Cairngorms.
Carn na Cailliche	This gently rounded hill lies on the southern edge of the <i>Upland Moorland and Forestry</i> (10) and is most prominent from the Upper Knockando area and in distant views from the A95 from the south. It is important in visually containing operational wind farm development lying at the core of this character type from the Spey Valley.
Brown Muir	Not high at 338m but prominent in views from the north across the central coastal plain of Moray due to its steep northern slopes and pronounced peaky summit (topped by a mast). This

	hill does not appear to be popular with walkers despite offering panoramic views across Moray and the Moray Firth to Sutherland and Caithness. Brown Muir appears less prominent in views from the south and south-east where its more gentle slopes merge gradually with the surrounding landscape.
Knock of Braemoray	Distinctive conical hill prominent in views from the A940 on the approach to Moray and widely visible from the open low-lying Dava Moor and Lochindorb area. This hill forms a visual 'buffer' to less prominent upland areas and screens operational wind farms sited in the <i>Open Rolling Uplands</i> (10). Although this hill offers an excellent vantage point, it does not appear to be well-used by walkers.
Carn Biorach	Carn Biorach lies close to the Knock of Braemoray. The boundary between Highland Council and Moray is aligned through this hill. This hill is prominent in views from the A940 and, like the Knock of Braemoray, it is important in partially screening operational wind farms located in the <i>Open Rolling Uplands</i> (11) from the wider Dava Moor area.
Binn Hill and Tappoch	These small hills rise out of the low-lying Moray coastal plain and are visible across a wide area including from parts of the coast.
Quarry Wood	A small but prominent hill rising to just 127m but important in providing an immediate landscape setting to Elgin. The Community Woodland on this hill provides a valuable recreational resource close to housing.
Hunt Hill	Hunt Hill lies in a similar location to Carn na Cailliche on the southern edge of the <i>Upland Moorland and Forestry</i> (10). It is subtly rounded with the summit (lying at 365m) forming a twin peak with Cairn Cattoch which is of a similar height. The gentle southern and western slopes of Hunt Hill are densely forested. While this hill does not form a distinctive landmark feature in wider views across Moray, it is seen from Speyside and from the A95 south-west of Aberlour where it backdrops more settled valley landscapes and visually contains the lower basin lying at the core of the <i>Upland Moorland and Forest</i> (10) and operational wind farm development.

Potential adverse effects on the setting and character of Landmark Hills

	<p>Wind turbines sited on top of the Landmark Hill would appear very prominent and would significantly affect the character of the hill.</p>
	<p>Large wind turbines sited close to the Landmark Hill would detract from its focus and diminish its scale and prominence</p>
	<p>Large wind turbines set away from the Landmark Hill but in the foreground of a key view to the hill, detracting from its focus and diminishing its apparent size. These effects are particularly significant where the hill is not high but rises dramatically from low-lying ground</p>