

19/00800/APP
26th July 2019

**Plot substitution (approved under ref 08/02766/FUL) to
change from private to affordable house types on Plots
142 - 149 Spynie Elgin Moray
for Robertson Homes**

Comments:

- A SITE VISIT HAS BEEN CARRIED OUT
- The proposal (as a whole or in part) has previously been reported to Committee or to a Departure Hearing (Special Committee Meeting) and the appointed officer considers that significant amendments have been made to any previous application for Committee to reconsider the development
- 1 representation received

Procedure:

None.

Recommendation

Grant Planning Permission - Subject To The Following:-

Conditions/Reasons

1. The development hereby granted forms part of, and is related to, a development granted planning permission under formal decision notice 08/02766/FUL dated 9 December 2009 wherein:
 - a) the terms and conditions as attached to that permission are hereby reiterated and remain in force in so far as they relate to the development hereby approved, in particular Conditions 3 - 26 inclusive, including any details already approved thereunder to discharge the requirements of the identified conditions; and
 - b) no part of the development hereby granted shall be exercised in conjunction with, or in addition to, the house design and plot layout details already approved for this part of the development.

Reason: To ensure an acceptable form of development and that it progresses in accordance with the already approved and required details and that only one permission is implemented, the house designs and plot layout arrangements hereby approved being considered as an acceptable alternative to that already approved and not an addition thereto.

2. As part of the permission hereby granted, the houses hereby approved shall only be used for affordable housing purposes in accordance with the agreement(s) reached between the applicant/developer and Moray Council and/or any registered social landlord (e.g. housing association or similar) to enable the long term delivery of affordable housing on this site; and no development shall commence until details of the agreement(s) to confirm the arrangements for the delivery of the proposed affordable accommodation hereby approved shall be submitted to and approved in writing by the Council, as Planning Authority.

Thereafter, the development shall be implemented in accordance with the approved details.

Reason: To ensure an acceptable form of development in terms of the required provision and delivery of the affordable housing accommodation proposed for this site wherein the benefits of such provision are passed on to serve the community in future years.

3. All landscaping shall be carried out in accordance with the submitted report AREA 2, SPYNIE, ELGIN OUTLINE LANDSCAPE SPECIFICATION AND MAINTENANCE SCHEDULE dated August 2019 and approved plan 1108/PL02. All planting, seeding or turfing shall be carried out in the first planting and seeding seasons following the commencement of development any trees or plants which within a period of five years from the completion of the development die, for whatever reason are removed or damaged shall be replaced in the next planting season with others of the same size and species.

Reason: In order to ensure that a high standard of landscaping is achieved, appropriate to the location of the site.

4. Two car parking spaces shall be provided within each plot prior to the first occupation/completion of the house, whichever is the sooner. The parking spaces shall thereafter be retained for the purposes of parking vehicles.

Reason: To ensure the permanent availability of the level of parking necessary for residents/visitors/others in the interest of an acceptable development and road safety.

5. No boundary fences, hedges, walls or any other obstruction whatsoever over 1.0 metre in height and fronting onto the public road shall be within 2.4 metres of the edge of the carriageway, measured from the level of the public carriageway.

Reason: To enable drivers of vehicles leaving driveways to have a clear view over a length of road sufficient to allow safe exit, in the interests of road safety for the proposed development and other road users.

6. Driveways over service verges shall be constructed to accommodate vehicles and shall be surfaced with bituminous macadam unless otherwise agreed with the Council, as Planning Authority in consultation with the Roads Authority.

Reason: To ensure acceptable infrastructure is provided at the property accesses.

7. No works shall commence on site until a Construction Traffic Management Plan has been submitted to and approved in writing by the Council, as Planning Authority in consultation with the Roads Authority. The Construction Traffic Management Plan shall include the following information:
- duration of works;
 - construction programme;
 - measures to be put in place to prevent material being deposited on the public road;
 - measures to be put in place to safeguard the movements of pedestrians;
 - traffic management measures to be put in place during works including any specific instructions to drivers; and
 - parking provision, loading and unloading areas for construction traffic.

Thereafter, the development shall be implemented in accordance with the approved details.

Reason: To ensure an acceptable form of development in terms of the arrangements to manage traffic during construction works at the site.

8. All surface water drainage proposals shall be in accordance with the submitted report Drainage Impact Assessment A/181043 AFFORDABLE RESIDENTIAL DEVELOPMENT – 8 PLOTS HAMILTON GARDENS, SPYNIE, ELGIN, dated July 2019.

Reason: To ensure that surface water drainage is provided timeously and complies with the principles of SuDS; in order to protect the water environment.

Reason(s) for Decision

The proposal accords with the provisions of the development plan and there are no material considerations that indicate otherwise.

List of Informatives:

THE DEVELOPMENT MANAGEMENT AND BUILDING STANDARDS MANAGER has commented:

A Building Warrant will be required for the development.

THE TRANSPORTATION MANAGER has commented:

The road serving the proposed development is currently under construction. The applicant is obliged to apply/amend the necessary permissions as appropriate for construction consent in accordance with Section 21 of the Roads (Scotland) Act 1984 for new roads or to modify the existing public road, in accordance with

Section 56 of the Roads (Scotland) Act. Advice on this matter can be obtained from the Moray Council web site or by emailing constructionconsent@moray.gov.uk

Construction Consent shall include a CCTV survey of all existing roads drainage to be adopted and core samples to determine the construction depths and materials of the existing road.

Planning consent does not carry with it the right to carry out works within the public road boundary and the applicant is obliged to contact the Transportation Manager for road opening permit in accordance with the Roads (Scotland) Act 1984. This includes any temporary access joining with the public road.

If required, street furniture which needs to be repositioned will be at the expense of the developer. Advice on these matters can be obtained by e-mailing road.maint@moray.gov.uk

Street lighting will be required as part of the development proposal.

No building materials/scaffolding/builder's skip shall obstruct the public road (including footpaths) without permission from the Roads Authority.

The applicant shall be responsible for ensuring that surface/ground water does not run from the public road into his property.

The applicant shall ensure that their operations do not adversely affect any Public Utilities, which should be contacted prior to commencement of operations.

The applicants shall free and relieve the Roads Authority from any claims arising out of his operations on the road or extension to the road.

The Transportation Manager must always be contacted before any works commence. This includes any temporary access, which should be agreed with the Roads Authority prior to work commencing on it.

No retaining structures or embankments shall be constructed along the edge of the road, whether retaining the public road or ground adjoining the public road without prior consultation and agreement of the Roads Authority.

The developer must contact the Roads Authority Street Lighting Section at Ashgrove Depot, Elgin - Tel (01343) 557300, Ext 7343 to discuss the proposals.

The developer must contact the Roads Authority Roads Maintenance Manager at Ashgrove Depot, Elgin - Tel (01343) 557300, to discuss the proposals.

LIST OF PLANS AND DRAWINGS SHOWING THE DEVELOPMENT	
Reference No. Version No.	Title/Description
18171/OS)002	Location plan
1817(PL)104	House type F - elevations and floor plans
1817(PL)105	House type G - elevations and floor plans
824	Combined services layout
921	Proposed roads layout
922	Proposed drainage layout
923	Proposed site levels
18171(PL)002 A	Site layout plan
1108/PL02	Landscaping



PLANNING APPLICATION COMMITTEE SITE PLAN

Planning Application Ref Number:

19/00800/APP

Site Address:

Plots 142 - 149 Spynie

Elgin

Applicant Name:


Robertson Homes

Plans, drawings and other material submitted to the local authority are protected by the Copyright, Designs and Patents Act 1988 (section 47). You may only use material which is downloaded and/or printed for consultation purposes, to compare current applications with previous schemes and to check whether developments have been completed in accordance with approved plans.


Further copies must not be made without the prior permission of the copyright owner.

Maps shown in the Planning Committee Report can only be used for the purposes of the Planning Committee. Any other use risks infringing Crown Copyright and may lead to prosecution or civil proceedings. Maps produced within this Planning Committee Report can only be reproduced with the express permission of the Moray Council and other Copyright holders. This permission must be granted in advance.

Location Plan



Site Location



Site plan









PLANNING APPLICATION: 19/00800/APP

In the event that a recommendation on this planning application is overturned the Committee is reminded of the advice contained on the front page of the agenda for Reports on Applications

THE PROPOSAL

- This application seeks planning permission to replace 8 private houses approved under application reference 08/02766/FUL with different house types which will be delivered as affordable housing.
- The units are an 'off-set' affordable housing contribution from another development (10/01114/APP – Bilbohall).
- There will be no increase in the overall number of units on the R5 site.
- The units will be taken by a Housing Association and will be made available for affordable rent.
- Two different house types are proposed. Type F is a three bedroom semi-detached house. Type G is a four bedroom detached house. Both are two storeys.
- Four detached and four semi-detached units are proposed.
- Landscaping is proposed along the eastern boundary of the site.
- Connections to the public water supply and public drainage network are proposed.
- Details of the proposals for surface water drainage have been provided.
- The road network is in place and no new access arrangements are required.
- The application is supported by a Drainage Impact Assessment and Landscape Specification and Maintenance Schedule.

THE SITE

- The site is a small area of land towards the north east of the Elgin R5 Spynie Hospital North site as identified in the Moray Local Development Plan (MLDP) 2015.
- The designated site extends to 21.63ha and has planning permission for 435 units. The application site is 0.22ha.
- The majority of the houses and the road network have been completed under the previous permission.
- The sites sit to the north of West Cove Sea Road.
- Eight units have previously been approved on these plots.

HISTORY

10/01114/APP - Vary/amend planning condition no 11 of application reference 04/00476/FUL to provide 4 affordable houses on site (during second stage of development as approved) and transfer 8 affordable houses to Spynie Elgin and amend proposed house types originally approved at Bilbohall R9 - Granted 24/08/10.

08/02766/FUL - Erect a residential development of 435 units comprising houses and flats with associated road network and landscaping at Spynie – Granted 04/08/09.

POLICY - SEE APPENDIX

ADVERTISEMENTS

None.

CONSULTATIONS

Strategic Planning & Delivery: The site has consent under 08/02766/FUL. It is also noted that the majority of the wider development is now built and this has defined the character of the area as one of more modern housing of similar house types.

It is accepted that the extent to which the proposal can be amended to bring this in line with current policies is more limited. However, in reviewing parking arrangement for plots 44 to 45 these could be amended to bring them in line with policy PP3 Placemaking and associated Urban Design Supplementary Guidance. Side parking could be incorporated and the hedging amended see annotated plan.

A landscaping plan is required.

It is noted that the proposal, in combination with application reference 19/00811/APP reduces the number of affordable housing within the development. The principle of this and compliance with Policy H8 Affordable Housing must be agreed with the Council's Housing service.

PO response: The plans have been amended to show side parking at plots 44 and 45 and a landscaping plan has been submitted.

Developer Obligations: This planning application is an amendment of a previously permitted planning application, 08/02766/FUL, and results in a decrease of SRUE. No obligations will be sought in this instance.

Housing Strategy & Development Manager: No objection.
The delivery of these 8 units of affordable housing will contribute to the total outstanding on this site. The proposals are acceptable.

The remaining affordable housing requirements on the R5 Spynie site must be addressed.

Environmental Health: No objection.

Contaminated Land: No objection.

Transportation Manager: No objection subject to conditions relating to parking, treatment of road boundaries, construction of driveways and the provision of a Construction Traffic Management Plan

SEPA: No objection. This is not a major application (and SEPA had no outstanding objections to the major application at this site).

SNH: No objection.

Scottish Water – No objection.

OBJECTIONS-REPRESENTATIONS

NOTE: Following the determination of this application, name and address details will be/have been removed (i.e. redacted) in accordance with the General Data Protection Regulations (paragraph 3 of Minute, Planning & Regulatory Services Committee 16 September 2014).

Issue: Impact on house prices.

Comments: This is not a material consideration.

Issue: The ratio of private to affordable across the overall site.

Comments: The original planning permission (08/02766/FUL) was granted subject to a condition that required 87 affordable units to be provided across the whole development. Subsequently an agreement (10/01114/APP) was reached to transfer 8 affordable units from another site. This is in addition to the affordable housing requirements arising directly from the overall development on the R5 Spynie. The current application honours the obligation to provide the 8 transferred units. The transfer of these affordable units from another development by the same applicant was approved at Committee in August 2010 (10/01114/APP).

OBSERVATIONS

Section 25 of the 1997 Act as amended requires applications to be determined in accordance with the Development Plan i.e. the adopted Moray Local Development Plan 2015 (MLDP) unless material considerations indicate otherwise. On 18 December 2018, at a special meeting of the Planning and Regulatory Services Committee, the Proposed Moray Local Development Plan 2020 was approved as the "settled view" of the Council and minimal weight will be given to it, with the 2015 MLDP being the primary consideration.

Further consideration of the weight to be attached to the Proposed Plan was considered and agreed at the Planning and Regulatory Services Committee on 29 January 2019, with the Committee agreeing that between June/August 2019 and adoption of the new LDP in mid-2020, the weight to be given to matters set out in the Proposed Plan will vary;

- Where matters set out in the Proposed Plan are subject to unresolved objections which will be considered through Examination, then those matters will continue to be given minimal weight as a material consideration in the development management process.
- Where matters set out in the Proposed Plan are not subject to unresolved objections, they will be given greater weight as a material consideration in the development management process.

The weight to be given will be considered on a case by case basis and will be agreed by the Development Management & Building Standards Manager and Strategic Planning & Delivery Manager.

In this case the proposal is subject to a designated site which will not be subject to the Examination process and therefore will be given greater weight.

The main issues are considered below.

Planning History

Planning Permission (08/02766/APP) is in place for 435 units across the R5 Spynie site. The original permission was granted subject to a condition that required 87 affordable units to be provided. Subsequently an application (10/01114/APP) by the same developer at Bilbohall (now Fairfield Avenue) was approved which included the transfer of eight affordable units to the R5 Spynie site. This was in addition to the requirement for 87 affordable units arising from the R5 development itself. At that time no details of the siting or design of these eight units was provided.

In order to meet the affordable housing requirements for the R5 site 44 affordable units have already been approved (17/00607/APP) on another part of the site and work is currently under way on that development. An application (15/01092/APP) for the remaining 43 units has also been approved and that permission has been partially implemented but is currently the subject of an application (19/00811/APP) to vary the terms of the permission.

The current application is to provide the eight affordable units that were transferred from Bilbohall.

Affordable Housing (H9)

The principal of transferring the affordable housing from Bilbohall to this site has already been established by a previous application (10/01114/APP) which was approved at Committee. The current proposal would see this commitment to deliver affordable housing discharged. A Housing Association (Hanover Housing) is in place and the units will be made available for affordable rent. It should be noted that planning permission exists for eight houses on these plots and these could be built in accordance with the approved plans and made available as affordable housing without the need for planning permission. The current application is necessitated by the need to provide house types that meet the requirements of the identified affordable housing provider. This proposal will result in affordable housing on the ground and will be the conclusion of the commitment to provide these units to meet housing need in Elgin. The proposal accords with the terms of the previous permissions that relate to the site and is supported by the Housing Strategy and Policy Manager.

Design and Materials (H1 & IMP1)

Two new house types are proposed. These are not currently found elsewhere in the development but are currently proposed in application 19/00811/APP on an adjoining part of the R5 site. Type F is a three bedroom semi-detached house. Type G is a four bedroom detached house. Both are two storey. Four detached and four semi-detached units are proposed. The house types have a simple form and style with minimal detailing aside from a small canopy over the front door. Both house types will be finished in a dry dash render with dark grey concrete tiles on the roof. The originally approved houses on

these plots are all two storey detached houses and are a combination of 3 and 4 bedroom units. The approved house types have more detailing and incorporate features such as integral garages. They were also finished in a dry dash render with dark concrete roof tiles. While the proposed house types are simpler in form and finish they reflect the suburban style of the approved development. The proposed materials will be in keeping with the previously approved development. The proposed house types will sit comfortably alongside the house types already approved and will be broadly in keeping with the character of the overall development.

Layout and Landscaping (PP3, H1 & IMP1)

The proposed layout follows that of the existing permission. The space available is constrained by the development carried out to date under the existing permission and there is limited scope to alter this. The parking for plots 44 and 45 has been altered to make it less dominant in the street scene in accordance with policy PP3. A landscaping plan has been provided which shows planting along the roadside boundary of the plots and hedging along the eastern edge of the application site. The proposed planting will serve to create a stronger sense of place and will help to assimilate the proposed development into the existing scheme. It is recommended that the provision and maintenance of the landscaping proposals are controlled by condition.

The relationship between the proposed houses and surrounding houses is similar to that of the already approved houses. The density and scale of development is unaltered and as such there will be no greater impact on the amenity of neighbouring houses or the surrounding area. The positioning of the houses and the windows has been considered to take account of surrounding plots and will not give rise to any unacceptable privacy or overlooking issues.

Drainage and Water Supply (EP5 & EP10)

A Drainage Impact Assessment (DIA) has been provided for the development. This sets out the proposals for foul and surface water drainage. The arrangements will be connected to the existing drainage arrangements for the R5 site.

The proposals for surface water are detailed in the DIA. A condition is recommended requiring these details to be implemented in full. The development will connect to the previously approved system. The SuDS scheme for the original development was designed to avoid any adverse impact on the catchment of Loch Spynie SPA. Surface water run-off from the current development will partly be discharged to a SuDS pond and basin already approved as part of the wider R5 Spynie development. These features will be adopted by Scottish Water. Subject to condition the proposals will comply with policy EP5.

The development will be connected to the public sewer and water supply. Some alterations to the new sewer network will be required to accommodate the proposed amendments to the development. Neither Scottish Water or SEPA has any objection to the proposal. The proposals accord with policy EP10.

Access and Parking (T2 & T5)

The road network has already been provided under the previous permission (08/02766/FUL) and no changes are required to accommodate the current proposal. A condition is recommended to ensure that roadside boundary treatments are kept to a maximum of 1m in height to avoid obstruction of sight lines. The condition will ensure safe entry and exit from individual plots in accordance with policy T2.

Parking will be provided for each unit in accordance with current policy. A condition is recommended to ensure that the parking is provided in a timely manner. The level of parking provided is in accordance with policy T5.

It is recommended that a Construction Phase Traffic Management Plan is sought by condition to ensure that construction traffic is appropriately managed.

Subject to the recommended conditions the proposals comply with policies T2 and T5 and will ensure acceptable access and parking for the development.

Developer Obligations (IMP3)

The proposal has been assessed for developer obligations in line with policy IMP3. Obligations were sought as part of the original application (08/02766/APP) and no further obligations are sought at this time.

Recommendation

This proposal will result in development on the ground to meet current housing need in Elgin and honour a previous commitment for affordable house provision. This proposal results in a transfer of units from another previously approved site and replaces a comparable number of house units at R5. It is therefore recommended that planning permission is granted subject to the recommended conditions.

REASON(S) FOR DECISION

The Council's reason(s) for making this decision are: -

The proposal accords with the provisions of the development plan and there are no material considerations that indicate otherwise.

**Author/Contact
Officer:**

Lisa MacDonald
Senior Planning Officer

Ext: 01343 563479

**Beverly Smith
Development Management & Building Standards Manager**

APPENDIX

POLICY

Adopted Moray Local Development Plan 2015

Moray Local Development Plan 2015 - Material Consideration

Primary Policy PP3: Placemaking

All residential and commercial (business, industrial and retail) developments must incorporate the key principles of Designing Streets, Creating Places and the Council's supplementary guidance on Urban Design.

Developments should;

- create places with character, identity and a sense of arrival
- create safe and pleasant places, which have been designed to reduce the fear of crime and anti social behaviour
- be well connected, walkable neighbourhoods which are easy to move around and designed to encourage social interaction and healthier lifestyles
- include buildings and open spaces of high standards of design which incorporate sustainable design and construction principles
- have streets which are designed to consider pedestrians first and motor vehicles last and minimise the visual impact of parked cars on the street scene.
- ensure buildings front onto streets with public fronts and private backs and have clearly defined public and private space
- maintain and enhance the natural landscape features and distinctive character of the area and provide new green spaces which connect to green and blue networks and promote biodiversity
- The Council will work with developers and local communities to prepare masterplans, key design principles and other site specific planning guidance as indicated in the settlement designations.

Policy H1: Housing Land

Designated sites

Land has been designated to meet the strategic housing land requirements 2013-2025 in the settlement statements as set out in Table 1. Proposals for development on all designated housing sites must include or be supported by information regarding the comprehensive layout and development of the whole site. This allows consideration of all servicing, infrastructure and landscaping provision to be taken into account at the outset. It will also allow an assessment of any contribution or affordable housing needs to be made. Proposals must comply with the site development requirements within the settlement

plans and policies and the Council's policy on Place- making and Supplementary Guidance, "People and Places".

Windfall sites within settlements

New housing on land not designated for residential development within settlement boundaries will be acceptable if;

- a) The proposal does not adversely impact upon the surrounding environment, and
- b) Adequate servicing and infrastructure is available, or can be made available
- c) The site is not designated for an alternative use
- d) The requirements of policies PP2, PP3 and IMP1 are met.

Housing Density

Capacity figures indicated within site designations are indicative and proposed capacities will be considered against the characteristics of the site, conformity with policies PP3, H8 and IMP1.

Policy E5: Open Spaces

Safeguarding Open Spaces

Development which would cause the loss of, or adversely impact on, areas identified under the ENV designation in settlement statements and the amenity land designation in rural groupings will be refused unless;

- The proposal is for a public use that clearly outweighs the value of the open space or the proposed development is ancillary to the principal use and will enhance use of the site for sport and recreation; and
- The development is sited and designed to minimise adverse impacts on the recreational, amenity and biodiversity value of the site; and
- There is a clear excess of the type of ENV designation within easy access in the wider area and loss of the open space will not negatively impact upon the overall quality and quantity of open space provision, or
- Alternative provision of equal or greater benefit will be made available and is easily accessible for users of the developed space.

Provision of new Open Spaces

Quantity

New green spaces should be provided to the following standards;

- Residential sites less than 10 units - landscaping to be determined under the terms of policies PP3 and IMP1 to integrate the new development.

- Residential sites 10-50 units and new industrial sites- minimum 15% open space
- Residential sites 51-200 units- minimum 20% open space
- Residential sites 201 units and above and Business Parks- minimum 30% open space including allotments, formal parks and playspaces within residential sites.

Quality

New green spaces should be;

- Overlooked by buildings with active frontages
- Well positioned, multi functional and easily accessible
- Well connected to adjacent green and blue corridors, public transport and neighbourhood facilities
- Safe, inclusive and welcoming
- Well maintained and performing an identified function
- Support the principles of Placemaking policy PP3.

Allotments

Proposals for allotments on existing open spaces will be supported where they do not adversely affect the primary function of the space or undermine the amenity value of the area and where a specific locational requirement has been identified by the Council. Consideration will include related aspects such as access and car parking and not just the allotment area itself.

Policy BE1: Scheduled Monuments and National Designations

National Designations

Development Proposals will be refused where they will adversely affect Scheduled Monuments and nationally important archaeological sites or their settings unless the developer proves that any significant adverse effect on the qualities for which the site has been designated are clearly outweighed by social or economic benefits of national importance.

Local Designations

Development proposals which will adversely affect sites of local archaeological importance or the integrity of their settings will be refused unless it can be demonstrated that;

- a) Local public benefits clearly outweigh the archaeological value of the site, and
- b) There is no suitable alternative site for the development, and

- c) Any adverse effects can be satisfactorily mitigated at the developers expense

Where in exceptional circumstances, the primary aim of preservation of archaeological features in situ does not prove feasible, the Council shall require the excavation and researching of a site at the developers expense.

The Council will consult Historic Scotland and the Regional Archaeologist on development proposals which may affect Scheduled Monuments and archaeological sites.

Policy EP5: Surface Water Drainage: Sustainable Urban Drainage Systems (SUDS)

Surface water from development should be dealt with in a sustainable manner that has a neutral effect on the risk of flooding or which reduces the risk of flooding. The method of dealing with surface water should also avoid pollution and promote habitat enhancement and amenity. All sites should be drained by a sustainable drainage system (SUDS). Drainage systems should contribute to enhancing existing "blue" and "green" networks while contributing to place-making, biodiversity, recreational, flood risk and climate change objectives.

Specific arrangements should be made to avoid the issue of permanent SUD features becoming silted-up with construction phase runoff. Care must be taken to avoid the introduction of invasive non-native species during the construction of all SUD features.

Applicants must agree provisions for long term maintenance of the SUDS scheme to the satisfaction of the Council in consultation with SEPA and Scottish Water as appropriate.

A Drainage Assessment (DA) will be required for developments of 10 houses or more, industrial uses, and non-residential proposals of 500 sq metres and above.

The Council's Flood Team will prepare Supplementary Guidance on surface water drainage and flooding.

Policy EP7: Control of Development in Flood Risk Areas

New development should not take place if it would be at significant risk of flooding from any source or would materially increase the possibility of flooding elsewhere. Proposals for development in areas considered to be at risk from flooding will only be permitted where a flood risk assessment to comply with the recommendations of National Guidance and to the satisfaction of both the Scottish Environment Protection Agency and the Council is provided by the applicant. This assessment must demonstrate that any risk from flooding can be satisfactorily mitigated without increasing flood risk elsewhere. Due to continuing changes in climatic patterns, the precautionary principle will apply when reviewing any application for an area at risk from inundation by floodwater.

The following limitations on development will also be applied to take account of the degree of flooding as defined in Scottish Planning Policy;

- a) In areas of little to no risk (less than 0.1%) there will be no general constraint to development.

- b) Areas of low to medium risk (0.1% to 0.5%) will be considered suitable for most development. A flood risk assessment may be required at the upper end of the probability range (i.e. close to 0.5%), and for essential civil infrastructure and most vulnerable uses. Water resistant materials and construction may be required. Areas within this risk category will generally not be suitable for civil infrastructure. Where civil infrastructure must be located in these areas or is being substantially extended, it should be designed to be capable of remaining operational and accessible during extreme flooding events.
- c) Areas of medium to high risk (0.5% or above) may be suitable for:
- Residential, institutional, commercial and industrial development within built up areas provided flood protection measures to the appropriate standard already exist and are maintained, are under construction, or are a planned measure in a current flood management plan;
 - Essential infrastructure within built up areas, designed and constructed to remain operational during floods and not impede water flow;
 - Some recreational, sport, amenity and nature conservation uses, provided appropriate evacuation procedures are in place and
 - Job related accommodation e.g. for caretakers or operational staff.

Areas within these risk categories will generally not be suitable:

- Civil infrastructure and most vulnerable uses;
- Additional development in undeveloped and sparsely developed areas, unless a location is essential for operational reasons, e.g. for navigation and water based recreation, agriculture, transport or utilities infrastructure (which should be designed to be operational during floods and not impede water flow), and
- An alternative, lower risk location is not available and
- New caravan and camping sites.

Where development is permitted, measures to protect against or manage flood risk will be required and any loss of flood storage capacity mitigated to achieve a neutral or better outcome. Water resistant materials and construction should be used where appropriate. Elevated buildings on structures such as stilts are unlikely to be acceptable.

Policy EP8: Pollution

Planning applications for developments that may cause significant pollution in terms of noise (including RAF aircraft noise), air, water and light emissions will only be approved where a detailed assessment report on the levels, character and transmission of the potential pollution is provided by the applicant. The assessment should also demonstrate how the pollution can be appropriately mitigated. Where the Council applies conditions to the consent to deal with pollution matters these may include subsequent independent monitoring of pollution levels.

Policy EP9: Contaminated Land

Development proposals on potentially contaminated land will be approved provided that:

- a) The applicant can demonstrate through site investigations and risk assessment, that the site is in a condition suitable for the proposed development and is not causing significant pollution of the environment; and
- b) Where necessary, effective remediation measures are agreed to ensure the site is made suitable for the new use and to ensure appropriate disposal and/or treatment of any hazardous material.

The Council recommends early contact with the Environmental Health Section, which can advise what level of information will need to be supplied.

Policy EP10: Foul Drainage

All development within or close to settlements (as defined in the Local Development Plan) of more than 2,000 population equivalent will require to connect to the public sewerage system unless connection to the public sewer is not permitted due to lack of capacity. In such circumstances, temporary provision of private sewerage systems may be allowed provided Scottish Water has confirmed investment to address this constraint has been specifically allocated within its current Quality Standards Investment Programme and the following requirements apply:

- Systems shall not have an adverse impact on the water environment;
- Systems must be designed and built to a standard which will allow adoption by Scottish Water.
- Systems must be designed such that they can be easily connected to a public sewer in the future. Typically this will mean providing a drainage line up to a likely point of connection.

All development within or close to settlements (as identified in the Local Development Plan) of less than 2000 population equivalent will require to connect to public sewerage system except where a compelling case is made otherwise. Factors to be considered in such a case will include size of the proposed development, whether the development would jeopardise delivery of public sewerage infrastructure and existing drainage problems within the area. Where a compelling case is made, a private system may be acceptable provided it does not pose or add risk of detrimental effect, including cumulative, to the natural and built environment, surrounding uses or amenity of the general area. Consultation with Scottish Environment Protection Agency will be undertaken in these cases.

Where a private system is deemed to be acceptable (within settlements as above or small scale development in the countryside) a discharge to land (either full soakaway or raised mound soakaway) compatible with Technical Handbooks (which sets out guidance on how proposals may meet the Building (Scotland) Regulations 2004) should be explored prior to considering a discharge to surface waters.

Policy T2: Provision of Access

The Council will require that new development proposals are designed to provide the highest level of access for end users including residents, visitors, and deliveries appropriate to the type of development and location. Development must meet the following criteria:

- Proposals must maximise connections and routes for pedestrian and cyclists, including links to active travel and core path routes, to reduce travel demands and provide a safe and realistic choice of access.
- Provide access to public transport services and bus stop infrastructure where appropriate.
- Provide appropriate vehicle connections to the development, including appropriate number and type of junctions.
- Provide safe entry and exit from the development for all road users including ensuring appropriate visibility for vehicles at junctions and bends.
- Provide appropriate mitigation/modification to existing transport networks where required to address the impacts of new development on the safety and efficiency of the transport network. This may include but would not be limited to, the following measures, passing places, road widening, junction enhancement, bus stop infrastructure and drainage infrastructure. A number of potential road improvements have been identified in association with the development of sites the most significant of these have been shown on the Settlement Map as TSPs.
- Proposals must avoid or mitigate against any unacceptable adverse landscape or environmental impacts.

Developers should give consideration to aspirational core paths (under Policy 2 of the Core Paths Plan) and active travel audits when preparing proposals.

New development proposals should enhance permeability and connectivity, and ensure that opportunities for sustainable and active travel are protected and improved.

The practicality of use of public transport in more remote rural areas will be taken into account however applicants should consider innovative solutions for access to public transport.

When considered appropriate by the planning authority developers will be asked to submit a Transport Assessment and Travel Plan.

Significant travel generating proposals will only be supported where:

- Direct links to walking and cycling networks are available;
- Access to public transport networks would involve walking no more than 400m;
- It would not have a detrimental effect on the capacity of the strategic road and/or rail network; and

- A Transport Assessment identifies satisfactory mechanisms for meeting sustainable transport requirements and no detrimental impact to the performance of the overall network.

Access proposals that have a significant adverse impact on the surrounding landscape and environment that cannot be mitigated will be refused.

Policy T5: Parking Standards

Proposals for development must conform with the Council's current policy on parking standards.

Policy IMP1: Developer Requirements

New development will require to be sensitively sited, designed and serviced appropriate to the amenity of the surrounding area. It should comply with the following criteria

- a) The scale, density and character must be appropriate to the surrounding area.
- b) The development must be integrated into the surrounding landscape
- c) Road, cycling, footpath and public transport must be provided at a level appropriate to the development. Core paths; long distance footpaths; national cycle routes must not be adversely affected.
- d) Acceptable water and drainage provision must be made, including the use of sustainable urban drainage systems (SUDS) for dealing with surface water.
- e) Where of an appropriate scale, developments should demonstrate how they will incorporate renewable energy systems, and sustainable design and construction. Supplementary Guidance will be produced to expand upon some of these criteria.
- f) Make provision for additional areas of open space within developments.
- g) Details of arrangements for the long term maintenance of landscape areas and amenity open spaces must be provided along with Planning applications.
- h) Conservation and where possible enhancement of natural and built environmental resources must be achieved, including details of any impacts arising from the disturbance of carbon rich soil.
- i) Avoid areas at risk of flooding, and where necessary carry out flood management measures.
- j) Address any potential risk of pollution including ground water contamination in accordance with recognised pollution prevention and control measures.
- k) Address and sufficiently mitigate any contaminated land issues
- l) Does not sterilise significant workable reserves of minerals or prime quality agricultural land.

- m) Make acceptable arrangements for waste management.

Policy IMP3: Developer Obligations

Contributions will be sought from developers in cases where, in the Council's view, a development would have a measurable adverse or negative impact upon existing infrastructure, community facilities or amenity, and such contributions would have to be appropriate to reduce, eliminate or compensate for that impact.

Where the necessary contributions can be secured satisfactorily by means of planning conditions attached to a planning permission, this should be done, and only where this cannot be achieved, for whatever reason, the required contributions should be secured through a planning agreement.

The Council will prepare supplementary guidance to explain how the approach will be implemented in accordance with Circular 3/2012 on Planning Obligations. This will detail the necessary facilities and infrastructure and the scale of contributions likely to be required.

In terms of affordable housing, developments of 4 or more units will be expected to make a 25% contribution, as outlined in policy H8.

R5: Spynie Hospital North

This 21.63 ha site has planning consent for 435 units which was granted in 2009. The site is currently being developed and there are under 277 units remaining to be built. The site has overhead cables that will have to be relocated underground. Development proposals should safeguard the integrity of Loch Spynie SPA.

Proposed Moray Local Development Plan 2020

PP1 PLACEMAKING

- a) Development must be designed to create successful, healthy places that support good physical and mental health, help reduce health inequalities, improve people's wellbeing, safeguard the environment and support economic development.
- b) A Placemaking Statement is required for residential developments of 10 units and above to be submitted with the planning application to articulate how the development proposal addresses the requirements of policy PP1 Placemaking and other relevant LDP policies and guidance. The Placemaking Statement must include a sufficient information for the Council to carry out a Quality Audit including a topo survey, slope analysis, site sections, 3D visualisations, a Landscaping Plan, a Street Engineering Review and a Biodiversity Plan as these will not be covered by suspensive conditions on a planning consent. The Placemaking Statement must demonstrate how the development promotes opportunities for healthy living and working. The landscape plan must set out details of species type, size, timescales for planting and maintenance.

- c) To create successful, healthy places residential developments of 10 units and above must comply with Scottish Government policy Creating Places and Designing Streets and must incorporate the following fundamental principles;

(i) Character and Identity

- Create places that are distinctive to prevent homogenous 'anywhere' development.
- For developments of 20 units and above, provide a number of character areas that have their own distinctive identity and are clearly distinguishable. Developments of less than 20 units will be considered to be one character area, unless they are part of a larger phase of development or masterplan area.
- Provide distinctiveness between and in each character area through a combination of measures including variation in urban form, street structure/network, architecture and masonry, accent features (such as porches), surrounds and detailing, materials (buildings and surfaces), colour, boundary treatments, hard/soft landscaping and a variety of approaches to tree species and planting that emphasises the hierarchy of open spaces and streets within a cohesive design strategy for the whole development.
- Distinctiveness must be reinforced along main thoroughfares, open spaces and places where people may congregate such as shopping/service centres.
- Retain, incorporate and/or respond to relevant elements of the landscape such as topography and planted features, natural and historic environment, and propose street naming (in residential developments of 20 units and above, where proposed names are to be submitted with the planning application) to retain and enhance local associations.

(ii) Healthier, Safer Environments

- Designed to prevent crime, fear of crime and anti-social behaviour with good levels of natural surveillance and security using treatments such as low boundary walls, dual frontages (principal rooms) and well-lit routes to encourage social interaction. Unbroken high boundary treatments such as wooden fencing and blank gables onto routes, open spaces and communal areas will not be acceptable.
- Designed to encourage physical exercise for people of all abilities.
- Create a distinctive urban form with landmarks, key buildings, vistas, gateways and public art to provide good orientation and navigation through the development.
- Provide a mix of compatible uses, where indicated within settlement statements, integrated into the fabric of buildings within the street.
- Prioritise pedestrians and cyclists by providing a permeable movement framework that incorporates desire lines (including connecting to and upgrading existing desire lines) and is fully integrated with the surrounding network to create walkable neighbourhoods and encourage physical activity.
- Integrate multi-functional active travel routes, green and open space into layout and design, to create well connected places that encourage physical activity, provide attractive spaces for people to interact and to connect with nature.

- Create safe streets that influence driver behaviour to reduce vehicle speeds that are appropriate to the local context such as through shorter streets, reduced visibility and varying the building line.
- Provide seating opportunities within streets, paths and open spaces for all generations and mobility's to interact, participate in activity, and rest and reflect;
- Provide for people with mobility problems or a disability to access buildings, places and open spaces.
- Create development with public fronts and private backs.
- Maximise environmental benefits through the orientation of buildings, streets and open space to maximise the health benefits associated with solar gain and wind shelter.

(iii) Housing Mix

- Provide a wide range of well integrated tenures, including a range of house types and plot sizes for different household sizes, incomes and generations and meet the affordable and accessible requirements of policy DP2 Housing.
- All tenures of housing should have equal access to amenities, greenspace and active travel routes.

(iv) Open Spaces/Landscaping

- Provide accessible, multi-functional open space within a clearly defined hierarchy integrated into the development and connected via an active travel network of green/blue corridors that are fully incorporated into the development and to the surrounding area, and meet the requirements of policy EP5 Open Space and the Open Space Strategy Supplementary Guidance and Policy EP12 Managing the Water Environment and Drainage Impact Assessment for New Developments Supplementary Guidance.
- Landscaped areas must provide seasonal variation, (mix of planting and colour) including native planting for pollination and food production.
- Landscaped areas must not be 'left-over' spaces that provide no function. 'Left-over' spaces will not contribute to the open space requirements of policy EP4 Open Space.
- Semi-mature tree planting and shrubs must be provided along all routes with the variety of approaches reflecting and accentuating the street hierarchy.
- Public and private space must be clearly defined.
- Play areas (where identified) must be inclusive, providing equipment so the facility is for every child/young person regardless of ability and provided upon completion of 50% of the character area.
- Proposals must provide advance landscaping identified in site designations and meet the quality requirements of policy EP5 Open Space.
- Structural landscaping must incorporate countryside style paths (such as bound or compacted gravel) with waymarkers.
- Maintenance arrangements for all paths, trees, hedging, shrubs, play/sports areas, roundabouts and other open/ green spaces and blue/green corridors must be provided.

(v) Biodiversity

- Create a variety of high quality multi- functional green/blue spaces and networks that connect people and nature, that include trees, hedges and planting to enhance biodiversity and support habitats/wildlife and comply with policy EP2 Biodiversity and Geodiversity and EP5 Open Space.
- A plan detailing how different elements of the development will contribute to supporting biodiversity must be included in the design statement submitted with the planning application.
- Integrate green and blue infrastructure such as swales, permeable paving, SUDS ponds, green roofs and walls and grass/wildflower verges into streets, parking areas and plots to sustainably address drainage and flooding issues and enhance biodiversity from the outset of the development.
- Developments must safeguard and connect into wildlife corridors/ green networks and prevent fragmentation of existing habitats.

(vi) Parking

- Car parking must not dominate the streetscape to the front or rear of properties. On all streets a minimum of 75% of car parking must be provided to the side or rear and behind the building line with a maximum of 25% car parking within the front curtilage or on street, subject to the visual impact being mitigated by hedging, low stone boundary walls or other acceptable treatments that enhance the streetscape.
- Provide semi-mature trees and planting within communal private and public/visitor
- Secured and covered cycle parking and storage, car sharing spaces and electric car charging points must be provided in accordance with policy DP1 Development Principles.
- Parking areas must use a variation in materials to reduce the visual impact on the streetscene.

(vii) Street Layout and Detail

- Provide a clear hierarchy of streets reinforced through street width, building density and street and building design, materials, hard/soft landscaping and a variety of approaches to tree planting and shrubs.
- Streets and connecting routes should encourage walking and cycling over use of the private car by providing well connected, safe and appealing routes.
- Design junctions to prioritise pedestrians, accommodate active travel and public transport and service/emergency vehicles to reflect the context and urban form and ensure that the street pattern is not standardized.
- Dead-end streets/cul-de-sacs will only be selectively permitted on rural edges or where topography dictates. These must be short, serving no more than 10 units and provide walking and cycling through routes to maximise connectivity to the surrounding area.
- Roundabouts must be designed to create gateways and contribute to the character of the overall development.
- Design principles for street layouts must be informed by a Street Engineering Review (SER) and align with Roads Construction Consent (RCC) to provide certainty that the development will be delivered as per the planning consent.

- (d) Masterplans have been prepared for Findrassie (Elgin), Elgin South, Bilbohall (Elgin), and Dallas Dhu (Forres) and are Supplementary Guidance to the Plan. Further Masterplans will be prepared in partnership for Lochyhill (Forres), Barhill Road (Buckie), Elgin Town Centre/ Cooper Park, Elgin North East, Clarkly Hill, Burghead and West Mosstodloch. A peer review organised by the Council will be undertaken at the draft and final stages in the masterplan's preparation. Following approval, the Masterplans will be Supplementary Guidance to the Plan.
- (e) Proposals for sites must reflect the key design principles and safeguard or enhance the green networks set out in the Proposals Maps and Settlement Statements. Alternative design solutions may be proposed where justification is provided to the planning authority's satisfaction to merit this.

DP1 DEVELOPMENT PRINCIPLES.

This policy applies to all developments, including extensions and conversions and will be applied proportionately.

The Council will require applicants to provide impact assessments in order to determine the impact of a proposal. Applicants may be asked to determine the impacts upon the environment, transport network, town centres, noise, air quality, landscape, trees, flood risk, protected habitats and species, contaminated land, built heritage and archaeology and provide mitigation to address these impacts.

Development proposals will be supported if they conform to the relevant Local Development Plan policies, proposals and additional guidance, meet the following criteria and address their individual and cumulative impacts:

(i) Design

- a) The scale, density and character must be appropriate to the surrounding area and create a sense of place (see Policy PP1) and support the principles of a walkable neighbourhood.
- b) The development must be integrated into the surrounding landscape which will include safeguarding existing trees and undertaking replacement planting to include native trees for any existing trees that are felled, and safeguarding any notable topographical features (e.g. distinctive knolls), stone walls and existing water features by avoiding channel modifications and culverting. A tree survey and tree protection plan must be provided with planning applications for all proposals where mature trees are present on site or that may impact on trees outwith the site. The strategy for new tree provision should follow the principles of the "Right Tree in the Right Place".
- c) Make provision for new open space and connect to existing open space under the requirements of Policy EP5 and provide details of the future maintenance of these spaces. A detailed landscape plan must be submitted with planning applications and include information about green/blue infrastructure, tree species, planting, ground/soil conditions, and natural and man-made features (e.g. grass areas, wildflower verges, fencing, walls, paths, etc.).

- d) Demonstrate how the development will conserve and enhance the natural and built environment and cultural heritage resources, retain original land contours and integrate into the landscape.
- e) Proposals must not adversely impact upon neighbouring properties in terms of privacy, daylight or overbearing loss of amenity.
- f) Proposals do not result in backland development or plots that are subdivided by more than 50% of the original plot. Sub-divided plots must be a minimum of 400m², excluding access and the built-up area of the application site will not exceed one-third of the total area of the plot and the resultant plot density and layout reflects the character of the surrounding area.
- g) Pitched roofs will be preferred to flat roofs and box dormers are not acceptable.
- h) Existing stone walls on buildings and boundaries must be retained.
- i) Alterations and extensions must be compatible with the character of the existing building in terms of design, form, choice of materials and positioning and meet all other relevant criteria of this policy.
- i) Proposals must orientate and design buildings to maximise opportunities for solar gain

(ii) Transportation

- a) Proposals must provide safe entry and exit from the development, including the appropriate number and type of junctions, maximise connections and routes for pedestrians and cyclists, including links to active travel and core path routes, reduce travel demands and ensure appropriate visibility for all road users at junctions and bends. Road, cycling, footpath and public transport connections and infrastructure must be provided at a level appropriate to the development and connect people to education, employment, recreation, health, community and retail facilities.
- b) Car parking must not dominate the street scene and must be provided to the side or rear and behind the building line. Minimal (25%) parking to the front of buildings and on street may be permitted provided that the visual impact of the parked cars is mitigated by hedging or low stone boundary walls. Roadways with a single carriageway must provide sufficient off road parking to avoid access routes being blocked to larger service vehicles and prevent parking on pavements.
- c) Provide safe access to and from the road network, address any impacts on road safety and the local road and public transport network. Any impacts identified through Transport Assessments/ Statements must be identified and mitigated. This may include but would not be limited to, passing places, road widening, junction improvements, bus stop infrastructure and drainage infrastructure. A number of potential mitigation measures have been identified in association with the development of sites and the most significant are shown on the Proposals Map as TSP's.

- d) Provide covered and secure facilities for cycle parking at all flats/apartments, retail, community, education, health and employment centres.
- e) Garages and parking provision must be designed to comply with Moray Council parking specifications see Appendix 2.
- f) The road layout must be designed to allow for the efficient mechanical sweeping of all roadways and channels, pavements, turning areas and junctions. The road layout must also be designed to enable safe working practices, minimising reversing of service vehicles with hammerheads minimised in preference to turning areas and to provide adequate space for the collection of waste and movement of waste collection vehicles.
- g) The road and house layout in urban development should allow for communal refuse collection points where the design does not allow for individual storage within the curtilage and / or collections at kerbside. Communal collection points may either be for the temporary storage of containers taken by the individual householder or for the permanent storage of larger containers. The requirements for a communal storage area are stated within the Council's Kerbside Collection Policy, which will be a material consideration.
- h) Road signs should be minimised designed and placed at the back of footpaths to reduce street clutter, avoid obstructing pedestrian movements and safeguarding sightlines.
- i) Within communal parking areas there will be a requirement for electric car charging points. Parking spaces for car sharing must be provided where a need is identified by the Transportation Manager.

iii) **Water environment, pollution, contamination.**

- a) Acceptable water and drainage provision must be made, including the use of sustainable urban drainage systems (SUDS) for dealing with surface water including temporary/ construction phase SUDS (see Policy EP12).
- b) New development should not be located in areas at flood risk or increase vulnerability to flooding (see Policy EP12). Exceptions to this would only be considered in specific circumstances, e.g. extension to an existing building or change of use to an equal or less vulnerable use. Where this exception is applied the proposed development must include resilience measures such as raised floor levels and electrical sockets.
- c) Proposals must avoid major hazard sites and address any potential risk of pollution including ground water contamination in accordance with recognised pollution prevention and control measures.
- d) Proposals must protect and wherever practicable enhance water features through for example naturalisation of watercourses by introducing a more natural planform and removing redundant or unnecessary structures.
- e) Proposals must address and sufficiently mitigate any contaminated land issues.

- f) Make acceptable arrangements for waste collection and management and encourage recycling.
- g) Avoid sterilising significant workable reserves of minerals, prime agricultural land or productive forestry.
- h) Proposals must avoid areas at risk of coastal erosion and coastal change.

DP2 HOUSING.

a) Proposals for development on all designated and windfall housing sites must include a design statement and supporting information regarding the comprehensive layout and development of the whole site, addressing infrastructure, access for pedestrians, cyclists, public transport and service vehicles, landscaping, drainage, affordable and accessible housing and other matters identified by the planning authority, unless otherwise indicated in the site designation.

Proposals must comply with Policy PP1, DP1, the site development requirements within the settlement plans, all other relevant policies within the Plan and must comply with the following requirements.

b) Piecemeal/ individual plot development proposals

Piecemeal and individual/ plot development proposals will only be acceptable where details for the comprehensive redevelopment of the site are provided to the satisfaction of the planning authority and proposals comply with the terms of Policy DP1, other relevant policies including access, affordable and accessible housing, landscaping and open space and where appropriate key design principles and site designation requirements are met.

Proposals for piecemeal/ plot development must be accompanied by a Delivery Plan setting out how the comprehensive development of the site will be achieved.

c) Housing density

Capacity figures indicated within site designations are indicative only. Proposed capacities will be considered through the Quality Auditing process against the characteristics of the site, character of the surrounding area, conformity with all policies and the requirements of good Placemaking as set out in Policies PP1 and DP1.

d) Affordable Housing

Proposals for all housing developments (including conversions) must provide a contribution towards the provision of affordable housing.

Proposals for new housing developments of 4 or more units (including conversions) must provide 25% of the total units as affordable housing in affordable tenures to be agreed by the Housing Strategy and Development Manager. For proposals of less than 4 market housing units a commuted payment will be required towards meeting housing needs in the local housing market area.

A higher percentage contribution will be considered subject to funding availability, as informed by the Local Housing Strategy. A lesser contribution or alternative in the form of off-site provision or a commuted payment will only be considered where exceptional site development costs or other project viability issues are demonstrated and agreed by the Housing Strategy and Development Manager and the Economic Development and

Planning Manager. Intermediate tenures will be considered in accordance with the HNDA and Local Housing Strategy, and agreed with the Housing Strategy and Development Manager.

Further detail on the implementation of this policy is provided in the Policy Guidance note on page 44.

e) Housing Mix and Tenure Integration

Proposals for 4 or more housing units must provide a mix of house types, tenures and sizes to meet local needs as identified in the Housing Need and Demand Assessment and Local Housing Strategy.

Proposals must demonstrate tenure integration and meet the following criteria;

- Architectural style and external finishes must ensure that homes are tenure blind.
- The spatial mix must ensure communities are integrated to share school catchment areas, open spaces, play areas, sports areas, bus stops and other community facilities.

f) Accessible Housing

Housing proposals of 10 or more units will be required to provide 10% of the private sector units to wheelchair accessible standard, with all of the accessible units to be in single storey form. Flexibility may be applied on sites where topography would be particularly challenging for wheelchair users.

Further detail on the implementation of this policy is provided in the Policy Guidance note on page 44.

EP5 OPEN SPACE.

a) Existing Open Space (ENV's and Amenity Land).

Development which would result in a change of use of a site identified under the ENV designation in settlement statements or amenity land designation in rural groupings to anything other than an open space use will be refused.

Proposals that would result in a change of use of an ENV4 Sports Area to any other use (including other ENV categories) will be refused. The only exceptions are where the proposal is for essential community infrastructure required to deliver the key objectives of the Council and its Community Planning Partners, excluding housing, or for a site specific opportunity identified within the settlement statement. Where one of these exceptions applies, proposals must;

- Be sited and designed to minimise adverse impacts on the principal function of the space and the key qualities and features identified in the Moray Open Space Strategy Supplementary Guidance; and
- Demonstrate that there is a clear excess of the type of ENV and the loss of the open space will not negatively impact upon the quality, accessibility and quantity of open space provision and does not fragment green networks (with reference to the Moray Open Space Strategy Supplementary Guidance, green network mapping and for

ENV4 Sports Area in consultation with SportScotland) or replacement open space provision of equivalent function, quality and accessibility is made.

Proposals for allotments or community growing on existing open space will be supported where they do not adversely affect the primary function of the space or the key qualities and features identified in the Moray Open Space Strategy Supplementary Guidance and a locational requirement has been identified in the Council's Food Growing Strategy. Consideration will include related aspects such as access, layout, design and car parking requirements.

Any new/proposed extension to existing cemetery sites requiring an intrusive ground investigation must be undertaken in accordance with SEPA's guidance on assessing the impacts of cemeteries on groundwater before any development occurs at the site.

Areas identified in Settlement Statements as ENV are categorised based on their primary function as set out below. These are defined in the Open Space Strategy Supplementary Guidance.

- ENV 1** Public Parks and Gardens
- ENV 2** Amenity Greenspace
- ENV 3** Playspace for children and teenagers
- ENV 4** Sports Areas
- ENV 5** Green Corridors
- ENV 6** Natural/Semi-Natural Greenspace
- ENV 7** Civic Space
- ENV 8** Allotments
- ENV 9** Cemeteries and proposed extensions
- ENV 10** Private Gardens and Grounds
- ENV 11** Other Functional Greenspace

b) Green Infrastructure and Open Space in New Development.

New development must incorporate accessible multifunctional open space of appropriate quantity and quality to meet the needs of development and must provide green infrastructure to connect to wider green/blue networks. In Elgin, Buckie and Forres green infrastructure must be provided as required in the green network mapping. Blue drainage infrastructure will require to be incorporated within green open space. The blue-green context of the site will require to be considered from the very outset of the design phase to reduce fragmentation and maximize the multi-benefits arising from this infrastructure.

Open space provision in new developments must meet the accessibility, quality and quantity standards set out below and meet the requirements of policy PP1 Placemaking, EP2 Biodiversity, other relevant policies and any site specific requirements within the Settlement Statements. Developers must demonstrate through a Placemaking Statement that they have considered these standards in the design of the open space, this must include submission of a wider analysis plan that details existing open space outwith the site, key community facilities in the area and wider path networks.

i) Accessibility Standard.

Everyone will live within a five minute walk of a publicly usable space of at least 0.2ha.

ii) Quality Standard.

Across a development open space must achieve a very good quality score of 75%. Quality will be assessed by planning officers against the five criteria below using the bullet point prompts. Each criterion will be scored on a scale of 0 (poor) to 5 (very good) with an overall score for the whole development expressed as a percentage.

Accessible and well connected.

- Allows movement in and between places, consideration to be given to reflecting desire lines, permeable boundaries, and multiple access points.
- Accessible entrances in the right places.
- Accessible for all generations and mobility's, including consideration of gradient and path surfaces.
- Provide appropriately surfaced, inclusive, high quality paths.
- Connects with paths, active travel routes and other transport modes including bus routes.
- Offers connecting path network with legible waymarking and signage.

Attractive and Appealing Places.

- Attractive with positive image created through character and quality elements.
- Attractive setting for urban areas.
- Quality materials, equipment and furniture.
- Attractive plants and landscape elements that support character, including providing seasonal and sensory variation and food production.
- Welcoming boundaries and entrance areas.
- Adequate bin provision.
- Long term maintenance measures in place.

Biodiverse supporting ecological networks (see Policy EP2 Biodiversity).

- Contribute positively to biodiversity through the creation of new natural habitats for ecological and amenity value.
- Large enough to sustain wildlife populations, including green/blue networks and landscaping.
- Offers a diversity of habitats.
- Landscaping and open space form part of wider landscape structure and setting.
- Connects with wider blue/green networks Provide connections to existing green/blue networks and avoids fragmentation of existing habitats.
- Ensure a balance between areas managed positively for biodiversity and areas managed primarily for other activities e.g. play, sport.
- Resource efficient, including ensuring open space has a clear function and is not "left over".

Promotes activity, health and well being.

- Provides multifunctional open space for a range of outdoor physical activities reflecting user needs and location.
- Provides diverse play, sport, and recreational facilities for a range of ages and user groups.
- Providing places for social interaction, including supporting furniture to provide seating and resting opportunities.
- Appropriate high quality facilities meeting needs and reflecting the site location and site.

- Carefully sited facilities for a range of ages with consideration to be given to existing facilities, overlooking, and ease of access for users.
- Open space is flexible to accommodate changing needs.

Safe, Welcoming and contributing to Character and Identity.

- Safe and welcoming.
- Good levels of natural surveillance.
- Discourage anti-social behavior.
- Appropriate lighting levels.
- Sense of local identity and place.
- Good routes to wider community facilities e.g connecting to schools, shops, or transport nodes.
- Distinctive and memorable places that support local culture and identity.
- Catering for a range of functions and activities providing a multi-functional space meeting needs.
- Community involvement in management.

iii) Quantity Standard.

Unless otherwise stated in site designations, the following quantity standards will apply.

- Residential sites less than 10 units - landscaping to be determined under the terms of Policy DP1 Development Principles to integrate the new development.
- Residential sites 10-50 units and new industrial sites- minimum 15% open space.
- Residential sites 51-200 units- minimum 20% open space.
- Residential sites 201 units and above and Business Parks- minimum 30% open space which must include allotments, formal parks and playspaces within residential sites.

In meeting the quantity requirements, only spaces which have a clear multi benefit function will be counted. Structure and boundary landscaping areas must make provision for public access and link into adjacent green corridors. The quantity standard must be met within the designation boundaries. For windfall sites the quantity standard must be new open space provision within the application boundaries.

Open Spaces approved in new developments will be classed as ENV spaces upon granting of consent.

Proposals must also comply with the Council's Open Space Strategy Supplementary Guidance.

EP8 HISTORIC ENVIRONMENT.

a) Scheduled Monuments and National Designations.

Where a proposed development potentially has a direct impact on a scheduled monument, the written consent of Historic Environment Scotland is required, in addition to any other necessary consents.

Development proposals will be refused where they will adversely affect Scheduled Monuments and nationally important archaeological sites or their settings unless the developer proves that any significant adverse effect on the qualities for which the site has been designated are clearly outweighed by social or economic benefits of national importance.

b) Local Designations.

Development proposals which adversely affect sites of local archaeological importance or the integrity of their settings will be refused unless;

- a) Local public benefits clearly outweigh the archaeological value of the site, and
- b) There is no suitable alternative site for development, and
- c) Any adverse effects can be satisfactorily mitigated at the developer's expense.

The Council will consult Historic Environment Scotland and the Regional Archaeologist on development proposals which may affect Scheduled Monuments, nationally important archaeological sites and locally important archaeological sites.

EP13 FOUL DRAINAGE

All development within or close to settlements (as defined in the Local Development Plan) of more than 2,000 population must connect to the public sewerage system unless connection is not permitted due to lack of capacity. In such circumstances, temporary provision of private sewerage systems may be allowed provided Scottish Water has confirmed investment to address this constraint has been allocated within its investment Programme and the following requirements have been met;

- Systems must not have an adverse effect on the water environment.
- Systems must be designed and built to a standard which will allow adoption by Scottish Water.
- Systems must be designed such that they can be easily connected to a public sewer in the future. Typically this will mean providing a drainage line up to a likely point of connection.

All development within or close to settlements (as above) of less than 2,000 population will require to connect to public sewerage except where a compelling case is made otherwise. Factors to be considered in such a case will include size of the proposed development, whether the development would jeopardise delivery of public sewerage infrastructure and existing drainage problems within the area. Where a compelling case is made, a private system may be acceptable provided it does not pose or add a risk of detrimental effects, including cumulative, to the natural and built environment, surrounding uses or amenity of the general area.

Where a private system is deemed to be acceptable, within settlements as above or small scale development in the countryside, a discharge to land, either full soakaway or raised mound soakaway, compatible with Technical Handbooks (which sets out guidance on how proposals may meet the Building Regulations) must be explored prior to considering a discharge to surface waters.

EP14 POLLUTION, CONTAMINATION & HAZARDS.

a) Pollution.

Development Proposals which may cause significant air, water, soil, light or noise pollution or exacerbate existing issues must be accompanied by a detailed assessment report on

the levels, character and transmission of the potential pollution with measures to mitigate impacts. Where significant or unacceptable impacts cannot be mitigated, proposals will be refused.

b) Contamination.

Development proposals on potentially contaminated land will be approved where they comply with other relevant policies and;

- i) The applicant can demonstrate through site investigations and risk assessment, that the site is in a condition suitable for the proposed development and is not causing significant pollution of the environment, and
- ii) Where necessary, effective remediation measures are agreed to ensure the site is made suitable for the new use and to ensure appropriate disposal and/ or treatment of any hazardous material.

c) Hazardous sites.

Development proposals must avoid and not impact upon hazardous sites or result in public safety concerns due to proximity or use in the vicinity of hazardous sites.

R10 Spynie Hospital North 21.63 ha 435 units

- Development commenced. 202 units remaining.
- Flood Risk Assessment (FRA) required.
- Drainage Impact Assessment (DIA) required.
- Demonstrate that there will not be an adverse effect on the integrity of Loch Spynie Special Protection Area e.g. by minimising diffuse pollution, preventing pollution reaching watercourses during construction, and connection of houses to mains water and sewerage